



Reserve Bank of India/ भारतीय रिज़र्व बैंक  
Estate Department / संपदा विभाग  
Guwahati / गुवाहाटी

रिज़र्व बैंक ऑफ इंडिया, गुवाहाटी के मुख्य कार्यालय भवन की दूसरी मंजिल पर स्थित निर्गम विभाग का  
नवीनीकरण

ई-निविदा नं: [RBI/GUWAHATI/ESTATE/2//26-27/ET/110](#)  
[RBI/GUWAHATI/ESTATE/3//26-27/ET/111](#)

**निविदा सूचना**

भारतीय रिज़र्व बैंक, गुवाहाटी उपर्युक्त कार्य के लिए दो बोली प्रणाली (तकनीकी-वाणिज्यिक और वित्तीय बोली) के तहत निम्नलिखित कुल 02 ई-निविदाएं एक साथ आमंत्रित करता है। निविदा प्रपत्र 22 मई 2026 को 17:00 बजे से आरबीआई (RBI) की वेबसाइट और एमएसटीसी (MSTC) ई-पोर्टल [www.mstcecommerce.com](http://www.mstcecommerce.com) पर देखने / डाउनलोड करने के लिए उपलब्ध होंगी।

आपकी निविदा, विधिवत भरी हुई और ई-हस्ताक्षरित, केवल **एमएसटीसी न्यू कॉमन पोर्टल (MSTC New Common Portal)** [www.mstcecommerce.com](http://www.mstcecommerce.com) के माध्यम से ई-टेंडरिंग मोड द्वारा प्रस्तुत की जानी चाहिए। ई-निविदा प्रक्रिया की अनुसूची और संक्षिप्त विवरण इस प्रकार हैं:

1. कुल अनुमानित लागत: ₹49,42,399/-
2. बयाना : ₹98,848/-
3. इवेंट का प्रकाशन- दिनांक और समय: : 22.05.2026 को 17:00 बजे से।
4. बोली प्रारंभ होने की दिनांक और समय: 28.05.2026 को 17:00 बजे से।
5. बोली-पूर्व बैठक की दिनांक: 16.01.2026 को 11:00 बजे से बैंक मुख्य कार्यालय भवन पर
6. बोली बंद होने की दिनांक और समय: 15.06.2026 को 14:00 बजे ।
7. बोली खोलने की दिनांक और समय: 15.06.2026 को 15:00 बजे से।

*कृपया ध्यान दें कि आपको उपरोक्त तीनों ई-निविदाओं में अपनी बोली जमा करनी होगी। इसलिए, तीनों निविदाओं में शामिल कुल पूर्व-योग्यता मानदंड/उद्धृत दरों को तथा उसके कायदेश के लिए विचार किया जाएगा।*

इस निविदा के संबंध में कोई भी संशोधन/शुद्धिपत्र/स्पष्टीकरण केवल वेबसाइट/ई-पोर्टल पर अपलोड किया जाएगा।

बैंक न्यूनतम निविदा स्वीकार करने के लिए बाध्य नहीं है और किसी भी या सभी निविदाओं को बिना कोई कारण बताए अस्वीकार करने का अधिकार बैंक सुरक्षित रखता है।

*कृपया ध्यान दें कि यह एक सीमित ई-निविदा है। यह केवल सूचना के लिए प्रकाशित की जा रही है और इस सीमित निविदा में बोली लगाने के लिए खुला आमंत्रण नहीं है। इस निविदा में भागीदारी केवल आमंत्रण द्वारा है और बैंक के सूचीबद्ध ठेकेदारों तक ही सीमित है। अनचाहे प्रस्तावों को अनदेखा किया जाएगा। हालांकि, जो ठेकेदार भविष्य में ऐसी निविदाओं में भाग लेना चाहते हैं, वे प्रक्रिया के अनुसार आरबीआई के साथ पैनल में शामिल होने के लिए आवेदन कर सकते हैं।*

प्रभारी महाप्रबंधक  
भारतीय रिज़र्व बैंक  
गुवाहाटी



## **PART- I**

**e-tender for**

**Renovation of Issue Department at 2nd floor of Main Office Building, RBI  
Guwahati**

**E-tender no- RBI/GUWAHATI/ESTATE/2//26-27/ET/110  
RBI/GUWAHATI/ESTATE/3//26-27/ET/111**

**Name of the Tenderer:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**e-mail ID & Contact Number:** \_\_\_\_\_

<b>Date of Publication of e-Tender</b>	<b>May 22, 2026 at 17:00 Hours</b>
<b>Date of Pre-Bid Meeting</b>	<b>May 28, 2026 at 11:00 Hours onwards</b>
<b>Last date of Submission of Bid</b>	<b>June 15, 2026 up-to 14:00 Hours</b>
<b>Date of Opening of Part- I of e-Tender</b>	<b>June 15, 2026 from 15:00 Hours</b>

**(Note: Do not quote the rate/amount in this document. All amounts must be quoted online in MSTC portal. All the items in the charts are shown as representational purpose only)**

This document is the property of Reserve Bank of India (RBI). It may not be copied, distributed or recorded on any medium, electronic or otherwise, without the RBI's written permission thereof, except for the purpose of responding to RBI for the said purpose. The use of the contents of this documents, even by the authorized personnel / agencies for any purpose other than the purpose specified herein, is strictly prohibited and shall amount to copyright violation and thus, shall be punishable under the Indian Law.



## **DISCLAIMER**

Reserve Bank of India, Estate Department, Guwahati, has prepared this document to give background information on the Project to the interested parties. While Reserve Bank of India has taken due care in the preparation of the information contained herein and believes it to be accurate, neither Reserve Bank of India nor any of its authorities or agencies nor any of their respective officers, employees, agents or advisors give any warranty or make any representations, express or implied as to the completeness or accuracy of the information contained in this document or any information which may be provided in association with it.

The information is not intended to be exhaustive. Interested parties are required to make their own inquiries. Respondents to this e-tender are required to make their own inquiries and they should not rely solely on the information contained in the blank e-tender documents / forms. The Reserve Bank of India is not responsible if no due diligence is performed by the Respondents.

The information is provided on the basis that it is non – binding on Reserve Bank of India or any of its authorities or agencies or any of their respective officers, employees, agents, or advisors.

Reserve Bank of India reserves the right not to proceed with the Project or to change the configuration of the Project, to alter the timetable reflected in this document or to change the process or procedure to be applied. It also reserves the right to decline to discuss the matter further with any party expressing interest. No reimbursement of cost of any type will be paid to persons or entities expressing interest.



## SCHEDULE OF TENDER (SOT)

**This is a LIMITED e-TENDER. Only those bidders/vendors who are empaneled with RBI Guwahati for such Civil works under the Price Category of “₹25 Lakh & above and up-to ₹50 Lakh” or otherwise allowed by the Bank are eligible to participate in this e-tender process.**

Particulars	Description
1. e-Tender No	<b>RBI/GUWAHATI/ESTATE/2//26-27/ET/110</b> <b>RBI/GUWAHATI/ESTATE/3//26-27/ET/111</b>
2. Name of the Work	Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati
3. Estimated Cost of the Work	₹49,42,399/ (Rupees Forty Nine Lakhs Forty Two Thousand Three Hundred Ninety Nine only)
3. Mode Of Tender	e-Procurement System Online (Part I – Techno-Commercial Bid and Part II - Financial Bid through MSTC Common Portal at <a href="http://www.mstcecommerce.com">www.mstcecommerce.com</a> )
4. Date of NIT available to Parties to download from RBI website and MSTC Portal	MAY 22,2026 from 17:00 Hours onwards
5. Date and venue of the Pre-Bid Meeting (offline)	MAY 28,2026 from 11:00 Hours onwards at 4th Floor, Estate Department, RBI Guwahati
6. Earnest Money Deposit:	₹98,848/- (Rupees Ninety Eight Thousand Eight Hundred Forty Eight Only) in the form of Demand Draft /Bank Guarantee as per <a href="#">annexure IV</a> for EMD drawn in favour of Reserve Bank of India, Guwahati to be delivered in the Estate Department,4th floor, RBI Guwahati
7. Bid Start date (Techno-commercial Bid and Financial Bid) through MSTC Common Portal at <a href="http://www.mstcecommerce.com">www.mstcecommerce.com</a>	MAY 22, 2026 from 17:00 Hours onwards
8. Last date of submission of DD/ Bank Guarantee for EMD	15.06.2026 upto 2.00 PM



9. Date of closing of online bid submission for Techno-Commercial Bid & Price Bid	June 15, 2026 up to 14:00 Hours
10. Date and Time of opening of Part-I (i.e. Techno-Commercial Bid)	June 15, 2026 from 15:00 Hours onwards
11. Date and Time of opening of Part-II (i.e. Financial Bid)	Opening of Financial Bid will be intimated to all the eligible bidders later via email/ telephone.
12. Time allowed for completion of the works from tenth day after the date of written order to commence work	<b>180 Days</b>
13. Retention Money (RM) to be deducted from each bill	5% of the bill amount
14. Performance Bank guarantee	5% of the contract value



## **IMPORTANT INSTRUCTIONS FOR e-PROCUREMENT**

Bidders are requested to read the terms & conditions of this tender before submitting their online e-tender. Bidders who do not comply with the conditions with documentary proof (wherever required) will not qualify in the e-Tender for opening of the price bid.

### **1. Process of e-Tender:**

**(A) Registration:** The process involves vendor's registration with MSTC e-procurement portal which is free of cost. Only after registration, the vendor(s) can submit his/their bids electronically. Electronic Bidding for submission of Technical Bid will be done over the internet. The vendor should possess Class III signing type digital certificate. Vendors are to make their own arrangement for bidding from a P.C. connected with Internet. MSTC is not responsible for making such arrangement. (Bids will not be recorded without Digital Signature).

#### **Special note:**

The Technical Bid has to be submitted on-line at through MSTC Portal (Common Portal) at [www.mstcecommerce.com](http://www.mstcecommerce.com).

a) Vendors are required to register themselves online with [www.mstcecommerce.com](http://www.mstcecommerce.com) → e-Procurement → Common Portal → Vendor Login → Register → Filling up details and creating own user id and password → Submit

b) Vendors will receive a system generated mail confirming their registration in their email which has been provided during filling the registration form.

In case of any clarification, please contact RBI/MSTC, before the scheduled time of e-Tender.

#### **Contact person (RBI):**

S/No	Name of the Person	Designation	Phone Number
1	Shri Pawan Das	Assistant Manager (Tech-Civil)	+91 8424058452
2	Shri Rajat Das	Assistant Manager (Estate)	+91 9433536847

e-mail ID of Estate Department: [estateguwahati@rbi.org.in](mailto:estateguwahati@rbi.org.in)

#### **Contact person (MSTC Ltd):**

S/N	Name of the Person	e-mail	Phone Number
1	Shri Prashant Chitrnanjan	<a href="mailto:pchitrnanjan@mstcindia.co.in">pchitrnanjan@mstcindia.co.in</a>	0361-2221199
		<a href="mailto:ghyopn1@mstcindia.in">ghyopn1@mstcindia.in</a> , <a href="mailto:ghyopn2@mstcindia.in">ghyopn2@mstcindia.in</a> <a href="mailto:helpdeskghy@mstcindia.in">helpdeskghy@mstcindia.in</a> and <a href="mailto:bmghymstc@mstcindia.in">bmghymstc@mstcindia.in</a>	+91 8592888286



MSTC Technical Help Desk: **0361-2221199**

**(B) System Requirements:**

- a) Windows 7 or above Operating System
- b) IE-7 and above Internet Explorer
- c) Signing type digital signature
- d) Latest updated JRE 8 (x86 Offline) software to be downloaded and installed in the system to disable “Protected Mode” for DSC to appear in the signer box following settings may be applied.
  - Tools => Internet Options => Security => Disable protected Mode if enabled- i.e., Remove the tick from the tick box mentioning “Enable Protected Mode”.

**(C) Other Settings:**

- Tools => Internet Options => General => Click on Settings under “browsing history/ Delete Browsing History” => Temporary Internet Files => Activate “Every time I Visit the Webpage”.
- To enable ALL active X controls and disable ‘use pop up blocker’ under Tools→ Internet Options  
→ custom at (Please run IE settings from the page [www.mstcecommerce.com](http://www.mstcecommerce.com) once).

**(D)** Bidders are advised to refer to the “Vendor Guide” and a “Video Guide” before proceeding with the tendering process.

The Technical Bid and the Financial Bid will have to be submitted online at [www.mstcecommerce.com](http://www.mstcecommerce.com) Bids will be opened electronically on the specified date and time as given in the Tender.

All entries in the tender should be entered in online Technical & Commercial Formats without any ambiguity.

**2. Special Note towards Transaction Fee:** The vendors shall pay the transaction fee using “Transaction Fee Payment” Link under “My Menu” in the vendor login. The vendors have to select the particular tender from the event dropdown box. The vendor shall have the facility of making the payment either through NEFT or Online Payment. On selecting NEFT, the vendor shall generate a Challan by filling up a form. The vendor shall remit the transaction fee amount as per the details printed on the Challan without making change in the same. On selecting Online Payment, the vendor shall have the provision of making payment using its Credit/ Debit Card/ Net Banking. Once the payment gets credited to MSTC’s designated bank



account, the transaction fee shall be auto authorized and the vendor shall be receiving a system generated mail.

3. Transaction fee is non-refundable. A vendor will not have the access to online e-Tender without making the payment towards transaction fee.

**NOTE:** Bidders are advised to remit the transaction fee well in advance before the closing time of the event so as to give themselves sufficient time to submit the bid.

4. Tenderers are required to ensure that their corporate email I.D. provided is valid and updated at the time of registration with MSTC portal. Tenderers are also requested to ensure validity of their DSC (Digital Signature Certificate).

**5. e-Tender cannot be accessed after the due date and time mentioned in NIT.**

#### **6. Bidding in e-Tender:**

a) Vendor(s) need to submit necessary EMD, Tender fees (if any) and Transaction fees (if any) to be eligible to bid online in the e-Tender. Tender fees and Transaction fees are non-refundable. No interest will be paid on EMD. EMD of the unsuccessful vendor(s) will be refunded by the tender inviting authority.

b) The process involves Electronic Bidding for submission of Technical and Commercial Bid.

c) The vendor(s) who have submitted transaction fee can only submit their Technical Bid and Commercial Bid through internet in MSTC website [www.mstcecommerce.com](http://www.mstcecommerce.com) → Common Portal → Vendor Login → Register → My menu → Auction Floor Manager → live event → Selection of the live event.

d) The vendor should allow running JAVA application. This exercise has to be done immediately after opening of Bid floor. Then they have to fill up Common terms/Commercial specification and save the same. After that click on the Technical bid. If this application is not run, then the vendor will not be able to save/submit his Technical bid.

e) After filling the Technical Bid, vendor should click 'save' for recording their Technical bid. Once the same is done, the Commercial Bid link becomes active and the same has to be filled up and then vendor should click on "save" to record their Commercial bid. Then once both the Technical bid has been saved, the vendor can click on the "Final submission" button to register their bid.

f) Vendors are instructed to use Attach Doc button to upload documents. Multiple documents can be uploaded.

g) In all cases, vendor should use their own ID and Password along with Digital Signature at the time of submission of their bid.



- h) During the entire e-Tender process, the vendors will remain completely anonymous to one another and to everybody else.
- i) The e-Tender floor shall remain open from the pre-announced date & time and for as much duration as mentioned above. All electronic bids submitted during the e-Tender process shall be legally binding on the vendor. Any bid will be considered as the valid bid offered by that vendor and acceptance of the same by the Buyer will form a binding contract between Buyer and the Vendor for execution of supply.
- j) It is mandatory that all the bids are submitted with digital signature certificate, otherwise the same will not be accepted by the system.
- k) Buyer reserves the right to cancel or reject or accept or withdraw or extend the tender in full or part as the case may be without assigning any reason thereof.
- l) No deviation of the terms and conditions of the tender document is acceptable. Submission of bid in the e-Tender floor by any vendor confirms his acceptance of terms & conditions of the tender.
- m) Any order resulting from this tender shall be governed by the terms and conditions mentioned therein.
- n) The tender inviting authority has the right to cancel this e-Tender or extend the due date of receipt of bid(s) without assigning any reason thereof.
- o) Vendors are requested to read the vendor guide and see the video in the page [www.mstcecommerce.com](http://www.mstcecommerce.com) to familiarize them with the system before bidding.
- p) No deviation to the technical and commercial terms & conditions are allowed.
- q) Submission of bid in the e-tender floor by any vendor confirms his acceptance of terms & conditions for the tender. Any order resulting from this tender shall be governed by the terms and conditions mentioned therein. The tender inviting authority has the right to cancel this e-tender or extend the due date of receipt of bid(s) without assigning any reasons thereof.
- r) The bid will be evaluated based on the filled-in technical & commercial formats.
- s) The documents uploaded by bidder(s) will be scrutinized. In case any of the information furnished by the bidder is found to be false during scrutiny, EMD of defaulting bidder(s) will be forfeited. Punitive action including suspension and banning of business can also be taken against defaulting bidders.

Vendors are requested to read the vendor guide and see the video in the page [www.mstcecommerce.com](http://www.mstcecommerce.com) to familiarize them with the system before bidding.



## FORM OF TENDER

Date:  
Place:

To,

Smt Sushmita Phukan  
Regional Director  
Reserve Bank of India, Guwahati  
Estate department

Madam,

**“Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati”**

Having examined the drawings, specifications, designs and schedule of quantities relating to the works specified in the memorandum hereinafter set out and having examined the site of the works specified in the said memorandum and having acquired the requisite information relating thereto as affecting the tender, I/We hereby offer to execute the works specified in the said memorandum within the time specified in the said memorandum at the rates mentioned in the attached schedule of quantities (Part II) and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Conditions of Tender, the Articles of Agreement, Special Conditions, Schedule of Quantities and Conditions of Contract and with such materials as are provided for, by and in all other respects in accordance with such conditions so far as they may be applicable.

### Memorandum

S/N	Description of work	
		Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati
1	Estimated cost (Rs.)	₹49,42,399/-(Rupees Forty Nine Lakhs Forty Two Thousand Three Hundred Ninety Nine only)
2	Earnest Money (Rs.)	₹98,848/-
3	Percentage, if- any, to be deducted from bill as Retention Money	5% of the Bill amount
4	Time allowed for completion of the works from tenth day after the date of written order to commence work	180 days

2. Should this e-Tender be accepted, I/we hereby agree to abide by and fulfil all the Terms



and Conditions of the e-Tender and in default thereof, to forfeit and pay to you or your successors, or assignees or nominees such sums of money as are stipulated in the conditions contained in the e-Tender together with the written acceptance of the Contract.

3. I/We also agree that the e-Tender (Part-1) will remain **valid for acceptance by the Bank for 60 days from the date of opening of Part I of the e-Tender** and this period of validity can be extended for such period as may be mutually agreed between the Bank and us in writing.

4. I/We understand that you reserve the right to accept or reject any or all the e-Tender either in full or in part without assigning any reason therefor.

5. The e-Tender documents are duly signed, filled and submitted / uploaded in two parts separately through online. Part I contains all commercial terms and conditions and technical particulars and Part II contains only the price bid in the Bank's pro-forma.

2. Our Bankers are:

i) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

ii) \_\_\_\_\_  
\_\_\_\_\_

5. The names of proprietary /partners of our firm are:

i) \_\_\_\_\_

ii) \_\_\_\_\_

Name of the partner of the firm  
authorized to sign.

\_\_\_\_\_

OR

Name of person having Power of  
Attorney to sign the Contract  
(Certified copy of the Power  
of Attorney should be attached).

\_\_\_\_\_

Yours faithfully,

\_\_\_\_\_



Signature of Contractor.

[Note: If the party is a proprietary firm or an individual it should be signed by the proprietor or the individual. If the party is a partnership firm it should be signed by all or on behalf of all the partners. If the party is a private limited firm/ Incorporate Company, the COMMON SEAL OF the firm is to be affixed pursuant to the resolutions passed by its Board of Directors at the meeting held on \_\_\_\_\_ (Copy of the resolution should be attached). If the Contractor signs under common seal, the signature clause should tally with the sealing clause in the Articles of Association]

Witnesses:

1) \_\_\_\_\_  
(Signature)

Name: \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

1) \_\_\_\_\_  
(Signature)

Name: \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



## ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made on the ..... day of ..... between the "Reserve bank of India, Guwahati" having its Central Office at, Mumbai- 400001 (hereinafter called "THE EMPLOYER") of the one part and ..... (hereinafter called "THE CONTRACTOR") of the other part.

WHEREAS the Employer is desirous of getting "**Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati**" and has prepared drawing and/or Schedule of Quantities showing and describing the work to be done under the direction of Bank's (The Employer's) Engineer.  
AND WHEREAS the said specifications, the Schedule of Quantities and drawings have been signed by or on behalf of the parties hereto.

AND WHEREAS the Contractor has agreed to execute upon and subject to the Conditions set forth herein and to the conditions set forth in the special Conditions and in the Schedule of Quantities and Conditions of Contract (all of which are collectively hereinafter referred to as 'the said Conditions') the works shown upon the said drawings and/or described in the said specification and included in the Schedule of Quantities at the respective rates there in set forth amounting to the sum as therein arrived at or such other sum as shall become payable there under (hereinafter referred to as 'the said Contract Amount')

### **Now it is hereby agreed as follows:**

1. In consideration of the said Contract Amount to be paid at the times and in the manner set forth in the said Conditions, the Contractor shall upon and complete the work shown upon the said drawings and described in the said Specifications and the Schedule of Quantities.
2. The employer shall pay the contractor said Contract amount or such other sum as shall become payable, at the times and the manner specified in the said Conditions.
3. The said conditions and appendix thereto shall be read and construed as forming part of this agreement and the parties hereto shall respectively abide by, submit themselves to the said conditions and the correspondence and perform the agreements on their part respectively in the said Conditions and the correspondence contained.
4. The plans, agreement and documents mentioned herein shall form the basis of this Contract. The Contractor shall not be entitled for the payment for the quantities beyond the tendered quantities unless ordered for by specific written instructions from the Bank's Engineer/ official.

This Contract is neither a fixed Lump Sum Contract nor a piece Work Contract but a contract to carry out the work in respect of the work "Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati" amounting to **Rs 49,42,399/- (Rupees Forty Nine Lakhs Forty Two Thousand Three Hundred Ninety Nine only)** inclusive of GST and any other



applicable taxes & charges) to be paid for according to actual measured quantities at the rate contained in the Schedule of rates and Probable Quantities or as provided in the said Conditions.

5. The Employer reserves to itself the right of altering the Drawings and/or nature of the work by adding to or omitting any items of work or having portions of the same carried out without prejudice to this contract.

6. Time shall be considered as the essence of this Contract and the Contractor hereby agrees to commence the work soon after the site is handed over to him or from tenth day after the date of issue of formal work order as provided for in the said Conditions whichever is later and to complete the entire work within **180 days** subject nevertheless to the provisions for extension of time.

7. All payments by the Employer under this Contract will be made only at Guwahati.

8. Contractor must comply with the provisions of Payment of Wages Act 1936, Minimum wages Act 1948, Gratuity Act 1972, Stamp Act 1899, EPF Act 1952, ESI Act 1948, Payment of Bonus Act 1965 etc. & all applicable statutory rules/ guidelines. Notices /penalty, if any, issued /imposed by any statutory norms/requirements shall be paid by the contractor, without any claim to the Employer.

9. Contractor must comply with the compliance of Contract Labour (Regulation and Abolition) Act 1970, Contract Labour (Regulation and Abolition) Central Rules, 1971 & Assam Labour Contract (Regulation and Abolition) Rules 1971 and should display related notice board at the work place.

10. Contractor must comply with provisions of “the Sexual Harassment of women at the work place (Prevention, Prohibition and Redressal) Act 2013”. The Contractor shall be responsible for educating its employees about prevention of sexual harassment at work place and related issues. The contractor needs to provide a complete and updated list of the work-personnel that will be deployed in the work place.

11. All disputes arising out of or in any way connected with this agreement shall be deemed to have arisen at Guwahati and only Courts in Guwahati shall have jurisdiction to determine the same.

12. That the several parts of this Contract have been read by the Contractor and fully understood by the Contractor.

13. The Contractor shall not disclose directly or indirectly any information, materials and details of the Employer’s (the Bank’s) infrastructure/systems/equipment etc., which may come to the possession or knowledge of the Contractor during the course of discharging its contractual obligations in connection with this agreement, to any third party and shall at all times hold the same in strictest confidence. The Contractor shall treat the details of the contract as private and confidential, except to the extent necessary to carry out the obligations



under it or to comply with applicable laws. The Contractor shall not publish, permit to be published, or disclose any particulars of the works in any trade or technical paper or elsewhere without the previous written consent of the Employer. The Contractor shall indemnify the Employer for any loss suffered by the Employer as a result of disclosure of any confidential information. Failure to observe the above shall be treated as breach of contract on the part of the Contractor and the Employer shall be entitled to claim damages and pursue legal remedies.

14. The Contractor shall afford every reasonable facility for the carrying out of all works relating to civil works and other ancillary works in the manner laid down in the said Conditions, and shall make good any damages done to walls, floors etc. after the completion of such works.

15. The Contractor's obligations with respect to non-disclosure and confidentiality will survive till the expiry or termination of this agreement for whatever reason.”

IN WITNESS WHEREOF the Employer and the Contractor have set their respective hands to these presents and two duplicates hereof the day and year first hereinabove written.

(If the Contractor is a partnership or an individual)

IN WITNESS WHEREOF the Employer has set its hands to these presents through its duly authorised official and the Contractor has caused its common seal to be affixed hereunto and the said two duplicates / has caused these presents and the said two duplicates hereof to be executed on its behalf, the day and year first herein above written.

(If the Contractor is a Company)

**Signature Clause**

SIGNED AND DELIVERED by the Reserve Bank of India by the hand of Shri .....  
 ..... (Name and Designation)

In the presence of

Witnesses-

1) .....

Address: .....

2) .....

Address: .....

If the part is a partnership firm or any individual should be signed by all or on behalf of all the partners



SIGNED AND DELIVERED BY

.....

Witnesses-

1).....

Address .....

2) .....

Address .....

The COMMON SEAL OF .....

was hereunto affixed pursuant to the resolutions passed by its Board of Directors at the meeting held on ..... in the presence of

1) .....

2) .....

If the Contractor signs under its common Seal the signature clause should tally with their sealing clause in the Articles of Associations.

The Contractor is signing by the hand of power of attorney whether a company or individual.

Directors who have signed these presents in taken thereof in the presence of

1) .....

2) .....

If the Contractor is signed by the hand of Power of Attorney, whether of a company or an individual

SIGNED AND DELIVERED BY

The Contractor by the hand of Shri/ Smt./ Ms. ....  
And duly constituted attorney.



### **Pre-Bid Qualification and General Instructions to Contractors**

1) Interested tenderers must upload relevant documents satisfying all the points as stated above along with techno-commercial (Part-I) bid of tender. The same Eligibility documents should be uploaded with Techno Commercial Bid (Part-I) on the MSTC portal. It is to be duly noted that the tender process shall be executed on the MSTC portal through e-Tendering.

2) In the event of intending tenderers' failure to satisfy the Bank; the Bank reserves the right to **refuse their participation**.

3) Tender form will be available for downloading w.e.f May 22, 2026 **from 17:00 hrs**. An **Off-Line Pre-Bid meeting** will be held on **May 28, 2026 from 11:00 AM** onwards at 4th Floor, Estate Department, Main Office Building, Reserve Bank of India, Guwahati. The minutes of the Pre-Bid meeting or any corrigendum/ amendments will be published in the Bank's website.

Tender form can be downloaded for viewing from RBI website [www.rbi.org.in](http://www.rbi.org.in) or [www.mstcecommerce.com](http://www.mstcecommerce.com). The required pre-Qualification papers should be uploaded with the Techno Commercial Bid (Part-I) on the MSTC portal.

4) Interested vendors/firms can participate in e – Tender after getting registration with ([www.mstcecommerce.com](http://www.mstcecommerce.com)) Online Part I – Techno-Commercial Bid and Part II–Price Bid shall be opened through ([www.mstcecommerce.com](http://www.mstcecommerce.com)) and applicable transaction charges must be paid by the firm.

5) Tender in prescribed format shall be uploaded on MSTC website. Part-I of tender will contain the Bank's standard technical and commercial conditions for the proposed work, tenderers' covering letter

Part-II of the tender will contain no conditions \_but Tenderer's Price Bid, Bank's Schedule of quantities, tender drawings, if any, only.

6) Part-I of the tenders will be submitted by the Tenderers in MSTC portal. The same will be opened by RBI on **June 15, 2026 at 15:00 hrs**. Those tenderers who would like to depute their representatives, may depute their representatives to Estate Department, Reserve Bank of India, Station Road, Pan Bazar, Guwahati- 781001 for the same. Part II of the tender will be opened later. Due intimations will be given for the same.

7) The Bank shall obtain reports on the past performance of the tenderer from his clients and bankers. The Bank shall evaluate the said reports before opening of the Part-II of the tenders. If any tenderer is not found to possess the required eligibility for participating in the tendering process at any point of time and / or his performance reports received from his clients and / or his bankers and found unsatisfactory, the Bank reserves the right to **reject his offer** even after opening of Part-I of the tender. The Bank is not bound to assign any reason for doing so.

8) The Bank is not bound to accept the lowest tender and reserves the right to accept either in full or in part of any tender. The Bank also reserves the right to reject all the tenders without

assigning any reason thereof.

**9)** Tenders shall remain open to acceptance by the Bank for a period of three months from the date of opening of the Part- II of the tender which period may be extended by mutual agreement and the tenderer shall not cancel or withdraw the tender during this period.

**10) Preparation of the Tender:**

**a)** The tenderer must use only the forms issued by the Bank to fill in the rates.

**b)** Tender form must be filled in Hindi/English. If any of the documents is missing or unsigned, the tender may be considered invalid by the Bank at its discretion.

**c)** Rates should be quoted both in figures and words in the columns specified. No advice of any change in rate or conditions after the opening of the tender will be entertained.

**d)** Each of the tender documents should be signed by the person or persons submitting the



tender in token of his/their acquainted himself/themselves with the General Conditions of Contract, Specifications, Special Conditions, etc. as laid down. Any tender with any of the documents not signed will be rejected.

e) The tender submitted on behalf of a firm shall be signed by all the partners of the firm or by a partner who has the necessary authority on behalf of the firm to enter into the proposed contract. Otherwise, the tender may be rejected by the Bank.

11) **Contract Agreement:** On receipt of intimation from the Bank of the acceptance of his/their tender, the successful tenderer shall be bound to implement the contract and within ten days thereof the successful tenderer shall sign an agreement in accordance with the draft agreement and the Schedule of Conditions but the written acceptance by the Reserve Bank of India of a tender will constitute a binding contract between the Reserve Bank of India and the person so tendering whether such formal agreement is or is not subsequently executed.

12. **Performance Bank Guarantee (PBG):** The successful tenderer at the time of agreement must submit a 6 month valid Bank Guarantee (Hard Copy) amounting to 5% of contract value for due fulfilment of the work as a whole. The same PBG will be returned to the vendor on completion of the work, without any interest against this BG. The validity of the BG will be from the date of issue of work order or later.

**13. Refund of SD:** The Security Deposit/ Retention Money shall be refunded to the contractor without any interest in due course i.e., on successful completion of the DLP and satisfactory rectification of all the defects developed and pointed out to the contractor during the said DLP.

**14. Earnest Money Deposit (EMD):**

a) Under no circumstances Earnest Money Deposit will be accepted in the form of fixed deposit receipt of Bank or Insurance Guarantee or cheque.

The Earnest Money Deposit paid by the successful bidder will be released after awarding of work and submission of PBG. No interest shall be paid on the said deposit.

**15) Assignment / Sub-letting the contract:**

a) The Contractor shall not assign the Contract. He shall not sublet any portion of the Contract except with the written consent of the Employer. In case of breach of these conditions, the Employer may serve a notice in writing on the Contractor rescinding the Contract whereupon the security deposit shall stand forfeited to the Employer.

b) The Contractor shall carry out all the work strictly in accordance with drawings, details and instructions of the Bank's Engineer. If in the opinion of the Bank's Engineer changes have to be made in the design and with the prior approval in writing of the Employer they desire the Contractor to carry out the same, the Contractor shall carry out the same without any extra charge.

c) If no such facility is available at the site of work and if available and found inadequate, it shall be the responsibility of the contractor to make his own arrangement for obtaining water and power at his cost



**2.Safety Code:** The contractor shall strictly comply with the provision of safety code annexed hereto.

**2) Completion Time Period:**

a) Time allowed for completion of the work is **180** calendar days which shall be strictly observed by the tenderer. The time shall be reckoned from the tenth (10th) day of written order to commence the work is issued.

b) The successful tenderer shall be required to submit the detailed work program and the same shall be got approved from the Architect / Employer before commencing the work and accordingly progress shall be monitored by the Architect / Employer.

c) The work shall be carried out throughout the stipulated period of the contract with all due diligence.

**3) Liquidated Damages:** If the Contractor fails to complete the work within the specified completion period he shall be liable to pay the **Liquidated Damages** at the rate of **₹1765/- per day subject to a maximum of 10% of the accepted contract amount.**

The Contractor shall not be entitled to any compensation for any loss suffered by him on account of delays in commencing or executing the work, whatever the cause of delays may be, including delays arising out of modifications to the work entrusted to him or in any sub-contract connected therewith or delays in awarding contracts for other trader of the project or in commencement or completion of such works or in procuring Government controlled or other building materials or in obtaining water and power connections for construction purpose or for any other reason whatsoever and the employer shall not be liable for any claim in respect therefore. The Employer does not accept liability for any sum besides the tender amount, subject to such variations as are provided for herein.

**4) Basic Prices:**

a) Wherever the basic price for the material is specified, the contractor should furnish to the Employer for verifications all the tax paid bills. The purchase rate shall be approved from the Architect/Bank's Engineers before purchasing such materials. The adjustment in price of the materials shall be made only on measured quantity. Contractor's overheads and profits shall not be considered on the cost difference.

b) The basic prices are ex-go-down and are inclusive of GST and all other duties levied by Government or any public body (Ex-go-down referred to here will be the dealers go-down). The rate quoted for the respective item shall include transportation to the site, storing, handling etc.

**5) Tenderer to inform himself/ herself/ themselves fully:**

a) The tenderer must obtain for himself on his own responsibility and at his own expense all the information which may be necessary for the purpose of making this tender and for entering into a contract and must examine the drawings and must inspect the site of the work



and acquaint himself with all local conditions, means of access to the work, nature of the work and all matter appertaining thereto.

b) The tenderer shall be deemed to have carefully examined the work and site conditions including the labour, general and special conditions, the specifications, schedules and drawings and shall be deemed to have visited the site of work and have fully informed himself regarding the local conditions and carried out his own investigations to arrive at the rates quoted in the tender. In this regard, he will be given necessary information available with the department but without any guarantee about its accuracy.

c) If the tenderer shall have any doubts as to meaning of any portion of the general conditions, or the special conditions, or the scope of work or the specifications and drawings or any other matter concerning the contract he shall in good time, before submitting his tender, put forth, the particulars thereof and submit them to the Employer in writing in order that such doubts may be clarified authoritatively in writing before tendering. Once a tender is submitted the matter will be decided according to the tender conditions in the absence of such authentic pre-clarification.

35. The successful tenderer should make his own arrangements to procure all materials required for the work.

36. The tenderer shall have to use materials of the makes/manufacturers specified in the list of material of approved brand and/or manufacture contained in this tender form.

37. The rates quoted in the tender shall include all charges for supply, installation (assembly), testing, packing, handling, and transport for all supplies. The rates shall include storage, watch, and ward, temporary structures, lighting at night, tools and tackles, labour and other services for erection and commissioning works.

38. The rates shall also be firm and shall not be subject to exchange variations, labour Condition, fluctuations in railway freights or any conditions whatsoever. Tenderers must include in their rates IGST, CGST, SGST, GST, sales tax, VAT (value added tax), excise duty, customs duty, octroi work contract tax, Service tax and any other tax and duty or other levy levied by the Central Government or any State Government or local authority, if applicable. No claim in respect of IGST, CGST, SGST, GST, sales tax, sales tax on works contract, Service tax, excise duty, customs duty, VAT, Octroi or other tax or duty or levy whether existing or future shall be entertained by the Employer. Bill of the Contractor, Supplier, Vendor shall be as per the GST requirements and compliances.

39. IS Code numbers wherever mentioned in the tender shall be the latest version of IS codes as on the date of opening of tenders.

40. The successful tenderer shall be required to submit Bar chart for the various activities involved in this work including dependencies etc. and regularly monitor the progress of work accordingly.



41. The security deposit of the successful tenderer will be forfeited if he fails to comply with any of the conditions of the Contract.

**42. Errors, Omission and Descriptions:**

(a) In case of errors, omissions and/or disagreement between written and scaled dimensions on the drawings or between the drawings and specification etc. the following order of preferences shall apply.

(i) Between actual scaled and written dimension (or description) on a drawing the later shall be adopted.

(ii) Between the written or shown description or dimensions in the drawings and the corresponding one in the specification the later shall be taken as correct.

(iii) Between the written description of the item in the specifications and the detailed descriptions in the schedule of quantities of the same item, the later shall be adopted.

(b) In case of difference between the rates quoted in figures and words, the rate adopted for working out the total amount of item in the original tender form, shall be taken as correct. In all other cases the correct rate would be that which is lower.

(c) Between the duplicate/subsequent copies of the tender and original tender, the original shall be taken as correct.

(d) In all cases of omissions and/or doubts or discrepancies in any item or specification a reference shall be made to the Assistant General Manager (Tech)/ AM(Tech), Estate Department, Reserve Bank of India, Guwahati whose elucidation, elaboration or decision shall be considered as authentic. The Contractor shall be held responsible for any errors that may occur in the work through lack of such reference and precaution.

**44. Neat & Clean Site:**

After completion of the work contractor shall leave the Building in neat, clean and tidy conditions as directed by the Employer. If the contract is terminated prematurely for any reason whatsoever, the contractor shall peacefully hand over everything back to the Employer and leave the Building in neat, clean and tidy conditions as directed by the Employer. The final dues of the contractors will be settled only after removal of all the debris from the site. In case of failure on the part of contractor to do so, the Employer will get it done at the risk and cost of the Contractor.

**45. Labour Laws:**

(a) The contractor shall abide by and fulfill all requirements laid down under the Contract Labour (Regulation and Abolition) Act, 1970 and the rules framed there under and all other relevant statutory acts (such as Minimum Wages Act etc.). If the number of laborers employed by the contractor is twenty or more, the contractor shall obtain the license from the Regional



Labour Commissioner. The contractor shall maintain all registers/ documents as required by the Regional Labour Commissioner at site and should furnish the same to the Bank or its representative as and when required.

(b) The offices of the Regional Labour Commissioner (Central), Guwahati will have the jurisdiction over the implementation of the labour laws under this contract.

**46. Debarment / Disqualification:** A bidder is liable for debarment / disqualification from bidding on the following grounds:

a) If it is determined that the bidder has committed the following acts or omissions in contravention of the code of integrity:

i) Making offer, solicitation or acceptance of bribe, reward or gift or any material benefit, either directly or indirectly, in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process.

ii) Any omission or misrepresentation that may mislead or attempt to mislead so that financial or other benefit may be obtained, or an obligation avoided.

iii) Any collusion bid rigging or anticompetitive behavior that may impair the transparency, fairness and the progress of the procurement process.

iv) Improper use of information provided by the procuring entity to the bidder with an intent to gain unfair advantage in the procurement process or for personal gain.

v) Any financial or business transactions between the bidder and any official of the procuring entity related to tender or execution process of contract which can affect the decision of the procuring entity directly or indirectly.

vi) Any coercion or any threat to impair or harm, directly or indirectly, any party or its property to influence the procurement process.

vii) Obstruction of any investigation or auditing of a procurement process.

viii) Making false declaration or providing false information for participation in a tender process or to secure a contract.

ix) Failing to disclose any previous transgressions made in respect with any public institution/ entity in India or any other country during the last three years or being debarred by any public procuring institution / entity.

b) For any actions or omissions by the bidder other than violation of code of integrity, which in the opinion of the Bank warrants debarment, for the reasons like supply of sub-standard material, non-supply of material, abandonment of works, sub-standard quality of works, failure to abide by the terms of the tender, etc.



c) If the bidder has been convicted of an offence under

(i) the Prevention of Corruption Act, 1988; or

(ii) the Indian Penal Code or any other law for the time being in force, for causing any loss of life or property or causing a threat to public health as part of execution of a public procurement contract.

I /we hereby declare that I / we have read and understood the above instructions, terms and conditions, etc. provided for guidance of tenderers and have accordingly quoted my/our rates.

**Place:**

**Name of the Contractor:**

**Date:**

**Address:**

**Sign & Seal of The Contractor:**



## **SPECIAL INSTRUCTIONS TO THE BIDDERS**

1. The workmen will not be allowed to stay within the Building during night.
2. The Contractor shall submit the addresses, personal details and photographs of their workmen being engaged by them for the said work to the Bank for obtaining Entry passes. Workmen will be allowed inside the Building only on producing the photo passes issued by the Bank. The contractor, his staff and the labour will have to comply with the security regulations of the Bank.
3. Permission, if any, required from the local bodies shall be obtained by the Contractor.
4. The intending bidder can obtain any clarifications regarding the tender drawings, specifications etc. from the office of the Regional Director, Reserve Bank of India, Estate Department, Guwahati on any Bank's working day.
5. The entire materials for the work shall be brought to the working area through the available passage only during specified time of working hours, as per instructions of Bank's Engineer.
6. The bidder may please note that the work must be carried out in an occupied building during normal working hours/restricted hours without causing any inconvenience to the other occupants. The rates quoted for each item shall be quoted accordingly.
7. The Bidder may please note that, the work has to be carried out during the day time or as per the Bank's instructions. All dismantling work and work generating noise shall be done during the daytime and on holidays and day time work may have to be done on restricted hours. Contractor shall take into account the above facts while quoting the rates. The entire work involved shall be carried out with the least disturbance to the occupants of building and also day to day cleaning has to be done by the contractor. The staircase and passages used by the labourers shall be cleaned properly, as per the satisfaction of Bank's Engineer.
8. Neat housekeeping at all times is the responsibility of the contractor. The debris / dust or any waste generated out of the above work shall be cleaned as frequently as required and shall be stored at the specified place inside the Bank's Building, as per the instructions of the Bank's Engineer. The bidder shall remove all the debris stored at the specified place inside the Bank's Building and shift it to the approved waste dumping place as per Municipal



regulations as and when the accumulated waste is around one truck load or earlier, if instructed by Bank's Engineer. The contractor shall be solely responsible for any penal action/ penalties levied by Municipal authorities for violation of their rules/ regulations in this regard.

9. Some other works, such as electrical, structural repairs etc., may be organized by the Bank through separate agencies if necessary. The contractor shall coordinate his work with all other agencies deployed by the Bank at site so that no hindrances are presented to the planned work of any other agency.

10. The successful bidder should prepare the layout of the work and any other working drawings related to the said Work, if required, on a 1:4 scale and should get it approved from the Bank's Engineer before commencement of work.

11. Care shall be taken while executing the said job. If anything is damaged, the same shall be rectified at no extra cost.

12. Wherever the basic rate for the material is specified, the contractor should furnish all the paid bills for Bank's verification. The adjustment in price shall be made only on measured quantity. No overhead and profit shall be considered on the cost difference. The rate quoted shall include transportation to site, storing and handling etc.

13. Bank will require the contractor to produce, samples of all the materials, accessories/finishes prior to procurement/manufacture. The Bank's Engineer shall approve samples of the materials for the work. Failure to comply with these instructions can result in rejection of the work.

14. The Bidder should note that he should execute his part of work without causing any damage to any part of the building and also without disturbing the existing occupants. Any damage so caused shall be made good at the cost & risk of the bidder.

15. The bidder should note that the tender drawings and other documents describing each item in the schedule are only indicative in nature and cannot be taken as complete in detail and finishes. It is expected that the bidder should understand the intent of the tender drawings and specifications and provide for materials, workmanship, finishes and accessories appropriately so as to deliver the product of high standards. Bank reserves the right to insist on selection of brand, material, workmanship, detailing and finishes, which they consider are appropriate and suitable for the intended use. The contractor is not eligible to claim extra on this account. No claim from the contractor at a later date will be entertained for his failure to understand this condition. The decision of the Bank in respect of the quality of material, type of work, workmanship, finish etc., shall be final and binding on the contractor.

16. The successful contractor shall make sure that they protect their materials during and after installation and hand them over in good shape to the Bank satisfactorily. At the time of



handing over, any damages, scratches, dents, or such defects noticed shall be got rectified as directed without any extra charge by the Contractor to the satisfaction of the Bank.

17. The successful bidders shall include, in the quoted price, all allied civil works such as chasing in wall, drilling holes etc. to support the frames, partitions, make the surface good after grouting, double scaffolding etc.

18. The successful contractor shall also be responsible for the safety and security of all their materials and also for ensuring fire prevention steps at all times in the working Building including their part of the work.

19. The contractor will be required to plan and organize manpower and resources in a manner that the entire work is completed within the stipulated period.

20. The work may have to be carried out in phases (if required as per the site conditions) without disturbing the occupants of the office. Necessary barricading of the area, if required from the rest of the area shall have to be arranged by the successful contractor at no extra cost.

**21. The contractor shall depute a qualified and experienced supervisor at all times during execution of the work. No work shall be carried out at the site in an unsupervised manner.**

22. The contractor shall submit the names and personal details of the site in-charge/ supervisor and his authorized representative along with their role, responsibilities, and authority (with regard to supervision, quality control, documentation, measurements, signing measurement book, correspondence, receiving instructions from bank etc.) within 10 days from the date of issue of work order in the approved format.

23. All the bidders shall submit a detailed bar chart indicating the details of various major activities involved in the work and their expected completion period, specifying the parallel and sequential activities, starting from the scheduled commencement of work so as to complete the entire work within the tender specified period along with the Part-I of the tender. The bidders shall also indicate the approximate deployment of manpower/ labour, as planned by them for the above purpose, commensurate with the planned schedule. After award of work, the contractor shall be required to carry out micro planning and the detailed schedule/ Bar Chart shall be submitted within 10 days from the date of issue of work order for proper planning, monitoring and review of progress of work.

24. The progress of work shall be reviewed by the Bank on a fortnightly basis. The meeting may be held at site or in Bank's Main Office Building. The meeting should be attended by the contractor himself (in case of proprietorship firm) or authorized partner/ senior official in case of partnership firm/ limited company along with contractor's site in-charge. For this purpose, the contractor shall prepare and submit a progress report indicating the following:

a) Progress for the previous fortnight and the planning for the next fortnight along with a few photographs of work in progress and materials received during the fortnight and expected to be received during next fortnight.



b) The reasons for major deviations in planned schedule and the actual progress achieved along with any hindrances/ decisions required from the Bank.

c) Procurement schedule for long lead items

d) Variations / extra items statement

e) Statement indicating various tests conducted during the fortnight and planned for the next fortnight.

25. The contractor shall maintain following registers/ documents/details at site and keep them updated on a regular basis. These registers/ documents after completion of work shall be handed over to the Bank:

a) Hindrance register in the Bank's approved format

b) Site instruction book (in duplicate)

c) Certified true copy of the contract

d) Material receipt register along with copies of delivery challans

e) Copies of all bills for which Basic rate is specified in the tender

f) Labour's daily attendance register

g) Approved detailed schedule/ Bar chart and approved modifications of the same, if any.

h) Signed Minutes of fortnightly progress review meetings

i) Register for extra items/ variation/ deviation items

j) Material test register along with copies of test reports/ certificates received from the manufacturer/ laboratory.

26. Payment of Bills by the Bank The payment of bills by the Bank shall be made after the successful execution of the work and on submission of Bills complete in all respect. It shall be the endeavor of the Bank to settle the bills at the earliest possible time. Final bill will be paid within 3 months after virtual completion and Bank's Engineer's certification of satisfactory work.

27. The contractor shall use only approved brands of first quality materials as given in the Annexure. In absence of any such choice indicated by the bidder in the Part – I, the contractor will be required to use the material as per Bank's instructions.

28. The contractor will have to arrange the services of authorized technical official of the manufacturer whose materials have been selected / approved by the Bank for the project work who will inspect the materials supplied/ available at site and the method of its uses/ application and will be required to submit a report on the manufacturer's letterhead, under

official seal, indicating the genuineness or otherwise of the material and whether the materials are being used as per the Manufacturer's Specifications and specified consumption standards.

29. The successful bidder shall make necessary arrangements to protect the glazing, vehicles, occupants etc. by barricading/ covering the work area suitably with ply-boards/ construction net etc. The successful bidder shall also be required to provide proper danger/ caution notice boards at conspicuous places.

30. The bidders shall quote their rates taking in to account all the above instructions and conditions of the contract.

**Place:**

**Name of the Contractor:**

**Date:**

**Address:**

**Sign & Seal of The Contractor:**



## SAFETY CODE

1. First aid appliances including adequate supply of sterilized dressings and cotton wool shall be kept in a readily accessible place.
  2. An injured person shall be taken to a public hospital without loss of time, in cases where the injury necessitates hospitalization.
  3. Suitable and strong double scaffolds should be provided for workmen for all works that cannot safely be done from ground.
  4. No portable single ladder shall be over 8 meters in length. The width between the side rails shall not be less than 30 cm. (clear) and the distance between two adjacent rungs shall not be more than 30cm. When the ladder is used, an extra mazdoor shall be engaged for holding the ladder.
  5. The excavated material shall not be placed within 1.5 meters of the edge of the trench or half of the depth of trench whichever is more. All trenches and excavations shall be provided with necessary fencing and lighting.
  6. Every opening in the floor of a building or in a working platform be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be one meter.
  7. No floor, roof or other part of the structure shall be so overloaded with debris or materials as to render it unsafe.
  8. Workers employed on mixing and handling materials such as asphalt, cement mortar, concrete and lime mortar shall be provided with protective footwear and rubber hand-gloves.
  9. Those engaged in welding works shall be provided with welder's protective eye-shields and gloves.
  10. i) No paint containing lead or lead products shall be used except in the form of paste or readymade paints.  
  
(ii) Suitable facemasks should be supplied for use by the workers when the paint is applied in the form of spray or surface having lead paint is dry rubbed and scrapped.
1. Overalls shall be supplied by the contractor to the painters and adequate facilities shall be provided to enable the working painters to wash during the periods of cessation of work.
  2. Hoisting machines and tackle used in the works, including their attachments, anchorage and supports shall be in perfect conditions.
  3. The ropes used in hoisting or lowering materials or as means of suspension shall be of durable quality and adequate strength and free from defects.



4. All the workers shall be provided with safety belts, safety shoes and helmets. No workmen shall be allowed to work on scaffolding without safety helmets and safety belts.

### **Electrical Safety**

1. All the workers, supervisors should wear proper PPE (Personal Protective Equipment) while carrying out the works in the Building. Electrical Safety shoes & safety helmet is compulsory, otherwise, the work / respective workers shall not be allowed to do the work.

2. The electric power required for the work can be drawn only from the authorized supply points available at site. The contractor must make his own arrangements to take the supply to the requisite position. It will be ensured by the contractor, that such arrangements should include suitable length electric cables / extension board with proper ELCB/RCCB/RCBO (Earth Leakage Protection Device) equipment. Preferably joints should be avoided, and if compulsorily needed, all the required joints shall be properly insulated. It will be ensured by the contractor that the entire work site is properly illuminated at all time when the work is in progress. All the electrical related works shall be carried out by an authorized electrician. Wired light fittings should not be taken to inaccessible areas like above false ceiling etc. and instead of that portable battery-operated charging lights shall be used

3. Necessary barricading and signage boards in good quantity shall be fixed at proper locations of the work site.

4. Inverted V type signage shall be kept showing "Under Maintenance – Estate Department" whenever maintenance works go on for the lifts, electrical panels etc.

5. All the works including AMC works should have insurance policies and shall be properly maintained.

6. Do's & Don'ts in terms of Electrical safety to be shared to all the workmen.

7. Contractors should have periodical briefings (pep talks) with their workers about electrical safety.

8. Aluminum / steel ladders should have proper rubber insulation on its legs. And if required, these ladders shall be kept on electrical safety rubber mats and then use them to prevent electrical shocks.

9. Industrial safety training including electrical safety for construction/renovation works, Office Building etc., may be given periodically to the contractors, workers, technical & general staff etc. by professionals / experts like L&T training center etc.

**Place:**

**Name & Address of the Contractor:**

**Date:**

**Sign & Seal of the Contractor:**



## THE CONDITIONS HEREINAFTER REFERRED TO

**1. Interpretation Clauses:** In construing these conditions, the Specifications, Schedule of Quantities and Contract Agreement, the following words shall have the meanings herein assigned to them except where the subject or context otherwise requires.

**2. “Employer”:** shall mean the Reserve Bank of India and shall include its assigns and successors.

**3. “Contractor” in the case of a Partnership:** “Contractor” shall mean \_\_\_\_\_ and \_\_\_\_\_ trading as partners in the name and style of \_\_\_\_\_ and having a place of business at \_\_\_\_\_ and shall include the partners for the time being of the said firm and the legal representatives of a deceased partner.

**In the case of Individual:** “Contractor” shall mean Shri \_\_\_\_\_ trading in the name and style of \_\_\_\_\_ and shall include his heirs, successors and legal representative.

**In the case of Company:** “Contractor” shall mean \_\_\_\_\_ a company incorporated under \_\_\_\_\_ and having its registered office at \_\_\_\_\_ and shall include its successors and assigns.

**4. “Site”:** shall mean the site of the contract works including any building and erections thereon and any other land (inclusively) as aforesaid allotted by the Employer for the Contractor’s use.

**5. “This Contract”:** shall mean the Articles of Agreement, the Special Conditions, the Conditions, the Appendix, the Schedule of Quantities and Specifications attached hereto and duly signed.

**6. “Notice in writing or Written Notice”:** shall mean a notice in written, typed or printed characters sent (unless delivered personally or otherwise proved to have been received) by registered post to the last known private or business address or registered office of the addressee and shall be deemed to have been received when in the ordinary course of post it would have been delivered.

**7. “Act of Insolvency”:** shall mean any Act of Insolvency as defined by the Presidency Towns Insolvency Act, or the Provincial Insolvency Act or any Act amending such original Act.

**8. “Net Prices”:** If in arriving at the contract amount, the Contractor shall have added to or deducted from the total of items in the Tender any sum, either as a percentage or otherwise, then the net price of any item in the tender shall be the sum arrived at by adding to or deducting from the actual figure appearing in the Tender as the price of that item a similar percentage or proportionate sum provided always that in determining the percentage or proportion of the sum so added or deducted by the Contractor the total amount of any Prime



Cost items and provisional sums of money shall be deducted from the total amount of the tender. The expression “net rates” or “net prices” when used with reference to the contract or accounts shall be held to mean rates or prices so arrived at.

**“The works” shall mean the “Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati as provided herein.**

*Words imparting persons include firms and corporations. Words imparting the singular only also include the plural and vice versa where the context requires.*

**9.** The Contractor shall carry out and complete the said work in every respect in accordance with this Contract and with the direction of and to the satisfaction of the Employer. The Employer may in his absolute discretion and from time to time issue further drawings and/or written instruction, details, directions and explanations which are hereafter collectively referred to as “Employer’s Instructions” in regard to:

(a) The variation or modification of the design, quality or quantity of works or the addition or omission or substitution of any work.

(b) Any discrepancy in the Drawings or between the Schedule of Quantities and/or Drawings and/or Specification.

(c) The removal from the site of any materials brought thereon by the Contractor and the substitution of any other material therefore.

(d) The removal and/or re-execution of any works executed by the Contractor.

(e) The dismissal from the works of any persons employed thereupon.

(f) The opening up for inspection of any work covered up.

(g) The amending and making good of any defects hereof.

**10.** The Contractor shall forthwith comply with and duly execute any work comprised in such Employer’s instructions, directions and explanations given to the Contractor or his representative upon the works by the Employer, shall, if involving a variation, be confirmed in writing by the Contractor within seven days, and if not dissented from in writing within a further seven days by the employer, such shall be deemed to be Employer’s Instructions within the scope of the Contract.

For the purpose of entering day to day instructions by the Employer, the contractor shall maintain at his own cost, a “Site instruction Book” in triplicate in which the instructions shall be entered by the employer and to be maintained by engineer-in-charge of the contractor. Instructions to the contractor shall be issued through Employer’s Engineers.



**Scope of contract includes, but is not limited to, the following:**

- (a) The co-ordination, scheduling and management of work of component suppliers,
- (b) Provide materials as specified in the technical specifications.
- (c) Assembly, installation and commissioning of all items as specified and handing over the site after completion of work as specified in clean condition to the Employer.

**Contractor's Duties:** Contractor's duties include the following;

- (a) Provide and pay for labour, materials and equipment, tools and other facilities and services necessary for the proper execution and completion of the specified works.
- (b) Secure and pay for required permits statutory workman's compensation insurance, fees and licenses necessary for proper execution and completion of required work.
- (c) Give required notices.
- (d) Promptly submit written notice to the Employer of observed variance of the Specifications from legal requirements.
- (e) Enforce strict discipline and good order among contractors. Do not employ unskilled persons in assigned tasks. Variations should be approved by Employer.

**11. Variations to be approved by Employer**

The Contractor shall submit the employer a statement of variations giving quantity and rates duly supported by analysis of rates, vouchers, etc. The rates on scrutiny and final acceptance by the Employer shall form a supplementary tender. The Employer shall not be liable for payment of such variations until these statements are sanctioned by it.

**12. Schedule of Quantities and Agreement**

The Contract shall be executed in duplicate and the Employer and the Contractor shall be entitled to one executed copy each for his use. The Contractor on the signing hereof shall be furnished by the Employer one copy of each of the specification.

**13. Work Sequence:**

The successful bidder shall include all costs in the tender to complete the works in the time schedule as given by him in the work schedule table. By submitting a tender, the contractor agrees that they have reviewed the project specifications and drawing, toured the site and will complete all work in accordance in the overall time period as per the approved schedule. The scheduled time frame starts after a notice to proceed, or contract is received from the Employer. The Contractor shall provide a detailed project schedule, in accordance with the time frame approved as per the work task schedule, prior to award of the project.



**14. Contractor's use of Estate:** The site of the work is an occupied building. Contractor's use of Estate shall be subject to following:

- a) Confine operations at the site to areas permitted by law, ordinances, permits, Specification, and Employer's specific instructions.
- b) Unreasonable encumbrance of the site with materials or equipment should be avoided.
- c) Assume full responsibility for protection and safekeeping of tools and products stored on or off Estate.
- d) Move stored products which interfere with operations of building or the operations of other trades.
- e) Obtain and pay for use of additional storage or work areas needed for operations

**15. Contractor to provide everything necessary at his/her cost**

The Contractor shall provide at his cost everything necessary for the proper execution of the works according to the intent and schedule of Quantities and Specifications taken together whether the same may or may not be particularly shown or described therein provided the same can reasonably be inferred therefrom, and if the Contractor finds any discrepancy in the Schedule of Quantities and Specifications he shall immediately and in writing refer same to the Employer who shall decide which is to be followed. The Contractor shall provide all works under this specification in full accordance with Health and Safety Regulations.

**16. No Disruption to Normal Building Functions:**

- a) This work is to be executed in an occupied office building. It is essential that the Contractor gives special attention and priority to all matters concerning safety protection from dust and loose materials, reduction of noise at, protection from water and air infiltration into building and maintenance of neat and orderly conditions in and around work areas inside and outside of building. Packaging, scrap materials and demolition debris shall be promptly removed from the building and site on a daily basis.
- b) If the contract includes works, which will disruptive during normal business operations or would be dangerous to building occupants, said works shall be performed during hours as the Employer dictates. The Contractor shall perform such work during Employer dictated hours and shall include all cost in its tender.
- c) The Contractor shall keep noise at below 75 dB during normal building hours. When it is necessary to produce noise above this at, the Contractor shall advise the Employer of such needs and times will be scheduled as directed. The Contractor shall anticipate any excessive noise generating procedures and include an allowance for it in the tender.
- d) The Contractor shall take due care for protection of the work and Employer's property



## **17. Authorities Notices and Patents**

The Contractor shall conform to the provisions of any Act of the Legislature relating to the works, and to the regulations and bye-laws of any authority and of any water, electric supply and other companies and/or authorities with whose systems the structure is proposed to be connected, and shall, before making any variations from the Drawings or Specifications that may be necessitated by so conforming, given to the Employer written notice, specifying the variation proposed to be made and the reason for making it and apply for instructions thereon. In case the Contractor shall not within ten days receive such instructions he shall proceed with the work conforming to the provisions, regulations, or byelaws in question, and any variation so necessitated shall be dealt with under clause 13 hereof.

The Contractor shall bring to the attention of the Employer all notices required by the said Acts, regulations or bye-laws to be given to any authority and pay to such authority, or to any public office all fees that may be properly chargeable in respect of the works, and lodge the receipts with the Employer.

The Contractor shall indemnify the Employer against all claims in respect of patent rights, and shall defend all actions arising from such claims, and shall himself pay all royalties, license fees, damages, cost and charges of all and every sort that may be legally incurred in respect thereof.

## **18. Setting out of Works**

The Contractor shall set out the works and shall be responsible for the true and perfect setting out of the same and for the correctness of the positions, ats, dimensions, and alignment of all parts thereof. If at any time any error in this respect shall appear during the progress of the works or within a period of one year from the completion of the works, the Contractor shall, if so required, at his own expense rectify such error to the satisfaction of the Employer.

## **19. Material and workmanship to conform to descriptions**

All materials and workmanship shall so far as procurable be of the respective kinds described in the Schedule of Quantities and/or Specifications and in accordance with the Employer's instructions, and the Contractor shall upon the request of the Employer's furnish him with all invoices, accounts, receipts and other vouchers to prove that the materials comply therewith. The Contractor shall at his own cost arrange for and/or carry out any test of any materials which the Employer's may require.

## **20. Contractor's superintendence and representative on the works**

The Contractor shall give all necessary personal superintendence during the execution of the works, and as long thereafter as the Employer may consider necessary until the expiration of the "Defects Liability Period" stated in the Appendix hereto. The Contractor shall also during the whole time when works are in progress, employ a competent representative who shall be constantly in attendance at the works while the men are at work. Any directions,



explanations, instructions or notices given by the Employer to such representative shall be held to be given to the Contractor.

## **21. Dismissal of workmen**

The Contractor shall on the request of the employer, immediately dismiss from the works any person employed thereon by him who may, in the opinion of the Employer be incompetent or misconduct himself and such persons shall not be again employed on the works without the permission of the Employer.

## **22. Access to works**

The Employer, and their respective/representatives shall at all times have free access to the work and/or to the workshops, factories or other places where materials are lying or from which they are being obtained and the Contractor shall give every facility to the employer, and their representative necessary for inspections and examination and test of the materials and workmanship. Any person not authorized by the Employer, except the representatives of public authorities, shall not be allowed on the works at any time.

## **23. Junior Engineer / Assistant Manager (Tech)/ Manager (Tech)/ Assistant General Manager (Tech) Assistant General Manager (ED)**

The term “Junior Engineer” / “Assistant Manager (Tech)” / “Assistant Manager (ED)”/ “Assistant General Manager (Tech)”/ “Assistant General Manager (ED)” shall mean the person appointed and paid by the Employer to inspect the works. The Contractor shall afford the Assistant Manager (T) / Manager (T) every facility and assistance for inspecting the works and materials and for checking and measuring.

The Junior Engineer/ Assistant Manager (Tech), or any representative of the Employer shall have to give instructions to the Contractor or to his representative of non-approval of any work or materials and such work shall be suspended or the use of such materials shall be discontinued until the decision of the employer is obtained. The work will from time to time be examined by the Junior Engineer / Assistant Manager (Tech) or the Employer’s representative, but such examination shall not in any way exonerate the Contractor from the obligation to remedy any defects which may be found to exist at any stage of the works or after the same is completed. Subject to the limitation of this clause, the Contractor shall take instruction only from the Employer.

## **24. Assignment and Sub-letting**

The whole of the works included in the Contract shall be executed by the Contractor and the Contractor shall not directly or indirectly transfer, assign or under-let the contract or any part share thereof or any interest therein without the prior written consent of the Employer, and no undertaking shall relieve the Contractor from the full and entire responsibility of the Contract or from active superintendence of the works during their progress.



## **25. Alterations/addition/omission etc.**

No alteration, omission or variation shall vitiate this contract but in case the employer thinks proper at any time during the progress of the works to make any alterations in, or additions to, or omissions from, the works or any alteration in the kind or quality of the materials to be used therein and shall give notice thereof in writing under his hand to the Contractor, the Contractor shall alter, add to, or omit from, as the case may be, in accordance with such notice, but the Contractor shall not do any work extra or make any alterations or additions or omissions from the works or any deviation from any of the provisions of the Contract, Stipulation, Specifications without the previous consent in writing of the Employer and the value of such extras, alterations, additions or omission shall in all cases to be determined by the Employer in accordance with the provisions of Clause 27 hereof, and the same shall be added to, or deducted from the Contract Amount, as the case may be, accordingly.

## **26. Schedule of Quantities**

The Schedule of Quantities, unless otherwise stated shall be deemed to have been prepared in accordance with the Standard Method of Measurement.

Any error in description or in quantity or in omission of items from the Schedule of Quantities shall not vitiate this contract but shall be rectified and the value thereof shall be added to, or deducted, from the Contract Amount (as the case may be) provided that no rectification or errors, if any shall be allowed in the Contractor's Schedule of Rates.

## **27. Sufficiency of Schedule of Quantities**

The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the prices stated in the Schedule of Quantities and/or the Schedule of Rates and Prices which rates and prices shall cover all his obligations under the Contract, and all matters and things necessary for the proper completion of the work.

## **28. Measurement of works**

The following procedure shall be adopted for taking & recording the Measurements of works:

- i. The measurements shall be recorded and entered in computerized format in the first instance by the contractor, and a hard copy shall be submitted to the department. All entries shall be made exactly as per the extant procedure for recording conventional MBs.
- ii. These measurements shall be then 100% checked by the junior Engineer/ AM (Tech). If Junior Engineer/ AM (Tech) is not available, the AM (Tech) / Mgr. (Tech) shall perform 100% check of the measurements. The contractor shall incorporate all such changes or corrections, as may be done during these checks, to his draft computerised measurements and submit to the department, the corrected computerised measurement in the form of a book, duly hard bound with its page machine numbered. All the pages of this computerised MB shall have full signature



with date of the authorised official of the contractor and the official of the bank with name and designation.

- iii. The test checking of these computerised measurements shall be carried out by the concerned officials as per extant instructions. This book shall be treated as computerised Measurement Book.
- iv. The computerised MB given by the contractor, duly bound, with its pages machine numbered, shall have no cutting or over- writing. In case of any error, the computerised MB shall be cancelled and the contractor shall re-submit a fresh computerised MB, duly incorporating all corrections. This should be done before the corresponding bill is submitted to the department for payment.
- v. The concerned official shall record the necessary certificates for their checks and test checks as per the extant procedure in the computerised MB. It shall be the responsibility of the concerned officials to ensure that all the corrections have been incorporated in the computerized MB before they record their certificates.
- vi. The computerized MB shall be allotted a serial number as per the register of computerised MB to be given by the Bank to the contractor.
- vii. All the pages of the Finalised computerizes MB shall have full signature with date of the authorised official of the contractor and the official of the bank with name and designation.
- viii. All measurements shall be taken in accordance with the Mode of Measurements detailed in the Specifications. Should the Contractor not attend or neglect or omit to take the measurements then the measurements taken by the Bank's Engineer or a persons approved by him shall be taken to be correct measurements of the works.

## **29. Prices for extras etc. ascertainment of**

The Contractor may, when authorized and shall, when directed in writing by the Employer, add or omit from or vary the works shown upon the drawings, or described in the Specification, or included in the Schedule of Quantities, but the Contractor shall make no addition, omission or variation without such authorization or direction. A verbal authority or direction by the employers shall if, confirmed by them in writing within seven days, be deemed to have been given in writing.

No claim for an extra shall be allowed unless it shall have been executed under provisions of Employer or by the authority of the Employer. Any such extra is herein referred to as authorized extra and payment shall be made in accordance with the following provisions:

- a) (i) The net rates or prices in the original tender shall determine the valuation of the extra work where such extra work is of similar character and executed under similar conditions as



the work priced therein. Rates for all items, wherever possible should be derived out of the rates given in the Priced Schedule of Quantities

(ii) The net prices of the original tender shall determine the value of the items omitted, provided if omissions vary the conditions under which any remaining items of works are carried out, the prices for the same shall be valued under sub-clause (c) hereof.

c) Where the extra works are not of similar character and/or executed under similar conditions as aforesaid or where the omissions vary the conditions under which any remaining items of works are carried out or if the amount of any omissions or additions relative to the amount of the whole of the Contract works or to any part thereof shall be such that in the opinion of the employer, the net rate or price contained in the Priced Schedule of Quantities or tender or for any item of the works involves loss or expense beyond that reasonably contemplated by the Contractor or is by reason of such omission or addition rendered unreasonable or inapplicable, the Employer shall fix such other rate or price as in the circumstances he shall think reasonable and proper with the prior approval in writing of the Employer.

(d) Where extra work cannot be properly measured or valued, the Contractor shall be allowed day work prices as the net rates stated in the tender or the Priced Schedule of Quantities or, if not so stated, then in accordance with the local day work rates and wages for the district provided that in either case, vouchers specifying the daily time (and if required by the Employer, the workmen's names) and materials employed be delivered for verification to the Employer, or his representative at or before the end of the week following that in which the work has been executed.

(e) It is further clarified that for all such authorized extra items where rates cannot be derived from tender, the contractor shall submit rates supported by rate analysis worked on the "actual cost basis", plus 15% towards establishment charges, contractor's overhead and profit. Such items will not be eligible for escalation.

(f) The measurement and valuation in respect of the Contract shall be completed within the "period of final measurements" stated in the Appendix or if not stated then within three months of the completion of the Contract works.

### **30. Unfixed Material When Taken into Account to be the Property of the Employer**

Where in any Certificate (of which the Contractor has received payment) the employer has included the value of any unfixed materials intended for and/or placed on or adjacent to the works such materials shall become the property of the Employer and they shall not be removed except for use upon the works, without the written authority of the Employer. The Contractor shall be liable for any loss or damage to, such materials.

### **31. Removal of improper work**



The Employer, shall, during the progress of the works, have power to order in writing from time to time the removal from the works within such reasonable time or times as may be specified in the order, of any materials which in the opinion of the Employer, are not in accordance with the Specifications or the instructions of the Employer, the substitution of proper materials, and the removal and proper re-execution of any work executed with materials, and the workmanship not in accordance with the Specifications or instructions, and the Contractor shall forthwith carry out such order at his own cost. In case of default on the part of the Contractor to carry out such order, the Employer shall have the power to employ and pay other persons to carry out the same, and all expenses consequent thereon, or incidental thereto, as certified by the Employer, shall be borne by the Contractor, or may be deducted by the Employer from any money due, or that may become due, to the Contractor.

### **32. Defects after Virtual Completion**

Any defect, shrinkage, settlement or other faults which may appear within the “Defects Liability Period” stated in the Appendix hereto, or if none stated then within twelve months after the virtual completion of the works, arising in the opinion of the Employer, from materials or workmanship not in accordance with the Contract, shall upon the directions in writing of the Employer, and within such reasonable time as shall be specified therein, be amended and made good by the Contractor, at his own cost and in case of default, the Employer may employ and pay other persons to amend and make good such defects shrinkage, settlements or other faults, and all damages, loss and expenses consequent thereon or incidental thereto shall be made good and borne by the Contractor and such damage, loss and expenses shall be recoverable from him by the Employer or may be deducted by the Employer, from any money due or that may become due to the Contractor, or the Employer may in lieu of such amending and making good by the Contractor deduct from any moneys due to the Contractor a sum, to be determined by the Employer equivalent to the cost of amending such work and in the event of the amount retained under clause 42 hereof being insufficient, recover the balance from the Contractor, together with any expenses, the Employer may have incurred in connection therewith. Should any defective work have been done or material supplied by Contractor employed on the works the Contractor shall be liable to make good and been subject to the provisions of this clause and clause 10 hereof. The Contractor shall remain liable under the provisions of this clause notwithstanding the signing of any Certificate or the passing of any accounts by the Employer.

### **33. Certificate of Virtual Completion and Defects Liability Period**

The works shall not be considered as completed until the Employer has certified in writing that the work has been virtually completed. The Defects Liability Period shall commence from the date of such Certificate.



#### **34. Nominated Sub-Contractors**

All Specialists, Merchants, Tradesman and other executing any work of supplying and fixing any goods for which prime cost prices or provisional sums are included in the Schedule of Quantities and/or Specifications who may be nominated or selected by the Employer's Engineer are hereby declared to be Sub-Contractors employed by the Contractor and are herein referred to as nominated Sub-Contractors.

No nominated Sub-Contractor shall be employed on or in connection with the works against the Contractor shall make reasonable objection or (save where the Employer and Contractor shall otherwise agree) who will not enter into a Contract provided:

(a) That the nominated Sub-Contractor shall indemnify the Contractor against claims in respect of any negligence by the Sub-Contractor, his servants or agents or any misuse by him or them of any scaffolding or other plant, the property of the Contractor or under any Workmen's Compensation Act in force.

(b) That the nominated Sub-Contractor shall indemnify the Contractor against the same obligation in respect of the Sub-Contract as the Contractor is under in respect of this contract.

(c) Payment shall be made to the nominated Sub-Contractor within fourteen days of his receipt of the Bank's Engineer's Certificate provided that before any certificate is issued the Contractor shall upon request furnish to the Bank's Engineer proof that all nominated Sub-Contractor's accounts included in previous Certificates have been duly discharged, the default whereof the Employer may pay the same upon a Certificate of the Bank's Engineer and deduct the amount thereof from any sum due to the Contractor. The exercise of this power shall not create brevity of contract as between Employer and Sub-Contractor.

#### **35. Other persons employed by Employer**

The Employer reserves the right to use Building and any portions of the site for the execution of any work not included in this Contract which it may desire to have carried out by other persons, and the Contractor shall allow all reasonable facilities for the execution of such work but shall not be required to provide any plant or material for the execution of such work except by special arrangement with the Employer. Such work shall be carried out in such manner as not to impede the progress of the works included in the Contract and the Contractor shall not be responsible for any damage or delay which may happen to or occasioned by such work.

#### **36. Insurance in respect of Damages to Persons and Property**

The contractor shall be responsible for all injury or damage to persons, animals or things and for all structural and decorative damage to property which may arise from the operation or neglect of himself or of any nominated sub-contractor's employees, whether such injury or damage arise from carelessness, accident or any other case whatever in any way connected with the carrying out of the contract. The liability under this clause shall be held to include



inter alia, any damage to buildings, whether immediately adjacent or otherwise, and any damage to roads, streets, footpaths, bridges or ways as well as all damage caused to the buildings and other structures and works forming the subject matter of this Contract. The contractor shall also be responsible for any damage caused to the buildings and other structures and works forming the subject matter of this Contract by frost, rain, wind or other inclemency of weather. The contractor shall indemnify the Employer and hold him harmless in respect of all and any expenses arising from any such injury or damage to persons or property as aforesaid and also against any claim made in respect of injury or damage, whether under any statute or otherwise and also in respect of any award or compensation or damages consequent upon such claims.

**The contractor shall, at his own expense, effect and maintain with effect from the date of commencement till issue of the Completion Certificate under this contract, with an insurance company approved by the employer, an All Risks Policy for Insurance for the full amount of the contract including earthquake risk in the joint names of the Employer and the Contractor (the name of the Employer “Reserve Bank of India” being placed first in the insurance policy) against all risks as per the standard all risk policy for Contractors and deposit such policy or policies with the Employer before commencing the works.**

The contractor shall, reinstate all damages of every sort mentioned in this clause, so as to deliver up the whole of the contract works complete and perfect in every respect and so as to make good or otherwise satisfy all claims for damage to the property or third parties.

**The contractor shall indemnify the Employer against all claims which may be made against the Employer by any person/ any member of the public or other third party in respect of anything which may arise in respect of the works or in consequence thereof and shall at his own expenses arrange to effect and maintain, with effect from the date of commencement until the completion of the Contract, with an approved insurance company, a policy of insurance in the joint names of the Employer and the Contractor (the name of the Employer “Reserve Bank of India” being placed first in the insurance policy) against such risks and deposit such Policy or Policies with the Employer before commencement of the work.**

**The contractor shall also similarly indemnify the Employer against all claims which may be made upon the Employer whether under the Workmen Compensation Act or any other statutes in force during the currency of this contract or at Common Law in respect of any employee of the contractor or any sub-contractor and shall at his own expense effect and maintain, with effect from the date of commencement until the completion of the Contract, with an approved insurance company, a policy of insurance in the joint names of the Employer and the Contractor (the name of the Employer “Reserve Bank of India” being placed first in the insurance policy) against such risk and deposit such policy or policies with the Employer from time to time during the currency of the contract.**

**The minimum limit of the coverage under the “Third Party Insurance Policy” shall be**



**Rs. 2 Lakh per person for any one accident or occurrence and Rs. 5 Lakh in respect of damage to property for any one accident or occurrence.**

The Contractor shall be responsible for any Liability which may be excluded from the insurance policies referred to above and also for all other damages to any person, animal or any property arising out of and incidental to the negligent or defective carrying out of this contract. He shall also indemnify the Employer in respect of all and any costs, charges or expenses arising out of claim or proceedings of damage arising there from.

In default of the contractor insuring as provided above, the Employer may so insure and may deduct the premiums paid from any money due or which may become due to the contractor. The contractor shall also indemnify and keep indemnified the Employer against all and any costs, charges or expenses arising out of any claim or proceedings relating to the works and also in respect of any award of damage or compensation arising there from.

Without prejudice to the other rights of the Employer against contractors in respect of such default, the Employer shall be entitled to deduct from any sums payable to the contractor the amount of any damages, compensation costs, charges and other expenses paid by the Employer and which are payable by the contractor under this clause.

The contractor shall upon settlement by the insurer of any claim made against the insurer pursuant to a policy taken under this clause, proceed with due diligence to rebuild or repair the works destroyed or damaged. In this event, all the money received from the insurer in respect of such damage shall be paid to the contractor and the contractor shall not be entitled to any further payment in respect of the expenditure incurred for rebuilding or repairing of the materials or goods destroyed or damaged.

The contractor, in case of rebuilding or reinstatement after damage shall be entitled to such extension of time for completion as the employer may deem fit but shall, however, not be entitled to reimbursement by the Employer of any shortfall or deficiency in the amount finally paid by the insurer in settlement of any claim arising as set out herein.

Without prejudice to his liability under this clause, the contractor shall also cause all nominated sub-contractors to affect, for their respective portions of the works a similar policies of insurance in accordance with the provisions of this clause and shall produce or cause to produce to the Employer such policies. The Contractor shall not permit a nominated sub-contractor to commence work at the site unless said insurance policies are submitted. In the event of failure of the sub-contractor to take out such policy or policies of insurance before commencing the works at the site, the contractor shall be responsible for any claim or damage attributable to the said sub-contractor.

**37. Date of commencement and completion**

The Contractor shall be allowed admittance to the site on the "Date of Commencement" stated in the Appendix hereto, or such later date as may be specified by the Employer and he shall thereupon and forthwith begin the works and shall regularly proceed with and complete the same (except such painting or other decorative work as the Employer may



desire to delay) on or before the “Date of Completion” stated in the Appendix subject nevertheless to the provisions for extension of time hereinafter contained.

### **38. Damage for non-completion;**

If the Contractor fails to maintain the required progress of the works by the completion time stipulated in the Contract or within any extended time under time extension Clause and the Employer certifies in writing that in his opinion the same ought reasonably to have been completed, the Contractor shall pay the Employer the sum named as “**Liquidated Damages**” for the period during which the said works shall so remain incomplete and the Employer may deduct such damages from any moneys due to the Contractor. The contractor hereby specifically agrees and authorizes the Employer to deduct such liquidated damages, if any, from any installment of payment becoming due and payable to the contractor in terms of this contract or from the retention money.

### **39. Delay and Extension of Time**

If in the opinion of the Employer, the works be delayed (a) by force majeure or (b) by reason of any exceptionally inclement weather or (c) by reason of proceedings taken or threatened by or dispute with adjoining or neighboring owners or public authorities arising otherwise, than through the Contractor’s own default or (d) by the works or delays of other Contractor or Tradesmen engaged or nominated by the Employer and not referred to in the Schedule of Quantities and/or Specification or (e) by reason of Employer’s instructions or (f) by reason of civil commotion, local combination of workmen or strike or lockout affecting any of the building trade or (g) in consequence of the Contractor not having received in due time necessary instructions from the Employer for which he shall have specifically applied in writing or (h) from other causes which the Employer may certify as beyond the control of Contractor or (i) in the event, the value of the work exceed the value of the Priced Schedule of Quantities owing to variation, the Employer may make a fair and reasonable extension of time for completion of the Contract Works. In case of such strike or lock-out, the Contractor shall immediately give written notice thereof to the Employer but the Contractor shall nevertheless constantly use his endeavors to prevent delay and shall do all that may reasonably be required to the satisfaction of the Bank’s Engineer to proceed with work. Stoppage of work due to normal monsoon cannot be considered as hindrances.

If the contractor needs an extension of time for completion of the work or if the completion of work gets delayed for any reason beyond the due date of completion stipulated in the contract, the contractor shall apply to the Employer for extension of time in writing at least 7 days before the expiry of the scheduled time and while applying for extension of time, contractor shall furnish the reasons in detail and his justification along with documentary evidence (copy of relevant pages of hindrance register), if any, for delays. Only that period of extension of time as granted by the employer (on receipt of the application from the contractor or even in absence of any such application certification as to the reasonableness of the grounds for delay) will qualify for exemption of imposition of liquidated damages. For the balance period in excess of original stipulated period and an authorized extension of time



granted by the Employer, the provision of liquidated damages as stated under clause 36 will become applicable.

Further the contract shall remain in force even for the period beyond the due date of completion irrespective whether the Contractor has applied or not, for the grant of extension of time for completion unless the Employer decides to terminate the contract. The delay for completion of work for any reason will not entail any right to the Contractor to claim any revision of rates or any extra compensation for any reason.

#### **40. Failure by Contractor to comply with Employer's Instructions**

If the Contractor after receipt of written notice from the Employer requiring compliance within ten days fails to comply with such further Employer's instructions, the Employer may employ and pay other persons to execute any such work whatsoever that may be necessary to give effect thereto, and all costs incurred in connection therewith shall be recoverable from the Contractor by the Employer on the Certificate of the Employer's Engineer as a debt or may be deducted by him from any money due to the Contractor.

#### **41. Termination of Contract by the Employer**

If the Contractor being an individual or a firm commits any "Act of insolvency", or shall be adjudged an Insolvent or being an Incorporated Company shall have an order for compulsory winding up made against it or pass an effective resolution for winding up voluntarily or subject to the supervision of the Court and the Official Assignee or the Liquidator, in such acts of insolvency or winding up, as the case may be, shall be unable within seven days after notice to him requiring him to do so to show to the reasonable satisfaction of the Employer that he is able to carry out and fulfill the Contract and to give security therefore, if so required by the Employer.

Or

if the Contractor (whether an individual, firm or incorporated Company) shall suffer execution or to other process of Court attaching property to be issued against the Contractor.

Or

shall suffer any payment under this Contract to be attached by or on behalf of any of the creditors of the Contractor.

Or

shall assign or sublet this Contract without the consent of the Employer in writing of the Employer firsthand and obtained.

Or

shall charge or encumber this Contract or any payments due or which may become due to the Contractor hereunder.

Or

if the Employer shall certify in writing that the Contractor

(i) has abandoned the Contract,



or

(ii) has failed to commence the works, or has without any lawful excuse under these conditions suspended the progress of the works for fourteen days after receiving from the Employer, notice to proceed

or

(iii) has failed to proceed with the works with such diligence and failed to make such progress as would enable the works to be completed within the time agreed upon,

or

(iv) has failed to remove materials from the site or to pull down and replace work for seven days after receiving from the Employer written notice that the said materials or work were condemned and rejected by the Employer under these conditions

or

(v) has neglected or failed persistently to observe and perform all or any of the acts, matters or things by this Contract to be observed and performed by the Contractor for seven days after written notice shall have been given to the Contractor requiring the Contractor to observe or perform the same.

Then and in any of the said cases the Employer may, notwithstanding any previous waiver, after giving 07 (seven) days' notice in writing to the Contractor, determine the Contract, but without thereby affecting the powers of the Employer or the obligations and liabilities of the Contract, the whole of which shall continue in force as fully as if the Contract has not been so determined, and as if the works subsequently executed had been executed by or on behalf of the Contractor and further, the Employer by his agents or servants may enter upon and take possession of the works and all plant, tools, scaffoldings, sheds, machinery, steam and other power utensils and materials lying upon the Building or the adjoining lands or roads, and use the same as his own property or may employ the same by means of his own servants and workmen in carrying on and completing the works or by employing any other Contractor or other person or persons to complete the works, and the Contractor shall not in any way interrupt or do any act, matter or thing to prevent or hinder such other Contractor or other person or persons employed for completing and finishing or using the materials and plant for the works. When the works shall be completed or as soon thereafter as convenient the Employer shall give a notice in writing to the Contractor to remove his surplus materials and plant, and should the Contractor fail to do so within a period of fourteen days after receipt thereof by him, the Employer may sell the same by public auction, and give credit to the Contractor for the net amount realized. The Employer shall thereafter ascertain and certify in writing under his hand what (if anything) shall be due or payable to or by the Employer and expense or loss which the Employer shall have been put to in procuring the works to be completed and the amount, if any, owing to the Contractor and the amount which shall be so certified shall thereupon be paid by the Employer to the Contractor or by the Contractor to the Employer, as the case may be, and the Certificate of the Employer shall be the final and conclusive between the parties.



## **42. Termination of Contracts by Contractor**

If the payment of the amount payable by the Employer under Certificate of the Employer shall be in arrears and unpaid for thirty days after notice in writing requiring payment of the amount as aforesaid shall have been given by the Contractor to the Employer, or if the Employer interferes with or obstructs the issues of any such Certificate, or if the Employer shall repudiate the Contractor, or if the works be stopped for three months under the order of the Employer or by any injunction or other order of any Court of Law, then and in any of the said cases the Contractor shall be at liberty to determine the Contract by notice in writing to the Employer, and he shall be entitled to recover from the Employer, payment for all works, executed and for any loss he may sustain upon any plant or materials supplied or purchased or prepared for the purpose of the Contract.

In arriving at the amount of such payment the net rates contained in Contractor's original Tender shall be followed or where the same may not apply valuation shall be made in accordance with the Clause hereof.

## **43. Certificate of Payments**

a) The Contractor shall be paid by the Employer from time to time by installments under Interim Certificates to be issued by the Employer to the Contractor on account of the works executed when in the opinion of the Employer, works to the approximate value named in the Appendix as "Value of work for Interim Certificates" (or less at the reasonable discretion of the Employer) has been executed in accordance with this Contract, subject, however to a retention of the percentage of such value named in the Appendix hereto as "Retention percentage for Interim Certificates" until the total amount retained shall reach the sum named in the Appendix as "Total Retention Money" after which time the installments shall be up to the full value of the work subsequently so executed and fixed in the building.

b) When the works have been virtually completed and the Employer shall have certified in writing that they have been completed, the Contractor shall be paid by the Employer in accordance with the Certificate to be issued by the Employer, the sum of money named in the Appendix as "Installment after virtual Completion" being a part of the said total retention money. And the Contractor shall be entitled to the payment of the final balance in accordance with the final certificate to be issued in writing by the Employer at the expiration of the period referred to as "the Defects Liability Period" in the Appendix hereto from the date of Virtual Completion or as soon as after the expiration of such period as the works have been finally completed and all defects made good according to the true intent and meaning hereof whichever shall last happen provided always that the issue by the Employer of any Certificate during the progress of the works or after their completion shall not relieve the Contractor from his liability under the Clause or relieve the Contractor of his liability in case of fraud, dishonesty, or fraudulent concealment relating to the works of materials or to any matter dealt with in the Certificate, and in case of all defects and insufficiencies in the works or materials which a reasonable examination would not have disclosed. No certificate of the Employer shall of itself be conclusive evidence that any works or materials to which it relates are in



accordance with the Contract neither will the contractor have a claim for any amounts which the employer might have certified in any interim bill and paid by the Employer and which might subsequently be discovered as not payable and in this respect the Employer's decision shall be final and binding.

- b) Site Engineer, pending test checking of work and measurements, checking of details, arithmetical accuracy and certification by the competent authority.
- c) The Employer shall have power to withhold any Certificate if the works or any parts thereof are not being carried out to his satisfaction.
- d) The Employer may by any Certificate make any correction in any previous Certificate, which shall have been issued by him.
- e) No Certificate of payment shall be issued by the Employer if the Contractor fails to insure the works and keep them insured till the issue of the Virtual Completion Certificate.
- f) Any amounts payable by the Employer to the Contractor in pursuance of any Certificate given by the Employer hereunder shall, if not paid within the "Period of honoring Certificates" named in the Appendix, carry interest at the rate named in the Appendix as the "Rate of Interest for delayed payment" from the date upon which such sum ought to have been paid by the Employer until the payment.

#### **44. Matter to be finally determined by Employer**

The decision, opinion, direction, Certificate determined by Employer shall be final and conclusive and binding on the parties hereto and shall be without appeal. Any other decision, opinion, direction, Certificate or valuation of the employer or any refusal of the Employer to give any of the same, shall be subject to the right of Arbitration and review under clause 43 hereof in the same way in all respects (including the provisions as to opening the reference) as if it were a decision of the Employer.

#### **45. Settlement of disputes by Arbitration**

All disputes and differences of any kind whatever arising out of or in connection with the Contract or the carrying out of the works (whether during the progress of the works or after their completion and whether before or after the determination, abandonment or breach of the contract) shall be referred to and settled by the Employer who shall state his decision in writing. Such decision may be in the form of a final Certificate or otherwise. The decision of the Employer with respect to any of the excepted matters shall be final and without appeal as stated under the above mentioned clauses hereof. But if either the Employer or the Contractor be dissatisfied, question or dispute of any kind (except any of the excepted matters) or as to the withholding by the Employer of any Certificate to which the Contractor



may claim to be entitled then and in any such case either party (the Employer or the Contractor) may within 28 days after receiving notice of such decision give a written notice to the other party through the Employer requiring the matters in dispute be arbitrated upon. Such written notice shall specify the matters, which are in dispute or difference, of which such written notice has been given.

If both the parties agree, a single arbitrator would be appointed for the purpose. In case no agreement could be reached on the appointment of single arbitrator, both the parties will nominate one person each as an arbitrator on their behalf. The two arbitrators nominated by the parties shall nominate one more person to act as third arbitrator or umpire.

The Arbitrator or Arbitrators, as the case may be, shall have power to open up, review and revise any Certificate, opinion, decision, requisition or notice, save in regard to the excepted matters referred to in the preceding Clause, and to determine all matters in dispute which shall be submitted to arbitration and of which notice shall have been given as aforesaid.

The Arbitrator or Arbitrators, as the case may be, shall make his or their award within one year (or such further extended time as may be decided by him or them as the case may be with the consent of the parties) from the date of entering on the reference. In case, during the arbitration proceedings, the parties mutually settle, compromise or compound their dispute or difference, the reference to arbitration and the appointment of the Arbitrator or Arbitrators, as the case may be shall be deemed to have been revoked and arbitration proceedings shall stand withdrawn or terminated with effect from the date on which the parties file a joint memorandum of settlement thereof, with the Arbitrator or the Arbitrators as the case may be.

Upon every or any such reference, the cost of and incidental to the reference and award respectively shall be in the discretion of the Arbitrator or Arbitrators, as the case may be, who may determine the amount thereof, or direct the same to be taxed as between attorney and client or as between party and shall direct by whom and to whom and in what matter the same shall be borne and paid. This submission shall be deemed to be a submission to arbitration within the meaning of the Indian Arbitration and Conciliation Act, 1996 or any statutory modification thereof. The Award of the Arbitrator or Arbitrators, as the case may be, shall be final and binding on the parties. It is agreed that the Contractor shall not delay the carrying out of the works by reason of any such matter, question or dispute being referred to arbitration, but shall proceed with the works with all due diligence and shall, until the decision of the Arbitrator or Arbitrators, as the case may be, is given abide by the decision of the Employer and no Award of the Arbitrator or Arbitrators, as the case may be, shall relieve the Contractor of his obligations to adhere strictly to the Employer's instructions with regard to the actual carrying out of the works. The Employer and the Contractor hereby also agree that arbitration under this Clause shall be a condition precedent to any right of action under the Contract.

The venue of arbitration shall be Guwahati, Assam, India.



#### **46. Right of Technical scrutiny of final bill**

The Employer shall have a right to cause a technical examination of the works by any of the persons or organization as appointed by the Employer and the final bill of the Contractor including all supporting vouchers, abstracts etc. If as a result of this examination or otherwise any sum is found to have been overpaid or over-certified it shall be lawful for the Employer to recover the sum from any payment due to the Contractor for this work or any other work or works being carried out by Contractors elsewhere under the “RESERVE BANK OF INDIA”.

#### **47. Employer entitled to recover compensation paid to workman**

If, for any reason, the Employer is obliged, by virtue of the provisions of the Workmen’s Compensation Act, 1923, or any statutory modification or re-enactment thereof to pay compensation to a workman employed by the Contractor in execution of the works, the Employer shall be entitled to recover from the Contractor the amount of compensation so paid, and without prejudice to the rights of the employer under the Act. The Employer shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by the Employer to the Contractor under this Contract or otherwise. The Employer shall not be bound to contest any claim made against it under the said Act, except on the written request of the Contractor and upon his giving to the Employer full security to the satisfaction of the Employer for all costs for which the Employer might become liable in consequence of contesting such claim.

#### **48. Abandonment of works**

If at any time after the acceptance of the tender, the Employer shall for any reasons whatsoever not require the whole or any part of the works to be carried out, the Employer shall give notice in writing to the Contractor who shall have no claim to any payment of compensation or otherwise whatsoever on account of any profit or advantage which he might have derived from the execution of the whole works.

#### **49. Return of surplus materials**

Notwithstanding anything to the contrary contained in any or all the clauses of this Contract, where any material for the execution of the Contract is procured with the assistance of the Employer by purchases made under orders or permits or license or licenses issued by Government, the Contractor shall hold the said materials economically and solely for the purpose of the contract and not dispose of them without the prior written permission of the Employer and return them to the Employer, if required by the Employer, at the price to be determined by the Employer having due regard to the conditions of the materials, the price to be determined should not exceed the purchase price thereof inclusive of sales tax, octroi and other such levies paid by the Contractor in respect thereof. In the event of breach of the aforesaid condition, the Contractor shall, in addition to being liable to action for contravention of the terms of licenses or permit and/or criminal breach of trust, be liable to Employer for all



money, advantages or profits resulting or which in the usual course would have resulted to him by reason of such breach.

#### **50. Right of Employer to terminate Contract in the event of Death of Contractor, if individual**

Without prejudice to any of the rights or remedies under this Contract, if the Contractor being an individual, dies the Employer shall have the option of terminating the Contract without incurring any liability for such termination.

#### **51. Accident Reports**

In the event of accidents of any kind, the Contractor shall furnish the Client with copies of all accident reports. The reports shall be sent without delay and at the same time that they are forwarded to any other parties.

#### **52. Non-Disclosure Clause**

The contractor shall not disclose directly or indirectly any information, materials and of the Bank's infrastructure/ system/ equipments etc. which may come to the profession or knowledge of the contractor during the course of discharging its contractual obligations in connection with the agreement, to any third party and shall at all times hold the same in strictest confidence. The contractor shall treat the details of the contract as private and confidential, except to the extent necessary to carry out the obligations under it or to comply with applicable laws. The contractor shall not publish, permit to be published, or disclose any particulars of the works in any trade or technical paper or elsewhere without the previous written consent of the Employer. The contractor shall indemnify the Employer for any loss suffered by the Employer as a result of disclosure of any confidential information. Failure to observe the above shall be treated as breach of contract on the part of the contractor and the Employer shall be entitled to claim damages and pursue legal remedies.

The contractor shall take all appropriate actions with respect to its employees to ensure that the obligations of non-disclosure of confidential information under this agreement are fully satisfied. The contractor's obligations with respect to non-disclosure and confidentiality will survive the expiry or termination of this agreement for whatever reason.

**53.** Contractor must comply with the provisions of Payment of Wages Act 1936, Minimum wages Act 1948, Gratuity Act 1972, Stamp Act 1899, EPF Act 1952, ESI Act 1948, Payment of Bonus Act 1965 etc. & all applicable statutory rules/ guidelines. Notices /penalty, if any, issued /imposed by any statutory norms/requirements shall be paid by the contractor, without any claim to the Employer.

**54.** Contractor must comply with the compliance of Contract Labour (Regulation and Abolition) Act 1970, Contract Labour (Regulation and Abolition) Central Rules, 1971 & Assam Labour Contract (Regulation and Abolition) Rules 1971 and should display related notice board at the work place.



## **55. Prevention of Sexual Harassment of women at work places**

- a) The Contractor shall be solely responsible for full compliance with the provisions of "the Sexual Harassment of women at work place (Prevention, Prohibition and Redressal) Act, 2013" In case of any complaint of sexual harassment against its employee within the Building of the Bank, the complaint will be filed before the Internal Complaints Committee constituted by the Contractor / Agency and the Contractor / Agency shall ensure appropriate action under the-said Act in respect to the complaint.
- b) Any complaint of sexual harassment from any aggrieved employee of the contractor against any employee of the Employer shall be taken cognizance of by the Regional Complaints Committee constituted by the Employer.
- c) The contractor shall be responsible for any monetary Compensation that may need to be paid in case the incident involves the employees /workmen of the contractor, for instance any monetary relief to Employer's employee, if sexual violence by the employee /workmen of the contractor is proved.
- d) The contractor shall be responsible for educating its employees about prevention of sexual harassment at work place and related issues.
- e) The contractor shall provide a complete and updated list of its employees who are deployed within the Employer's Building.

### **Special Conditions of the Contract**

#### **56. Project Team:**

The contractor shall provide the required project team at site for managing various aspects of the project. The details of the Project Team, as required under special instructions to the bidders, shall be provided by the contractor if required or as per Bank's Instructions

#### **57. Progress of Work**

The contractor shall provide the project schedule, as required under Special instructions to the bidders.

Upon award of work, the Contractor shall reconfirm, in writing, the starting and completion schedule including material delivery dates based upon the information submitted in his tender form along with detailed Project schedule/ Bar chart (including details of all the important activities involved), as specified in the Special instructions to the bidders

The Contractor shall submit, in writing, progress reports as specifically described in the Special Instructions to the Bidders and shall attend the progress review meetings as and when convened by the Employer

#### **58. Project Documentation:**



The contractor shall be required to maintain all the relevant documents, details, registers etc. as specifically mentioned in the Special instructions to the bidders at site and shall hand them over to the Employer after completion of the work.

### **59. Marginal Notes**

The Marginal Notes in the catch lines hereto and in the annexure hereto are meant only for convenience of reference and shall not in any way be taken into account in the interpretation of these presents and the annexure hereto. The Contractors will have to carry out and complete the said work in every respect in accordance with this contract.

**Place:**

**Name of the Contractor:**

**Date:**

**Address:**

**Sign & Seal of The Contractor:**



## APPENDIX HEREINBEFORE REFERRED TO

Reference to clauses in Conditions Hereinbefore Referred to:

1	Defects Liability Period	12 Months from the date of virtual completion certificate referred to in the section Conditions Hereinafter Referred To”
2	Period of Final Measurement	3 months from the date of virtual completion
3	Date of commencement	10 <sup>th</sup> day from the date of issue of work order
4	Date of Completion	<b>Date of virtual completion</b>
5	Completion Period	<b>180 days</b> from the 10 <sup>th</sup> day of issuing work order
6	Rate of liquidated damages	<b>₹1765/- per day</b> of delay subject to maximum of 10% of the contract value, in terms of clause 26 of the General conditions of Contract
8	Retention percentage	5% from Each RA Bills
9	Value of Woks for Interim Certificates	Rs. 20 Lakhs for RA Bills
10	Security Deposit	Total Retention Money
11	Part of Security Deposit to be refunded after virtual completion	NA
12	Part of Security Deposit to be refunded after defect liability period	Subject to satisfactory services and satisfactory rectification of all the defects developed and pointed out to the contractor during the said DLP.
13	PBG	PBG The successful tenderer at the time of agreement must submit a Bank Guarantee (Hard Copy) amounting to 5% of contract value for due to fulfilment of the work as a whole. The same PBG will be returned to the vendor after due completion of the work. The format of PBG can be seen at annexure.



## GENERAL CONDITIONS

**Scope of Work: The scope of work covers Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati for the Reserve Bank of India in accordance with drawings and specifications prepared by and under the direction and to the satisfaction of the Bank.**

1. **Contract:** The form of contract shall be according to the printed form “conditions of contract”. The following clauses shall be considered as an extension and not in the limitation of obligation of the contractor.

All-important drawings are to be mounted on boards and placed in racks and indexed.

2. **Dimensions:** Figured dimensions are in all cases to be accepted in preference to scaled sizes. Large scale details take precedence over small scale drawings. In case if discrepancy the contractor is to ask for clarification before proceeding with the work.

3. **Contractor to include in his/her rates:** The Contractor shall include all the items while forming the rate.

4. **Contractor to inspect site:** The Contractor shall visit and examine the site of work and satisfy himself as to the nature of the existing roads or other means of communications, the extent and magnitude of the work and facilities for obtaining materials and shall obtain generally his own information on all matters affecting the execution of work. No extra charge made in consequence of any misunderstanding or incorrect information on any of these points or the grounds of insufficient description will be allowed. All expenses incurred by the contractor in connection with obtaining information for submitting this tender including his visits to site or efforts in compiling the tender shall be borne by the Tenderer and no claims for the reimbursement thereof shall be entertained

5. **Access to Site:** The contractor is to include in his rates for forming access to the site, required for the works.

6. **Setting out:** The contractor shall set out the works in accordance with the plans. All grid/center line shall be marked out to the satisfaction of the Employer. The contractor shall be responsible for the correctness of the lining out and any inaccuracies are to be rectified at his own expenses.

7. **Treasure Trove: (If Applicable):** Should any treasure, fossils, minerals, or works of art of a queried interest be found while carrying out the works, the contractor shall give immediate notice to the Employer of any such discovery and shall hand over such find to the Employer.

8. **Access for Inspection:** The Contractor is to provide at all times during the progress of the works and the maintenance period proper means of access, with ladders, etc. and the



necessary attendance to move and adapt as directed for the inspection of measurement of the works by the Employer.

**9. Cost of Transporting:** The contractor shall allow in his own cost for all transporting, unloading, stacking and storing of supplies and goods and materials for this work on the site and in the places approved from time to time by the Employer. The contractor shall allow in his price for transport of all materials (controlled or otherwise) to the site.

**10. Materials, Workmanship and Samples:** Materials shall be of approved quality and the best of their kind available and shall generally conform to I.S. Specifications. The contractor shall order all the materials required for the execution of work as early as necessary and ensure that such materials are on site well ahead of requirements for use in the work. The work involved calls for high standard of workmanship combined with speed and to the entire satisfaction of the Employer. Rates for Non-Tender Items:

11. Rates of items not included in Schedule of quantities shall be settled by the Employer as mentioned in the variation clause of the Contract conditions.

**12. Rates to include:** The rates quoted shall be for all leads and lifts and finished work.

**13. To ascertain from Contractor for the other Trades:** The Contractor shall ascertain from other contractor as directed by the Employer all particulars relating to their work with regard to the order of its execution and the position in which chases, holes and similar items will be required, before the work is taken in hand as no claims for extras will be allowed for cutting away work already executed in consequence of any neglect by the contractor to ascertain these particulars beforehand. Before ordering materials, the contractor shall get the sample approved from the Employer well in time.

**14. Testing of Work and Material:** The contractor shall arrange to test the materials to be used for the work as decided and directed by the Employer, at his cost in order to prove their soundness and efficiency. Before sending the samples of materials for testing, the samples shall be sealed and signed jointly by the contractor and the representative from the Employer and each sample shall be given distinct identification mark. On receipt of various test reports, proper record shall be maintained for all the test carried out showing respective identification

marks of the samples and results. If after any such tests, the work or portion of works is found to be defective or unsound in the opinion of the Employer the contractor shall pull down and redo such works at their own cost. The materials found to be defective or declared unsound or not conforming to specifications etc., after testing, shall be immediately removed from the site by the contractor.

In case, the contractor fails to get the work / portion of works / materials tested at appropriate time, the Employer will arrange for getting such testing done and all testing charges and other incidental expenditure incurred by the Employer in connection with such tests shall be recovered from the Contractor.

After any such tests, the work or portion of works is found to be defective or unsound in the



of the Employer, the contractor shall pull down and redo such works at their own cost. The materials found to be defective or declared unsound or not conforming to specifications etc., after testing, shall be immediately removed from the site by the contractor.

**15. Clearing of Site:** As work is to be carried out in office Building the contractor shall remove debris and clean the Building at the end of every day on his expense and maintain the area in clean and tidy conditions.

### **SPECIAL CONDITIONS AND INSTRUCTIONS FOR WORK**

Tenderer may specially note the following:

1. The work involved in this contract is for the renovation of the Issue department. Offices of the Bank will be functioning in this Building and hence work is required to be carried out with minimum disruption. and no extra claim on this account shall be entertained by the Employer/Bank.
2. The work shall be carried out by the Contractor by taking all necessary precautions to avoid inconvenience to the offices and the people working therein.
3. The Contractor shall obtain working passes for the laborers to be employed for the work. Working passes with Identity Card with Photos to be obtained. The Contractor has to obtain the Police Verification done to his work men employed in this work.
4. No debris shall be stored or stacked in any area other than the area designated by the Employer/ Bank in the compound area of Building. The contractors shall keep the Building clear during the progress of work and ensure to remove the debris / unwanted and or unserviceable materials created in the process of work on a day to day basis, and debris shall be taken out from Building on regular basis but in no case debris will be allowed to remain within Bank for more than a week. Any debris etc. shall, in no case, be kept on Municipal footpath. In case of failure to do so, the contractors will be fully responsible for paying all the fines, if any, imposed by the Municipality or Court including attending to Court Summons etc.
5. No movement of materials including debris into and out of the Building shall be permitted without the requisite formalities. Contractor will keep the Employer/ Bank advised about the movement of materials/debris.
6. No worker of the contractor will be allowed to stay at site.
7. The rates quoted shall be valid for working at all ats, heights. No extra payment shall be made for scaffolding, staging, ladders etc. for transportation of laborers and materials at higher or lower ats.
8. The rates quoted should also include cost of covering all the furniture, computers and its peripherals, machines, cooler etc. in the work area with PVC sheet and cleaning and dusting the entire area and furniture before opening of office on next day.

**Place:**

**Contractor's Name & Address:**

**Date:**

**Contractor's Signature & Seal:**



## **TECHNICAL SPECIFICATIONS**

### **1. PAINTING WORKS**

- (a) The painting work is to be executed according to the valid standards, codes and regulations on their latest revision.
- (b) The contractor has to deliver all the materials and work tools which are needed for performing the job. For instance, painting, cleaning solvents, dilution solvents, brushes, special equipment, scaffolding, ladders, collective protection material etc. Painting jobs are considered as high risk jobs and a safety and environment prevention plan has to be set up by the contractor before start of the work.
- (c) Storage of the paints/ coatings and solvents: The coatings and solvents shall be stored in a ventilated container or storage room and in an ambient temperature
- (d) Method of appliance of the layers: On the surfaces shall the layer been applied one after each other and between the appliance of each layer shall a drying time been respected according to the technical specification of the paint/coating manufacturer. The minimum thickness as stated in the technical specifications of the manufacturer and in this specification shall be respected.
- (e) General precautions: Bolts, nuts, stud bolts, screws shall not be painted and temporarily protected for accidental paint, unless otherwise asked by the Client. Tag plates, name plates shall not be painted and temporarily protected for accidental paint. The contractor collects all removed dust, rust, spilled solvents and paints and any leftovers of paint and solvents and removes them from the site of the contractor. All these materials are destroyed or deposit conform the local regulations. The contractor shall avoid any spill of paint and / or solvent on parts or surfaces belonging to the site of the client. To avoid spills on these parts, the contractor shall cover during the execution of the painting work (when needed) the parts.
- (f) Cleaning and removal of rust or other foreign matters: Cleaning of steel and removal of rust: All the surfaces which shall be protected by a coating shall thoroughly been cleaned and prepared with as objective to remove dust, mill scale, protective coating applied during the rolling process, rust, greases, oil, humidity and other foreign matters to assure that the coating adhere on the surface and that should last as long as the normal lifetime is expected.
- (g) When painting on wood, the work shall first be cleared of all such projections as glue or whitening spots being carefully removed with the stopping knife and duster, after which all knots shall be filled with one or more layers of oil and white zinc and size of glue laid on warm and rubbed down when dry with sand paper or pumice stone.
- (h) The Concrete/plastered surface shall be thoroughly dried before the priming coat is applied.
- (i) The steel work shall when be primed shall be either as per manufacturer's specifications or by providing with a coat of four parts by weight of white zinc mixed with one part twice boiled linseed oil.
- (j) In wood works all holes, cracks and nail heads shall then be stopped with putty, and irregularities reduced with sand paper and pumice stone.
- (k) Iron work shall be first thoroughly cleaned from rust and dirt, after which red lead alone shall be used as a primer.
- (l) All colour to be laid on evenly and properly with English made or best approved brushes. Each coat of colour to be allowed to dry thoroughly before the next is laid on and all, except the last coat to be slightly rubbed down with pumice stone.
- (m) No hair marks from the brush shall be left on the work or puddle in the corners of panels, angle of mouldings etc.
- (n) In case of doubt regarding the quality, the paints supplied by the contractor shall be tested in an approved laboratory as described in IS 101-1964 if considered necessary by the Engineer-in-charge.
- (o) Paints, oils, varnishes etc. of approved brand and manufacture shall be used. Only ready mixed Paint as received from the manufacturer without any admixture shall be used. If for any

reason, thinning is necessary in case of ready mixed Paint, the brand of thinner recommended by the manufacturer or as instructed by the Engineer-in-Charge shall be used.

(p) Approved Paints, oil or varnishes shall be brought to the site of work by the contractor in their original containers in sealed condition. The material shall be brought in at a time in adequate quantities to suffice for the whole work or at least a fortnight's work. The empties shall not be removed from the site of work, till the relevant item of work has been completed and permission obtained from the Engineer-in-Charge.

(q) Commencing Work: Painting shall not be started until the Engineer-in-Charge has inspected the items of work to be painted, satisfied himself about their proper quality and given his approval to commence the painting work. Painting, except the priming coat, shall generally be taken in hand after practically finishing all other building work. The rooms should be thoroughly swept out and the entire building cleaned up, at least one day in advance of the Paint work being started.

(r) Preparation of Surface: The surface shall be thoroughly cleaned and dusted off. All rust, dirt, scales, smoke splashes, mortar droppings and grease shall be thoroughly removed before painting is started. The prepared surface shall have received the approval of the Engineer-in-Charge after inspection, before painting is commenced

(s) Before pouring into smaller containers for use, the Paint shall be stirred thoroughly in its containers, when applying also, the Paint shall be continuously stirred in the smaller containers so that its consistency is kept uniform.

(t) The painting shall be laid on evenly and smoothly by means of crossing and laying off, the latter in the direction of the grains of wood. The crossing and laying off consists of covering the area over with Paint, brushing the surface hard for the first time over and then brushing alternately in opposite direction, two or three times and then finally brushing lightly in a direction at right angles to the same. In this process, no brush marks shall be left after the laying off is finished. The full process of crossing and laying off will constitute one coat.

(u) No left over Paint shall be put back into the stock tins. When not in use, the containers shall be kept properly closed. No hair marks from the brush or clogging of Paint puddles in the corners of panels, angles of mouldings etc. shall be left on the work.

(v) In painting doors and windows, the putty round the glass panes must also be painted but care must be taken to see that no Paint stains etc. are left on the glass. Tops of shutters and surfaces in similar hidden locations shall not be left out in painting. However, bottom edge of the shutters where the painting is not practically possible, need not be done nor any deduction on this account will be done but two coats of primer of approved make shall be done on the bottom edge before fixing the shutters.

(w) On painting steel work, special care shall be taken while painting over bolts, nuts, rivets overlaps etc. The additional specifications for primer and other coats of Paints shall be as according to the detailed specifications under the respective headings.

(x) Brushes and Containers: After work, the brushes shall be completely cleaned of Paint and linseed oil by rinsing with turpentine. A brush in which Paint has dried up is ruined and shall on no account be used for painting work. The containers when not in use, shall be kept closed and free from air so that Paint does not thicken and also shall be kept safe from dust. When the Paint has been used, the containers shall be washed with turpentine and wiped dry with soft clean cloth, so that they are clean, and can be used again.

(y) Measurements (as per IS 1200) The length and breadth shall be measured correct to a cm. The area shall be calculated in sqm (correct to two places of decimal), except otherwise stated.

The length and breadth shall be measured correct to a cm. The area shall be calculated in sqm (correct to two places of decimal), except otherwise stated.

Small articles not exceeding 10 sq. metre (0.1 sqm) of painted surfaces where not in conjunction with similar painted work shall be enumerated. Painting upto 10 cm in width or in girth and not in conjunction with similar painted work shall

be given in running metres and shall include cutting to line where so required.  
 Note : Components of trusses, compound girders, stanchions, lattices and similar work shall, however, be given in sq. metres irrespective of the size or girth of members. Priming coat of painting shall be included in the work of painting works.

In measuring painting, varnishing, oiling etc. of joinery and steel work etc. The coefficients as indicated in following tables shall be used to obtain the area payable. The coefficients shall be applied to the areas measured flat and not girthed.

#### Equivalent Plain Areas of Uneven Surface

SNO.	Description of work	How measured	Multiplying coefficients
1	2	3	4
1.	<b>Wood work doors, windows Etc.</b>		
1.	Panelled or framed and braced Ledged and battened or ledged, battened and braced doors, windows etc	Measured flat (not girthed including) Chowkhat or frame, Edges, chocks, cleats, etc. shall be deemed to be included in the item.	1.30 (for each side)
2	Flush doors etc.	-do-	1.20 (for each side)
3	Partl panelled and part glazed or gauzed doors, window etc.	-do-	1.00 (for each side)
4.	Fully glazed or gauzed doors, windows etc. (Excluding painting of wire gauze portion)	-do-	0.80 (for each side)
5.	Fully venetioned or louvered doors, windows etc.	-do-	1.80 (for each side)
6.	Trellis (or Jaffri) work one way or two way	Measured flat overall, no deduction shall be made for open spaces, supporting members shall not be measured separately	2 (for painting all over)
7.	Carved or enriched work	Measured flat	2 (for each side)
8.	Weather boarding	Measured flat (not girthed supporting frame work shall not be measured separately	1.20 (for each side)
9	Wood shingle roofing	Measured flat (not girthed)	1.10 (for each side)

10.	Boarding with cover fillets and match boarding	Measured flat (not girthed)	1.05 (for each side)
11.	Tile and slate battening	Measured flat overall no deductions shall be made for open spaces	0.80 (for painting all over)
<b>II.</b>	<b>Steel work doors, windows Etc.</b>		
13.	Plain sheeted steel doors or windows	Measured flat (not girthed) including frame edges etc.	1.10 (for each side)
14.	Fully glazed or gauzed steel doors and windows (excluding painting of wire gauze portion)	-do-	0.50 (for each side)
15.	Partly panelled and partly glazed or gauzed doors and windows (excluding painting of wire gauze portion)	-do-	0.80 (for each side)
16.	Corrugated sheeted steel doors or windows	-do-	1.25 (for each side)
17.	Collapsible gates	Measured flat	1.50 (for painting all over)
18.	Rolling shutters of interlocked laths	Measured flat (size of opening) all over; jamb guides, bottom rails and locking arrangement etc. shall be included in the item (top cover shall be measured separately)	1.10 (for each side)
<b>III.</b>	<b>General</b>		
19.	Expanded metal, hard drawn steel wire fabric of approved quality, grill works and gratings in guard bars, balustrades, railing partitions and MS Bars in windows frames.	Measured flat overall; no deduction shall be made for open spaces; supporting members shall not be measured separately	1 (for Paint all over)
20.	Open palisade fencing and gates including standards, braces, rails stays etc. in timber or steel	-do- (see note No. 12)	1 (for Paint all over)
21.	Corrugated iron sheeting in roofs, side cladding etc.	-do- Measured flat (not girthed)	1.14 (for each side)

22.	AC corrugated sheeting in roofs, side cladding etc.	-do-	1.20 (for each side)
23.	AC semi corrugated sheeting in roofs, side cladding etc. or Nainital pattern using plain sheets	-do-	1.10 (for each side)
24.	Wire gauze shutters including painting of wire gauze	-do-	1.00 (for each side)

## **2. WOODEN SURFACES:**

The wood work to be painted shall be dry and free from moisture. The surface shall be thoroughly cleaned. All unevenness shall be rubbed down smooth with sand paper and shall be well dusted. Knots, if any shall be covered with preparation of red lead made by grinding red lead in water and mixing with strong glue sized and used hot. Appropriate filler material conforming to IS 345 with same shade as Paint shall be used where specified. The surface treated for knotting shall be dry before Paint is applied. After obtaining approval of Engineer-in-Charge for wood work, the priming coat shall be applied before the wood work is fixed in position. After the priming coat is applied, the holes and indentation on the surface shall be stopped with glazier's putty or wood putty. Stopping shall not be done before the priming coat is applied as the wood will absorb the oil in stopping and the latter is therefore liable to crack.

2.1.1 PAINTING WITH SYNTHETIC ENAMEL PAINT : Synthetic Enamel Paint (conforming to IS 2933) of approved brand and manufacture and of the required colour & finish(matt/glossy)shall be used for the top coat and an undercoat of ordinary Paint of shade to match the top coat as recommended by the same manufacturer as far the top coat shall be used

### **2.2 POLISHING & VARNISHING**

#### **2.2.1 (a) Melamine Polish:**

For the item of melamine polish, the item includes all the sand papering required to be carried out and wiped properly for cleaning all the loose dust particles. Necessary masking tapes are to be provided where different finishing work is to be carried out, so that the melamine polish does not spread to the other surfaces. Care should be taken while removing the masking tape, so that the surface is not damaged. Cost of melamine polish includes the cost of providing and removing the masking tapes wherever required. The surface shall be sand papered using emery paper no. 180, 320 and 400 as required. Any staining required shall be carried out by applying approved stain & wood filler, to achieve the required colour and shade as directed by the Engineer-in-Charge. The item of melamine polish is deemed to include cost of such staining. Nothing extra shall be payable on this account. Melamine polish shall be applied with spray machine.

#### **2.2.2 (b) French Polishing**

French spirit polish shall be of an approved make conforming to IS 348. if it has

to be prepared on site, polish shall be made by dissolving 0.7 Kg of best shellac in 4.5 liters of methylated spirit without heating. To obtain required shade pigment may be added and mixed.

Surface shall be cleaned. All unevenness shall be rubbed down smooth with sand paper and well dusted. Knots, if visible, shall be covered with a preparation of red lead and glue. Resinous or loose knots and gaps shall be filled with seasoned timber pieces and made level with rest of the surface. Holes and indentations on surface shall be filled with putty made of whiting and linseed oil. Surface shall be given a coat of filler made of 2.25 Kg of whiting in 1.5 liter of methylated spirit. When it dries, surface shall again be rubbed down perfectly smooth with sand paper and wiped clean.

Surface shall be prepared as described under "French Polishing" except that the final rubbing shall be done with sand paper which has been slightly moistened with linseed oil.

Mixture or polish shall be applied evenly, with a clean cloth pad in such a way that no blank patches are left and rubbed continuously for half an hour. When the surface is quite dry, a second coat shall be applied in the same manner and rubbed continuously for an hour or until the surface is dry. Final coat shall then be applied and rubbed for two hours or more if necessary, until the surface has assumed a uniform gloss and is quite dry showing no sign of stickiness when touched. Gloss of the polish depends on amount of rubbing, therefore rubbing must be continuous and with uniform pressure and frequent change in direction.

### 2.2.3 Varnishing

Surface shall be prepared as described above. After preparation of surface, two coats of clean boiled linseed oil shall be applied at sufficient interval of time. After the linseed oil has dried, two coats of varnish obtained from approved manufacturer shall be applied at sufficient interval of time. If the surface fails to produce the required gloss an additional coat shall be applied without any extra cost.

Piece of clean fine cloth and cotton wool made into shape of pad shall be used to apply polish. The pad shall be moistened with polish and rubbed hard on the surface applying the polish sparingly but uniformly and completely over the entire surface. It shall be allowed to dry and another coat applied in the same way. To give finishing coat, the pad shall be covered with a fresh piece of clean fine cotton cloth, slightly damped with methylated spirit and rubbed lightly and quickly with a circular motion, till the finished surface attains uniform texture and high gloss.

### 2.2.4 Wax Polishing

Wax polish shall either be prepared on site or obtained readymade from market. Polish made on the site shall be prepared from a mixture of pure bees wax, linseed oil, turpentine oil and varnish in the ratio of 2:1.5:1:1/2 by weight. The bees wax and the boiled linseed oil shall be heated over a slow fire. When the wax is completely dissolved, the mixture shall be cooled till it is just warm and turpentine oil and varnish added to it in the required proportions and the entire mixture is well stirred.

### 3. WATER PROOFING TREATMENT

**P & applying polymer based two compound water proofing treatment** to the sunken portion, slab and raised platform of the toilets, baths and kitchen etc. by using products of approved make in the following steps: a) Thoroughly cleaning of all surfaces to be treated. b) Providing and applying 20 mm thick water proofing cement plaster 1:4 (1 cement: 4 coarse sand) mixed with water proofing compound as per manufacturer's specifications to the sunken floor, slab and sides about 300mm height from FFL, including rounding off junctions / corners with water proofing cement mortar, etc. all complete. c) Providing & applying a coat of polymer water proofing primer and two coats of two compound based water proofing polymer/chemical of approved make as per manufacturer's specifications to the sunken floor/floor, sides, etc.; testing the treated surface by ponding method for 72 hours. d) Repeat the treatment till no seepage is observed on the treated surface. e) Providing and laying 15mm thick protective layer of plain cement plaster in cement mortar 1:4 (1 cement: 4 coarse sand) over the treated surface. Note: The entire area of waterproofing treatment shall be completely leakproof as observed during DLP period (five years for this item and for). If, any leakage/seepage observed during five year (DLP) the firm is liable/ responsible & accountable to rectify the defects on immediate basis, or redo the entire waterproofing / brick bat coba work for the same. At this juncture contractor must submit undertaking for warranty & guarantee for above said purpose on non-judicial stamp paper of appropriate value. The cost stamp paper shall be borne by the contractor. Plan area of the sunken floor/floor shall only be considered for payment.

### 4. FLOORING AND DADO WORKS

4.1 THE FOLLOWING CODES, STANDARDS AND SPECIFICATIONS ARE A PART OF THIS SPECIFICATION. ALL STANDARDS, SPECIFICATIONS, CODES OF PRACTICE REFERRED TO HEREIN SHALL BE THE LATEST EDITIONS INCLUDING ALL APPLICABLE OFFICIAL AMENDMENTS AND REVISIONS.

1. IS 13712:2006 - Ceramic Tiles- definitions, classifications, characteristics and marking
2. IS15622-2006 - Pressed ceramic tiles - specification
3. I.S. 1130-1969 - Specification for marble (blocks, slabs and tiles)
4. IS: 777/1988 - Specification for glazed earthenware tiles.
5. IS: 4457/1982 - Specification for ceramic unglazed vitreous acid resisting tile.
6. IS: 1443/1972 - Code of practice for laying and finishing of cement concrete flooring tiles.
7. IS: 2571/1970 - Code of practice for laying in-situ cements concrete flooring.
8. IS: 2690/1993 - Specification for burnt clay flat terracing tiles: Part 1 Machine made.
9. IS: 4631/1986 - Code of practice for laying epoxy resin floor toppings

10. IS: 5318/1969 - Code of practice for laying of flexible PVC sheet and tile flooring
11. IS: 5491/1969 - Code of practice for laying of in-situ granolithic concrete floor
12. IS 1124/ 1974 - Method of test for determination of water absorption, (Reaffirmed apparent specific gravity and porosity of natural building stones  
2003)

#### 4.2 VITRIFIED/SEMI VITRIFIED/ GLAZED/ANTI-SKID CERAMIC TILES/VITRIOUS

(a) VITRIFIED TILES shall be approved manufacture and shall conform to table 12 of IS 15622 (Tiles with water absorption  $E \leq 0.08$  per cent Group B I a) and the joint thickness in flooring shall not be more than 1mm. Ceramic tiles shall be of approved manufacture and shall generally conform to IS 15622 . The tiles shall be square or rectangular of nominal size.

Glazed earthenware tiles shall be approved manufacture and conform to the requirements of IS: 777.

The Tiles shall be flat, and true to shape and free from blisters crazing, pinholes, chips, welts, crawling or other imperfections detracting from their appearance and shall have ribs or indentations for a better anchorage with the bedding mortar. Dimensional tolerances shall be as specified in relevant IS.

(b) The size, thickness, colour, with or without designs etc of the tiles for flooring/dado/skirting shall be as specified in the respective items of work. The Ceramic / Vitrified tiles, shall be of approved manufacturer and shall include laying them in desired pattern and colour/combination and to proper slope. The samples of tiles for flooring and dadoing etc. shall be got approved and tested before laying.

(c) The total thickness of glazed tile finish including the bedding mortar shall be as specified in item in flooring/dado/skirting. The minimum thickness and proportion of bedding mortar for flooring and for dado/skirting work as specified in item of schedule of quantity Sand mixed with just sufficient water to obtain proper consistency for laying. Sand for the mortar shall conform to IS: 2116 and shall have minimum fineness modules of 1.5

(d) Where full size tiles cannot be fixed, tiles shall be cut to the required size using special cutting device and the edges rubbed smooth to ensure straight and true joints.

(e) Coloured tiles with or without designs shall be uniform and shall be preferably procured from the same batch of manufacture to avoid any differences in the shade.

(f) Tiles for the flooring shall be laid over hardened concrete base. The surface of the concrete base shall be cleaned of all loose materials, mortar droppings etc well wetted without allowing any water pools on the surface. The bedding mortar shall then be laid evenly over the surface, tamped to the desired level and allowed to harden sufficiently to offer a fairly rigid cushion for the tiles to be set and to enable the mason to place wooden plank across and squat on it. The top surface shall be left rough to provide a good bond for the tiles. For skirting and dado work, the backing mortar shall be roughened using a wire brush.

(g) Neat cement slurry using 3.3 kg cement per one sq.m of floor area shall be spread over the hardened mortar bed over such an area as would accommodate about 20 tiles. Tiles shall be fixed in this slurry one after the other, each tile being gently tapped with a wooden mallet till it is properly bedded and in level with the adjoining tiles. For skirting and dado work, the back of the tiles shall be smeared with cement slurry for setting on the backing mortar. Fixing of tiles shall be done from the bottom of the wall upwards. The joints shall be in perfect straight lines and as thin as possible, For vitrified tiles it shall not be more than 1mm wide. The surface shall be checked frequently to ensure correct level/required slope. Floor tiles near the walls shall enter skirting/dado to a minimum depth of 10mm. Tiles shall not sound hollow when tapped.

(h) In bath, toilet W.C. kitchen and balcony/verandah flooring, suitable tile drop or as shown in drawing shall be given in addition to required slope to avoid spread of water. Further tile drop will also be provided near floor trap.

(i) All the joints shall be cleaned of grey cement with wire brush to a depth of at least

3mm and all dust, loose mortar etc. shall be removed. White cement with or without pigment shall then be used for flush pointing the joints. Curing shall then be carried out for a minimum period of 7 days for the bedding and joints to set properly. The surface shall then be cleaned using a suitable detergent, fully washed and wiped dry.

(j) Specials consisting of caves, internal and external angles, cornices, beads and their corner pieces shall be of thickness not less than the tiles with which they are used.

(k) All tile work in skirting, fascia and dado shall include scaffolding, working platforms, etc. and the cost of bedding/backing materials. Tiles shall be set in cement paste and joints filled with cement slurry for matching shade (e.g. white tile joints to be filled with white cement).

(l) The rate shall include provision for extra bedding thickness to have the same finished levels when flooring is done with two different materials e.g. Kotah stone/ Granite, Vitrified tiles for adjoining areas, and laying to the required slope, gradient etc. Rate shall include all cuttings and wastage of tiles, curing , cleaning finished surfaces and adequate protection of vitrified/ceramic flooring work by a layer of Plaster of Paris which shall be maintained throughout and removed just before handing over of the works, cleaning, disposal of debris and for which nothing extra shall be payable.

(m) Measurement

Measurement for floor tiling and dado shall be in sq.m correct to two places of decimal. Actual quantity of tiling work as laid shall be measured for payment as per the respective items of work after making deductions for openings etc.

## 5. SANITARY, WATER SUPPLY AND DRAINAGE

This specification covers the general requirements for Supplying, installing, testing and commissioning of sanitary Installations- sanitary fixtures, piping and fittings, Water supply- Internal & External piping and Drainage - Internal & External.

### 5.1 Applicable Codes, Standards and Publications

5.1.1 All equipment, supply, erection, testing and commissioning shall comply with the requirements of Indian Standards and code of practices given below as amended till date. All equipment and material being supplied by the CONTRACTOR shall meet the requirements of IS, and other Codes/ Publications as given below.

IS 15801	Polypropylene- Random Copolymer Pipes for hot and cold water supplies-Specifications
IS 15778	Chlorinated Polyvinyl Chloride (CPVC) pipes for potable hot and cold water distribution supplies-specifications
IS 4985	Unplasticised P.V.C. pipes for potable water supply – Specifications

IS 13592	Unplasticized Polyvinyl Chloride (UPVC) pipes for soil and waste discharge systems inside buildings including ventilation and rainwater system
IS 14735	Unplasticized Polyvinyl Chloride (UPVC) Injection Moulded Fittings for Soil, Waste rain water pipes
IS 4984	Specification for high density polyethylene pipes for potable water supplies.
IS 13983	Stainless steel sinks for domestic purposes – Specifications.
IS:554	Dimensions for pipe threads where pressure tight joints are required on the threads
IS:779	Specification for water meters (domestic type)
IS:1068	Electroplated coatings of nickel plus chromium and copper plus nickel plus chromium
IS:1172	Code of Basic requirements for water supply drainage and sanitation
IS:1367	(Part 1) Technical supply conditions for threaded steel fasteners: Part I Introduction and general information
IS:7181	Specification for horizontally cast iron double flanged pipes for water, gas and sewage.
IS:778	Specification for copper alloy gate, globe and check valves for water works purposes.
IS:780	Specification for sluice valves for water works purposes (50mm to 300mmsize)
IS:1703	Specification copper alloy float valves (Horizontal plunger type) for water supply fittings.
IS: 3950	Specification for surface boxes for sluice valves
IS:5312	(Part 1) Specification for swing check type reflux (non-return) valves: Part 1 Single door pattern

IS:5312	Specification for swing check type reflux (non-return) valves: Part 2 Multi door pattern
IS:12992	Safety relief valves, spring loaded: (Part 1) Part1 Design
IS:13095	Butterfly valves for general purposes
IS:771	(Part 1 to 3) Specification for glazed fire clay sanitary Appliances
IS:774	Specification for flushing cistern for water closets and urinals (other than plastic cistern)
IS:775	Specification for cast iron brackets and supports for wash basins and sinks.
IS:781	Specification for cast copper alloy screw down bib taps and stop valves for water services
IS:1700	Specification for drinking fountains
IS:2326	Specification for automatic flushing cisterns
IS:2548	Part1 Specification for plastic seats and covers for Water closets: Part 1 Thermoset seats and covers
IS: 2548(Part 2)	Specification for plastic seats and covers for Water closets: Part 2 Thermoplastic seats and covers
IS:2556(Part 1)	Specification for vitreous sanitary appliances (Vitreous china): Part 1: General requirements
IS:2556(Part 2)	Specification for vitreous sanitary appliances (Vitreous china) Part 2: Specific requirements of wash down water closets
IS:2556(Part 3)	Specification for vitreous sanitary appliances

	(Vitreous china) Part 3: Specific requirements of squatting pans
IS:2556(Part 4)	Specification for vitreous sanitary appliances (Vitreous china) Part 4: Specific requirements of wash basins
IS:2556	(Part 6 Specification for vitreous sanitary appliances Sec 2) (vitreous china) Part 6 :Specific requirements of Urinals, Section 2 Half stall urinals
IS:2556	(Part 6 Specification for vitreous sanitary appliances Sec 4) (vitreous china) Part 6 :Specific requirements of urinals, Section 4 Partition slabs
IS:2556	(Part 6 Specification for vitreous sanitary appliances Sec 5) (vitreous china) Part 6 :Specific requirements of urinals, Section 5 waste fittings
IS:2556	(Part 6 Specification for vitreous sanitary appliances Sec 6) (vitreous china) Part 6 :Specific requirements of urinals, Section 6 Water spreaders for half stall urinals
IS:2556(Part 7)	Specification for vitreous sanitary appliances (Vitreous china) Part 7: Specific requirements of half round channels
IS:2556(Part 8)	Specification for vitreous sanitary appliances (Vitreous china) Part 8: Specific requirements of siphonic wash down water closets.
IS:2556 (Part 11)	Specification for vitreous sanitary appliances (Vitreous china) Part 11: Specific requirements for shower rose
IS: 2556(Part 12)	Specification for vitreous sanitary appliances (vitreous china) Part 12: Specific requirements of floor traps

IS:2556 (Part 15)	Specification for vitreous sanitary appliances
	(Vitreous china) Part 15: Specific requirements of universal water closets
IS:2692	Specification for ferrule for water services
IS:2717	Glossary of terms relating to vitreous enamel ware and ceramic metal systems
IS:2963	Specifications for copper alloy waste fittings for wash basins and sinks
IS:3311	Specification for waste plug and its accessories for sinks and wash basins.
IS: 5961	Specification for cast iron gratings for drainage purposes.
IS:6249	Specification for flush valves and fittings for marine use
IS:8931	Specification for copper alloy fancy single taps, Combination taps assembly and stop valves for water services
IS: 9758	Specification for flush valves and fitting for water closets and urinals.

## 6 CONCRETE AND ALLIED WORKS

It shall be very clearly understood that the specifications given herein are brief and do not cover minute details. However, all works shall have to be carried out in accordance with the relevant standards and codes of practices or in their absence in accordance with the best accepted current Engineering practices or as directed by ENGINEER-IN-CHARGE from time to time. The decision of ENGINEER-IN-CHARGE as regards the specification to be adopted and their interpretation and the mode of execution of work shall be final and binding on CONTRACTOR and no claim whatsoever will be entertained on this account.

### 6.1 APPLICABLE CODES AND SPECIFICATIONS

The following specifications, standards and codes, including all official amendments/revisions and other specifications & codes referred to therein, should be considered a part of this specification. In all cases the latest issue/edition/revision shall apply.

#### 6.1.1 Materials

- a) IS:269 Specification for 33 grade ordinary Portland cement.
- b) IS:455 Specification for Portland slag cement.
- c) IS:1489 Specification for Portland pozzolana cement(Parts 1 & 2)
- d) IS:8112 Specification for 43 grade ordinary Portland cement.
- e) IS:12330 Specification for sulphate resisting Portland Cement.
  
- f) IS:383 Specification for coarse and fine aggregates from natural sources for concrete.
- g) IS:432 Specification for mild steel and medium tensile (Parts steel bars and hard drawn steel wires for 1 & 2) concrete reinforcement.
  
- h) IS:1786 Specification for high strength deformed steel bars and wires for concrete reinforcement.
- i) IS:1566 Specification for hard drawn steel wire fabric for (Parts II) concrete reinforcement.
- j) IS:9103 Specification for admixtures for concrete.
- k) IS:2645 Specification for integral cement waterproofing compounds.
  
- l) IS:4900 Specification for plywood for concrete shuttering work.
- m) IS:4926 Ready mixed concrete
- n) IS:12269 Specification for 53 grade ordinary Portland cement.
  
- o) IS:8041 Specification for rapid hardening cement.

- p) IS:12600 Specification for low heat cement.
- q) IS:6909 Specification for super sulphated cement.
- r) IS:12089 Specification for granulated ground blast furnace slag.
- s) BS:6699 Specification for granulated ground blast furnace slag.
- t) BS:6073 Specifications for precast concrete masonry units (Part 1)  
Methods for specifying precast concrete masonry (Part 2)
- u) IS Specification for Fusion bonded epoxy coated reinforcing bars  
13620-  
1993

#### 6.1.2 Material Testing

- a) IS:4031 Methods of physical tests for hydraulic cement. (Parts 1 to 15)
- b) IS:4032 Method of chemical analysis of hydraulic cement.
- c) IS:650 Specification for standard sand for testing of cement.
- d) IS:2430 Methods for sampling of aggregates for concrete.
- e) IS:2386 Methods of test for aggregates for concrete (Parts 1 to 8)
- f) IS:3025 Methods of sampling and test (physical and chemical) water used in industry.(Part 1 to 51)
- g) IS:6925 Methods of test for determination of water soluble chlorides in concrete admixtures

#### 6.1.3 Material Storage

- a)"IS:4082" Recommendations on stacking and storing of construction materials at site

#### 6.1.4 Concrete Mix Design

- a) IS:10262 Recommended guidelines for Concrete Mix Design.
- b) "SP:23 " Handbook on Concrete Mixes.

#### 6.1.5 Concrete Testing

- a) IS:1199 Method of sampling and analysis of concrete.
- b) IS:516 Method of test for strength of concrete.
- c) IS:9013 Method of making, curing and determining compressive strength of accelerated cured concrete test specimens.
- d) IS:8142 Method of test for determining setting time of concrete by penetration resistance.
- e) IS:9284 Method of test for abrasion resistance of concrete.
- f) IS:2770 Methods of testing bond in reinforced concrete.

#### 6.1.6 Equipment

- a) IS:1791 Specification for batch type concrete mixers.
- b) IS:2438 Specification for roller pan mixer.
- c) IS:4925 Specification for concrete batching and mixing plant.
- d) "IS:5892" Specification for concrete transit mixer and agitator.
- e) IS:7242 Specification for concrete spreaders.
- f) IS:2505 General Requirements for concrete vibrators: Immersion type.
  
- g) IS:2506 General Requirements for screed board concrete vibrators.
- h) IS:2514 Specification for concrete vibrating tables.
- i) IS:3366 Specification for pan vibrators.
- j) IS:4656 Specification for form vibrators for concrete.
- k) IS:11993 Code of practice for use of screed board concrete vibrators.
- l) IS:7251 Specification for concrete finishers.
- m) IS:2722 Specifications for portable swing weigh batcher for concrete (single and double bucket type).
- n) IS:2750 Specifications for steel scaffoldings

#### 6.1.7 Codes of Practice

- a) IS:456 Code of practice for plain and reinforced concrete.
- b) IS:457 Code of practice for general construction of plain and reinforced concrete for dams and other massive structures.
- c) IS:3370 Code of practice for concrete structures for storage of liquids (Parts 1 to 4)
- d) IS:3935 Code of practice for composite construction.
- e) IS:2204 Code of practice for construction of reinforced concrete shell roof.
- f) IS:2210 Criteria for the design of reinforced concrete shell structures and folded plates.
- g) IS:2502 Code of practice for bending and fixing of bars for concrete reinforcement.
- h) IS:5525 Recommendation for detailing of reinforcement in reinforced concrete works.
- i) IS:2751 Code of practice for welding of mild steel plain and deformed bars used for reinforced concrete construction.
- j) IS:9417 Specification for welding cold worked bars for reinforced concrete construction.

- k) IS:3558 Code of practice for use of immersion vibrators for consolidating concrete.
- l) IS:3414 Code of practice for design and installation of joints in buildings.
- m) IS:4326 Code of practice for earthquake resistant design and construction of buildings.
- n) IS:4014 Code of practice for steel tubular scaffolding. (Parts 1 & 2)
- o) IS:2571 Code of practice for laying in situ cement concrete flooring
- p) "IS:7861" Part 1 - Recommended practice for hot weather concreting  
Part 2 – Recommended practice for cold weather concreting
- q) "IS:3370" Code of practice for concrete structures for the storage of liquid (Part I to IV)

#### 6.1.8 Construction Safety

- a) IS:3696 Safety code for scaffolds and ladders.(Parts 1 & 2)
- b) IS:7969 Safety code for handling and storage of building materials.
- c) IS:8989 Safety code for erection of concrete framed structures.

## 6.2 CONCRETE

### 6.2.1 Nominal mix concrete

Mix Design and preliminary tests are not necessary for Nominal Mix Concrete. However, works tests shall be carried out as per IS: 456. Proportions for Nominal Mix Concrete and w/c ratio may be adopted as per Table 9 of IS: 456. However, it will be CONTRACTOR's sole responsibility to adopt appropriate nominal mix proportions to achieve the specified characteristic strength.

### 6.2.2 Batching & Mixing of Concrete

Based on the adopted nominal mixes, aggregates shall be measured by volume. However, cement shall be by weight only. Appropriate correction shall be made for bulking of sand after testing.

### 6.2.3 CLEAN-UP

Upon the completion of concrete work, all forms, equipment, construction tools, protective coverings and any debris, scraps of wood, etc. resulting from the work shall be removed and the premises left clean.

## 7. MASONRY, PLASTERING AND PAINTING WORKS:

This specification covers the general requirements for building works comprising Autoclaved Aerated Concrete blocks, brick and stone masonry, pointing plastering, Gypsum plastering /POP cladding, painting and such other related works forming a part of this job, which may be required to be carried out. The work under this specification shall consist of furnishing of all tools, plants, labour, materials, and everything necessary for carrying out the work

### 7.1 APPLICABLE IS CODES AND SPECIFICATIONS

7.1.1 The following codes, standards and specifications are a part of this specification. All standards, specifications, codes of practice referred to herein shall be as per the latest editions including all applicable official amendments and revisions.

7.1.2 In case of discrepancy between the specification and those referred to herein, these IS specification shall govern.

- i) IS:110/1983 Ready mixed paint, brushing, and grey filler, for enamels for use over primers.
- ii) IS:269/1989 Specification for 33 grade ordinary Portland cement.
- iii) IS:280/1978 Specification for mild steel wire for general engineering purposes.
- iv) IS:337/1975 Varnish, finishing interior.
- v) IS:348/1968 French polish.
- vi) IS:383/1970 Specification for coarse and fine aggregates from natural sources for concrete.
- vii) IS:412/1975 Expanded metal steel sheets for general purposes. ix.  
IS:419/1967 Specification for putty for use on window frames. x.  
IS:428/1969 Distemper, oil emulsion, colour as required.
- a. xi. IS:702/1988 Specification for industrial bitumen. xii  
IS:712/1984 Specification for building limes.
- viii) IS:733/1983 Wrought aluminium and aluminum alloys, bars, rods and sections for general engineering purposes. IS:1077/1992 Specification for common burnt clay building bricks.
- ix) IS:1124/1974 Method of test for determination of water absorption, apparent specific gravity and porosity of natural building stones.
- x) xv IS:1322/1993 Bitumen felts for water- proofing and damp proofing.
- xi) IS:1397/1990 Specification for Kraft paper.
  - a. Xvi IS:1477/1971 Code of practice for painting of ferrous metals in buildings (Part 1).
  - b. xvii IS:1477/1971 - do- (Part 2) xviii IS:1542/1992 Specification for sand for plaster.

- xii) IS:1580/1991 Specification for bituminous compounds for waterproofing and caulking purposes.
- xiii) IS:1597/1992 Code of practice for construction of stone masonry: Part 1 Rubble stone masonry.
- xiv) IS:1661/1972 Code of practice for application of cement and cementlime plaster finishes.
  - a. Xxii IS:1834/1984 Specification for hot applied sealing compound for joint in concrete.
- xv) IS:1838/1983 Specification for preformed fillers for expansion joint in concrete pavements and structures (non extruding and resilient type): Part 1 Bitumen impregnated fibre.
- xvi) IS:2074/1992 Ready mixed paint, air drying, red oxide-zinc chrome, and priming.
- xvii) IS:2116/1980 Specification for sand for masonry mortars. xxvi. IS:2185/1967 Specification for concrete masonry units (Parts 1, 2 & 3). xxvii IS:2212/1991 Code of practice for brickwork.
- xxviii) IS:2250/1981 Code of practice for preparation and use of masonry mortars.
- xix) IS:2339/1963 Aluminum paint for general purposes, in dual container.
- xx) IS:2395/1994 Code of practice for painting Concrete, masonry and plaster surfaces (Part 1).
- xxi) IS:2395/1994 -DO- Part 2 xxxii IS:2402/1963 Code of practice for external rendered finishes.
- xxii) IS:2572/1963 Code of practice for construction of hollow concrete block masonry.
- xxiii) IS:2750/1964 Specification for steel scaffoldings.
- xxiv) IS:2932/1993 Specification for enamel, synthetic, exterior type (a) undercoating, (b) finishing.
- xxv) xxxiv IS:3495/1992 Method of test for burnt clay building bricks: Part 1 to 4.
  - a. Xxxv IS:3536/1966 Specification for ready mixed paint, brushing, wood primer, pink.
  - b. xxxvi IS:3696/1987 Safety code of scaffolds and ladders (Part 1).
  - c. xxxvii IS:3696/1991 -DO- (Part 2).
- xxvi) IS:4443/1980 Code of practice for use of resin type chemical resistant mortars.
- xxvii) IS:4832/1969 Specification for chemical resistant mortars (Part 2).
- xxviii) xxxx IS:4860/1968 Specification for acid resistant bricks.
- xxix) xxxxi. IS:4948/1974 Specification for welded steel wire fabric for general use.

- xxx) xxxxi IS:5410/1992 Cement paint, colour as required.
- xxxi) xxxxiii. IS:15489/2004 Specification for plastic emulsion paint .
  - a. xxxxiv. IS:6041/1985 Code of practice for construction of autoclaved cellular concrete block masonry.
  - b. xxxxv. IS:6042/1969 Code of practice for construction of light weight concrete block masonry
- xxxii) Methods of tests for autoclaved cellular concrete
  - a. XXXxvi IS 6441(part products 1,2,4,5,6,8)
  - b. xxxxvii IS:8042/1989 Specification for white Portland cement.
- xxxiii) xxxxvii. IS:8543 Methods of testing plastics (all Parts/ all Section )
- xxxiv) xxxxix IS:12200/1987 Code of practice for provision of water-stops at transverse contraction joints in masonry and concrete dams

### **MATERIALS:-**

1. Materials shall be of the best approved quality and they shall comply with the respective latest IS specified.
2. In case of non-availability of materials in metrics sizes, the nearest size in FPS units shall be provided with the prior approval of the Bank's Engineer-in-charge for which, neither extra will be paid nor any rebate, be recovered.
3. All material shall be tested in any testing laboratory approved by the Assistant Engineer/ Assistant Executive Engineer / Engineer-in-charge, as per the testing guidelines issued by the Employer, which can be perused by the contractor from the office results of such tests in original issued by the laboratory shall be submitted to the Architects with copy to Assistant Engineer / Assistant Executive Engineer / Engineer-in-charge. The entire charges connected with such testing including for repeated tests if ordered by the Bank's Engineer-in-charge shall be borne by the Contractor.
4. All materials supplied by the Employer / any other specialist firm shall be properly stored and the Contractor shall be responsible for its safe custody until they are required on the works and till the completion of work.
5. Unless otherwise shown on the drawings or mentioned in the Schedule of Quantities or Specified Conditions, the quality of materials, workmanship, dimensions etc. shall be as specified hereinunder.
6. All equipments and facilities for carrying out field test on materials shall be provided by the Contractors without any extra cost.

### **Cement:-**

Cement shall comply in every respect with the requirements of the latest publication of IS-269 and unless otherwise specified Ordinary Portland cement shall be used.

The weight of Ordinary Portland cement shall be taken as 1440 kg per CuM (80 lbs per Cft.). Cement shall be measured by weight and in whole bags and each undisturbed and sealed 50kgs. bag being considered equivalent to 34.72 litres (1.2 Cft.) in volume. Care should be taken to see that each bag contains full quantity of cement. When part bag is required, cement shall be taken by weight or measured in measuring boxes.

No other make of cement but that approved by the Bank's Engineer-in-charge will be allowed on works and the source of supply shall not be changed without approval of the Bank's Engineer-in-charge in writing. Test certificates to show that cement is fully complying with the specifications shall be submitted to the Architect and notwithstanding this, the Architects may at their discretion, order that the cement brought on site and which they may consider damaged or of doubtful quality for any reason whatsoever, shall be retested in an approved testing laboratory and fresh certificates of its soundness shall be produced. Cement ordered for retesting shall not be used for any work pending results of retests.

Cement shall be stored in weather proof shed with raised wooden plank, flooring to prevent deterioration by dampness or intrusion of foreign matter. It shall be stored in such a way as to allow the removal and use of cement in chronological order of receipt i.e. first received being first used. Cement deteriorated and / or clotted shall not be used on work but shall be removed at once from the site. However, allowing use of warehouse set cement shall be determined by the Bank's Engineer-in-charge.

### **Fine Aggregate:-**

Sand shall conform to IS-383 and relevant portion of IS-515. It shall pass through a IS sieve 4.75

mm (3/16 BS) test sieve leaving a residue not more than 5%. It shall be from natural source crushed stone screenings, if allowed, chemically inert, clean, sharp, hard, durable, well graded and free from dust, clay, shale large pebbles, salt, organic matter, loam mica or other deleterious matter. The sum of percentages of all deleterious materials in sand shall not exceed 5% by weight. It shall be washed if directed to reduce the percentage of deleterious substance to acceptable limits. Sand shall not contain any trace of salt and it shall be tested and sand containing any trace of salt shall be rejected.

The fine aggregate for concrete shall be graded within limits as specified in IS-383 and the Fineness Modulus may range between 2.60 to 3.20.

The fine aggregate shall be stacked carefully on a clean hard dry surface so that it will not get mixed up with deleterious foreign materials, if such a surface is not available a platform of planks of corrugated iron sheets or brick floor or a thin layer of lean concrete shall be prepared.

**Coarse Aggregate: -**

Shall consist of crushed or broken stone 85% of which shall be retained on 4.75 mm IS test sieve. It shall be obtained from crushing Granite, Quartzite, Trap, Basalt or similar approved stones from approved quarry and shall conform to IS-383 and IS-515. Coarse aggregate shall be chemically inert when mixed with cement and shall be cubical in shape and free from soft, friable, thin porous, laminated or flaky pieces. It shall be free from dust and any other foreign matter.

Gravel / Shingle of desired grading may be permitted as a substitute in part or full in plain cement concrete if the Architect is otherwise satisfied about the quality of aggregate. For all RCC works the size of coarse aggregate shall be 20 mm and down gauge.

**Water: -**

Water for mixing cement mortar or concrete shall not be salty or brackish and shall be clean, reasonably clear and free from objectionable quantities of silt and traces of oil, acid and injurious alkali, salts, organic matter and other deleterious materials which will either weaken the mortar or concrete or cause efflorescence or attach the steel in reinforced cement concrete. Water shall be obtained from sources approved by the Architect. Potable water is generally considered satisfactory for mixing and curing concrete, mortar, masonry etc. Where water other than main source is used this shall be tested in an approved testing laboratory to establish its suitability. All charges connected therewith shall be borne by the Contractors.

**Mortar:-**

Cement and Sand Mortar conform to the specifications; It shall be composed of Portland cement and sand. The ingredients shall be accurately gauged by measure and shall be well and evenly mixed together in a mechanical pan mixture, care being taken not to add more water than required. No mortar that has begun to set shall be used. River sand shall be used unless otherwise specified.

If hand mixing is allowed, then it shall be done on pucca water-proof platform. The gauged materials shall be put on the platform and mixed dry. Water shall then be added and the whole mixed again until it is homogeneous and of uniform colour. Not more than one bag of cement shall be mixed at one time and which can be consumed within half an hour of its mixing.

**Cement mortar:**

For PCC/backing coat to stone/tiles shall be prepared by mixing cement and sand in specified proportion. Proportioning shall be carried out as detailed in BOQ. Cement and sand shall be thoroughly mixed and water shall be added to it gradually. After addition of water the mix shall be mixed for a minimum of 3 minutes. The mortar mixed shall be consumed within 30 minutes of its mixing.

Glazing beads: Glazing beads shall be extruded U PVC mitred at the corners. All glazing beads shall be with a co-extruded gasket of a multi-fin design to maintain security and weather performance. Gasket material shall be thermo Plastic Elastomer.

Glazing gaskets: All glazing gaskets as well as weather seals are to be extruded from non-migratory EPDM Glazing gaskets shall be a continuous length. Gasket may be subjected to random testing and 79 shall be obtained from the profile Systems supplier.

Reinforcement: All transoms and mullions shall be fully reinforced, irrespective of size, with corrosion resistant galvanized steel. All other profiles to be reinforced as per the specification of the profile Systems supplier which shall suit the proposed style application relative to exposure, elevation and height above the ground level. Reinforcing shall be secured by suitable screws in accordance with the instructions of the profile Systems supplier.

Friction hinges: The size of the friction stay will depend on size, weight, hanging and exposure of the relevant sashes. This will be determined from table provided by the hinge manufacturer. All side hung friction stays are to be incorporate a riser block to allow the sash to be supported in its closed position. Welded joints: All corner joints shall be homogeneously fusion heat welded in accordance with the instructions of the profile Systems supplier. The resulting joints shall be finished by the seamless method. Solvent welded joints shall not be allowed.

Fixing the frame to the building: The gap between the structural opening and the uPVC frame shall be between 5 to 10mm all round, which should be filled by injectable PU foam after completion of fixing for best frame and wall bonding, and for sound and thermal insulation and finally applying neutral cure low modules Silicone sealant to make joint waterproof.. Fixing shall be by direct drilling 10mm hole through U PVC frame to building wall. Each fixing shall penetrate into building structure by no less than 40mm.and ultimate fixing with anticorrosive plated anchor bolts through these holes. All heads of all fixing screws shall be covered with appropriate plastic cover caps

Durability The Systems shall be resistant to chemicals and be fungal and vermin proof. The profiles must be colorfast, being able to withstand weather.

Colour The Systems colour should be uniform and consistent.

Fire resistance The UPVC should be classed as self-extinguishing to prevent support or enhancement of accidental fires.

Quality control The extrusion process must be quality controlled and the appropriate standards relating to impact strength, technical performance and consistency.

#### **Measurement:-**

The flooring shall be measured in square meters. No extra shall be admitted on account of cutting of tiles to size in shape, preparing a pattern, or a special border or band. The area of floor shall be measured from plaster to plaster or from skirting to skirting as the case may be. Portion of flooring below plaster or skirting shall not be measured.

#### **5. QUALITY CONTROL:-**

1. QUALITY: All materials to be used for works shall be confirm to relevant BIS & best quality of their respective kinds as specified herein and shall be approved make and shall comply strictly with the tests prescribed hereinafter or, where tests are not laid down in list Specification, with the requirements of the latest edition of the relevant India standards approved by the Engineer,

2. INSPECTION AND TESTING: - All materials before being incorporated in to the Works shall be subjected to inspection and testing as provided in the Conditions of Contract and elsewhere in the Specifications. The cost of all samples for all tests relevant Standards shall be deemed to be included in the Contract rates. No materials shall be used in the works unless they have first been approved by the Engineer or his representative. Manufacturer test certificate for the material concern shall accompany the lot of material supplied at site which may be sent for testing if required by the Bank's engineer.

3. SAMPLES- Samples of all materials proposed to be used or incorporated in the works and to be supplied by the Contractor may be called for at any time by the Engineer or his Representative.

4. INDEPENDENT TESTS- Independent tests and analysis of any of the materials may be made from time to time by a Testing House or analyst appointed by the Engineer/ Bank in order to

check the supplier's works tests and analysis. The procedure for the testing and acceptance criteria will be as stated in the respective I.S codes. The contractor shall at his own expenses supply and deliver to a Testing House or Analyst such materials as may be directed by the Engineer. Should the result of any test be unsatisfactory to the Engineer or his Representative, the materials represented will be rejected. The costs of all the tests shall be borne by the contractor.

5. ENGINEER-IN-CHARGE may furnish quality control formats for concrete works after award of work. CONTRACTOR shall note that it is required to adopt all such formats

6. Alternatively, if CONTRACTOR has his own QC formats he may adopt them subjected to such modifications considered necessary and approval by ENGINEER-IN-CHARGE.

7. In either case CONTRACTOR shall submit his detailed Quality Assurance Plan after the award of contract. This would be reviewed, appropriately modified and approved by ENGINEER-IN-CHARGE.

8. INSPECTION: - All materials, workmanship and finished construction shall be subject to continuous inspection and approval of ENGINEER-IN-CHARGE. Materials rejected by ENGINEER-IN-CHARGE shall be expressly removed from site within 3 (three) working days and shall be replaced by CONTRACTOR immediately at no extra cost to OWNER.

9. CLEAN-UP- Upon the completion of concrete work, all forms, equipment, construction tools, protective coverings and any debris, scraps of wood, etc. resulting from the work shall be removed and the premises left clean.



### LIST OF APPROVED MATERIAL AND SUPPLIERS

S/N	Materials	Approved Manufacturer / Brand name
1.	Cement	Ultratech, Ambuja, ACC or approved equivalent.
2.	Adhesive	Fevicol HI-PER, Fevicol HEATX, Araldite of Ciba Geigy or approved equivalent
3.	Cement Primer	Shalimar, Goodlass Nerolac, Berger, Asian Paint or approved equivalent
4.	Premium Acrylic Emulsion paints	Asian Paint Royale or approved equivalent
5.	Enamel paints	Asian Paint Apcolite Premium Gloss Enamel or approved equivalent
6.	Zinc chromate primer	Shalimar, Asian, Berger. or approved equivalent
7	Glass	Saint Gobain or Modi or Approved Equivalent.
8.	Door Fire Rated	Tata Pravesh, Godrej, or approved equivalent
9.	Putty	Birla White putty or approved equivalent
10	Upvc window	Fenesta or approved equivalent
11	Ply Board	Green, century or equivalent
12	Laminate	Century, Greenlam, merino or equivalent
13	Polymer modified cement	Fosroc or equivalent
14	Tiles	RAK, JOHNSON, SOMANY or equivalent
15	Aluminium	Jindal/Tata or equivalent

**Place:**

**Name of the Contractor:**

**Date:**

**Address:**

**Sign & Seal of the Contractor:**



**CHECK LIST (wherever applicable)**

**(To be filled –in by the bidder)**

<b>S/N</b>	<b>Documents/ Confirmation to be submitted along with Part-I of the Tender</b>	<b>Bidder's response (Yes/No)</b>
1	Pre- Qualification Criteria: Composition of the firm [Refer Chapter 5 clause no- 6(a)]- <a href="#">Annexure-I</a>	
2	Proforma of bank Guarantee for security Deposit: <a href="#">Annexure-II</a>	
3	Pre- Qualification Criteria: Creditworthiness of the contractor & their Turn over during the specified period [Refer Chapter 5 clause no- 6(c)]	
4	Client certificates period [Refer Chapter 5 clause no- 6(h)]	
5	<u>Draft of Bank Guarantee for Earnest Money Deposit</u> <a href="#">Annexure- III</a>	
6	Whether the bidder satisfied himself with all aspects of work which may have bearing on project completion and/ or rates	

**Place:**

**Name of the Contractor:**

**Date:**

**Address:**

**Sign & Seal of the Contractor:**



Annexure-I

**Composition of the Firm/ Company**

**(To be uploaded by the Tenderer along in the e-tendering portal-whenever applicable)**

**(Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati)**

1	Name of the Applicant / Organisation and address of the registered office	
2	PAN No.	
3	GSTIN	
4	Type of Applicant /Organisation (whether sole proprietorship / partnership/ private limited/ limited or co-operative body etc.)	
5	Name of the Proprietor / Partners /Directors of the Applicant / Organisation /Firm.	
6	Details of Registration (Firm, Company, etc.)Registering Authority, Date, Number etc.	
7	Registered Office, Address, Mobile No:	
	Email Id	
	Office Address through which the work will be handled	
8	Indicate if involved in any litigation	
9	Any civil suits pending in any of the works executed. Give details.	

**Declaration:**

The above information, is true to the best of my / our knowledge and if any information is found untrue or false, I/We may be debarred from the tender process/being given the contract.

I/We agree to abide by all the terms and conditions stipulated by the Bank.

I/We understand that the Bank reserves the right to accept or reject any or all the tender either in full or in part without assigning any reason therefor.

**Place:**

**Name of the Contractor:**

**Date:**

**Address:**

**Sign & Seal of the Contractor:**



Annexure-II

**Pro-forma of Bank Guarantee for Security Deposit**

(This guarantee will require stamp duty as applicable in the state, where it is executed and shall be signed by the official whose signature and authority shall be verified).

Regional Director  
Reserve Bank of India  
Estate Department  
Guwahati-781001

Date:  
Place:

Madam,

**Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati**

WHEREAS

**The Reserve Bank of India, having its Central Office at Shahid Bhagat Singh Road, Mumbai and an office at GUWAHATI (hereinafter called the 'Employer') has invited tenders for the work "Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati" (hereinafter referred to as 'the Work') on the terms and conditions mentioned in the tender documents.**

1. It is one of the terms of invitation of tenders that the tenderer shall furnish a Bank Guarantee for a sum of Rs. \_\_\_\_\_/-(Rupees only) towards satisfactory performance on Comprehensive AMC as per the tender.

2. M/s \_\_\_\_\_(hereinafter called as Tenderer), who are our constituents intend to submit their tender for the said work and have requested us to furnish guarantee to the Employer in respect of the said sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only).

**NOW THIS GUARANTEE WITNESSETH**

1. We (Bank) do hereby agree with and undertake to the Reserve Bank of India, their Successors, Assigns that in the event of the Reserve Bank of India coming to the conclusion that the Tenderer have not performed their obligations under the said conditions of the tender or have committed a breach thereof, which conclusion shall be binding on us as well as the said Tenderer, we shall on demand by the Reserve Bank of India, pay without demur to the Reserve Bank of India, a sum of Rs. \_\_\_\_\_ (Rupees only) or any lower amount that may be demanded by the Reserve Bank of India. Our guarantee shall be treated as Deposit for the due performance of the obligations of the Tenderer under the said Conditions, provided, however, that our liability against such sum shall not exceed the sum of Rs. \_\_\_\_\_/- only). (Rupees \_\_\_\_\_ only).

2. Bank of India in enforcing the conditions of the said agreement or in compliance with any



terms and conditions stipulated in the said tender and/or hereunder or granting of any time or showing of any indulgence by the Reserve Bank of India to the Tenderer or any other matters in connection therewith shall not discharge us in any way and our obligation under this guarantee. This guarantee shall be discharged only by the performance by the Tenderers of their obligations and in the event of their failure to do so, by payment by us of the sum not exceeding Rs. \_\_\_\_\_/- (Rupees \_\_\_\_\_ only) We also agree to undertake to and confirm that the sum not exceeding Rs. \_\_\_\_\_/- (Rupees \_\_\_\_\_ only) as aforesaid shall be paid by us without any demur or protest, merely on demand from the Reserve Bank of India on receipt of a notice in writing stating the amount is due to them and we shall not ask for any further proof or evidence and the notice from the Reserve Bank of India shall be conclusive and binding on us and shall not be questioned by us in any respect or manner whatsoever. We undertake to pay the amount claimed by the Reserve Bank of India within a period of one week from the date of receipt of the notice as aforesaid.

3. We confirm that our obligation to the Reserve Bank of India under this guarantee shall be independent of the agreement or agreements or other understandings between the Reserve Bank of India and the Tenderer. This guarantee shall not be revoked by us without prior consent in writing of the Reserve Bank of India.

We hereby further agree that -

- a) Any forbearance or commission on the part of the Reserve
- b) Our liability under these presents shall not exceed the sum of Rs. \_\_\_\_\_/- (Rupees \_\_\_\_\_ only)
- c) Our liability under this agreement shall not be affected by any infirmity or irregularity on the part of our said constituents in tendering for the said work or their obligations thereunder or by dissolution or change in the constitution of our said constituents.
- d) This guarantee shall remain in force up to \_\_\_\_\_ provided that if so desired by the Reserve Bank of India, this guarantee shall be renewed for a further period as may be indicated by them on the same terms and conditions as contained herein.
- e) Our liability under this presents will terminate unless these presents are renewed as provided herein above on the \_\_\_\_\_ or on the day when our said constituents comply with their obligations, as to which a certificate in writing by the Reserve Bank of India alone is the conclusive proof whichever date is later. Unless a claim or suit or action is filed against us within six months from that date or any extended period, all the rights of the Reserve Bank of India against us under this guarantee shall be forfeited and we shall be released and discharged from all our obligations and liabilities hereunder.

Yours' faithfully,

For and on behalf of Bank.  
(Authorized official with seal)

**Draft of Bank Guarantee for Earnest Money Deposit**

(To be stamped as Security Bond) \_\_\_\_\_ In consideration of Reserve Bank of India, Guwahati (hereinafter called "the Reserve Bank") having agreed to exempt

M/s \_\_\_\_\_ (hereinafter called "the said tenderer") from the demand under the terms and conditions of the tender for "Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati" (Hereinafter called "the said tender") of Earnest money for the due fulfillment by the said tenderer of the terms and conditions contained in the said tender on production of a Bank guarantee for Rs. -----We (hereinafter referred to as "the Bank") do hereby agree and undertake to indemnify and keep indemnified the Reserve Bank of India to the extent of Rs. ----- against any loss or damage caused to or suffered by the Reserve Bank of India by reason of any breach by the said tenderer of any of the terms and conditions contained in the said tender and pay to the Reserve Bank of India on demand without demur the said sum of Rs. ----- within a period of one week from the date of receipt of demand from the Reserve Bank of India. Any statement made by the Reserve Bank of India and the amount mentioned in the demand notice given to us shall not be called in question by us and shall be conclusive proof regarding the amount that is payable under the guarantee and that we shall not demand any proof thereof. We further undertake that we will make the payment pursuant to the demand notice issued by the Reserve Bank of India notwithstanding any dispute that may exist or arise between the Reserve Bank of India and the tenderer or any other person. We,

\_\_\_\_\_, further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said tender and that it shall continue to be enforceable till all the dues of the Reserve Bank under or by virtue of the said tender have been fully paid and its claims satisfied or discharged or till the Reserve Bank certifies that the terms and conditions of the said tender have been fully and properly carried out by the said tenderer and accordingly discharges the guarantee subject however, that the Reserve Bank of India shall have no rights under this guarantee after the expiry of ----- or till such extended period required for completion of the entire work at the request of the tenderer and/or the Reserve Bank of India. We,

\_\_\_\_\_, lastly undertake not to revoke this guarantee during its currency except with the previous consent of the Reserve Bank of India in writing. Notwithstanding anything stated above, our liability under this guarantee is restricted to Rs. -----Our guarantee shall remain in force until 6 months or such extended date, which may be granted by us at the request of the tenderer, and/or the Reserve Bank of India. Unless a suit or action to enforce a claim under this guarantee is filled against us within \_\_\_\_\_ thereafter, all your rights under the said guarantee shall be forfeited and we shall be released and discharged from all liability thereunder.

NAME AND ADDRESS OF THE CONTRACTOR:

SIGNATURE & SEAL OF THE CONTRACTOR:

Date:

Place:



**SCHEDULE OF QUANTITY**

Sr No.	Description of Items	Quantity	Unit
1	Carefully dismantling manually/by mechanical means the existing Marble Mosaic tiles/ IPS/ Ceramic tiles/ Kota stone flooring/ skirtings / wall dado with bed / back mortar / plaster (extra areas where new wall dado tiles have to be fixed), brick bat coba from sunken portions of WC/Bathroom/toilet, including R.C.C / Kota / Kadapa (Cuddapah) slabs, brick wall / Kadapa (Cuddapah) / Kota slab supports, skirtings, dado and other finishes, existing plumbing / sanitary fittings / fixtures from the bath room / WC/ toilet, including exposed or concealed CI / GI / P.V.C pipes & fittings / specials, C.P / brass fittings, mirrors/ medicine chests / cabinets, water / waste water connections, C.I / P.V.C traps,P.V.C / C.I / C.P / S.S gratings etc, including plugging the water / waste water inlet / outlet temporarily without affecting water supply / waste water flow to the other areas, shifting and stacking the salvageable items at location(s) within the premises, shown by the Bank's Engineer, disposal of debris / malba outside the Bank's premises all lead and lift etc. complete as required by the local municipal authority and as directed by the Bank's engineer.		
a	Flooring -Vitrified/ceramic Tiles, Marble Mosaic etc including under layers of flooring if any, bed mortar upto RCC Surface.	528	Sqm
b	Wall -Tiles / Skirting upto brick wall/RCC Surface.	62	Sqm
c	Brick work/PCC / RCC lintel including cutting of reinforcement steel (Thickness will be measured including plaster/wall dado/floor tiles etc.)	28	cum
d	Carefully dismantling of old gypsum board false ceiling/modular false ceiling with removing of GI frame, T/U channels, fastner etc. and disposal of debris / malba outside the Bank's premises all lead and lift etc. complete as required by the local municipal authority and as directed by the Bank's engineer.	530	Sqm
e	Carefully dismantling of aluminium frame double skin /wooden partition wall/MS Grill wall and carting away the debris out of the premises etc complete as directed by the Bank's Engineer.	200	Sqm
f	Carefully removal of MS Window with grill shutter along with frame, hold fasts etc.	7	Nos
g	Carefully dismantling /removing of existing bath toilet fittings -such as WC/EWC, wash basin,GI/CI/plastic pipes ,plumbing fittings and fixtures, looking mirror etc. as directed by the engineer-in-charge.	1	Job

2	Providing and applying waterproofing treatment to the sunken portion by applying first coat of Dr. Fixit Pidifin 2k or any other approved equivalent with roller or brush as per manufacturer's specifications on the slab and sides upto 300 mm above finished floor level after thoroughly cleaning the surface and repairing the damages,before application of fiber glass cloths standard GSM shall be laid. Applying second coat in opposite direction,leaving the treated surface for drying for 24 hours,testing for leakages by water ponding for 24 hours ,providing and applying 15 mm thick cement plaster in mix 1:4 (1 cement: 4 coarse aggregate) mixed with waterproofing compound as per manufacturer's specifications over the treated surface,testing by water ponding for 24 hoursetc. all complete as directed.	20	sqm
3	Providing and treating sunken floors with sliced brick bat coba in required layers in cement mortar 1:4 (1 cement: 4 coarse sand) mixed with approved waterproofing compound as per manufacture's specifications or as directed by the Bank's engineer	2	cum
4	Providing and laying PCC concrete in 1:2:4 (1 cement: 2 coarse sand: 4 stone ballast 20mm and down) in proper line, level and slope including compacting, curing and applying broom finish to the top surface etc. all complete as directed by Bank's Engineers.	3	cum
5	Providing and laying in position R/F cement concrete of specified grade including the cost of centering, shuttering, de-shuttering, finishing and curing,excluding the cost of reinforcement,with 1:1.5:3(1 cement:1.5 Coarse sand :3 graded stone aggregate 20 mm nominal size) all complete as directed by Bank's engineer	1.5	cum
6	Providing and constructing half brick masonry walls with locally available best quality bricks in superstructure in CM 1:4 (1 Cement: 4 Coarse sand) including providing proper key to the adjoining structure, racking the joints, curing, cleaning, carting away debris, if any, outside the Bank's premises. The rate shall also include for scaffolding, curing, tools & tackle and for working at all levels.	55	Sqm
7	Providing and placing Thermo-Mechanically Treated bars Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.	100	KG
8	Providing and applying 1:4 mortar(1 Cement : 4 fine aggregate) plaster, on RCC/Brick surface of damaged area such as wall, window jambs,sill,soffits,brick wall etc proper curing as directed by Bank's engineers. Rate shall include necessary scaffolding, curing, etc., doing the plaster in line and level with existing adjoining surface, finishing the surface all complete as directed by Bank's Engineer.	175	Sqm

9	Providing and fixing VITRIFIED Wall dado tiles of approved make (RAK,Johnson, kajaria or other approved equivalent ) shades, pattern, design and size ( 600mm x300 mm, or other approved size wall dado tile) of wall cladding in required height ( approximately up to 2.40 m) with backing plaster of minimum 12-15 mm thick or more wherever required in cement mortar 1:4 ( 1 cement : 4 Coarse sand ) & cement slurry paste in backing of each tile in proper line and level including curing, filling the joints with white cement mixed with the matching coloured pigments and cleaning, scaffolding, curing etc.all complete as required at site as directed by the Bank's Engineer-in-Charge. The basic rate of tile of Rs 700/- perSqm including GST.	24	Sqm
10	Providing & fixing 1st quality anti skid ceramic/vitrified tiles of size 600x600 or required size of approved make & shades in flooring conforming to IS:15622, of approved brand & manufacturer and of approved colour and shade laid on 20 mm (Min.) thick bed mortar 1:4 (1 cement: 4 coarse sand) applying cement slurry, tamping, filling the joints with white cement mixed with pigments laid in proper line and level, disposing off the debris out of Bank's premises while complying with the statutory norms etc. complete as directed by the Bank's Engineer. (Basic rate of tile is Rs. 650/- per Sqm. including GST).	6.5	Sqm
11	Providing and fixing vitrified tiles / digital tiles of (approx. size 600mmx 1200mm or 1200mmx2400mm or any other size) of approved make ( M/s Johnson make , M/s Kajaria , RAK, NITCO or approved equivalent ) and shade laid in floor, skirting & border, inlays or any design pattern with minimum 20 mm thick or more as per site requirement bed mortar in CM 1:4 (1 grey cement : 4 coarse sand) and cement slurry paste in backing of tiles laid in proper line. Grouting with white cement and matching pigments etc with colour of tiles, cleaning , curing , maintaining proper line & level etc all complete as per the direction of Bank's Engineer.. (Measurements shall be taken for finished flooring from in to in of skirting for payment).Basic rate of tiles shall be Rs.800/- per Sqm (including GST).	452	Sqm
12	Providing and fixing 18mm thick (avg.) Granite slab window sill of approved colour and quality and machine cut and machine polished to appropriate size of 300mm width to horizontal surfaces with 1:4 cement mortar beding of required thickness including necessary finishing the joints with white cement mixed with coloring pigments to match the colour of slab, curing, cleaning, making edge moulding / full round moulding on the side / as per requirement. all complete as directed by Banks' Engineer. Note :- Basic price of granite shall be Rs. 220/- per sft inclusive of GST	15	Rmt
13	Providing and fixing 18 mm thick average granite kitchen platform slab/fascia/window sill of approved colour and quality and machine cut and machine polished to appropriate size to vertical /horizontal surfaces with 1:4 cement mortar beding of average thickness 40 mm including necessary hole for cylinder pipe,curing,cleaning,making edge moulding/full round moulding on both the side all complete as diirected by Bank's engineer. Note :	2.5	sqm

	Basic price of tiles shall be Rs. 220 per sq feet exclusive of GST		
14	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes (SDR-11) , having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing including masonry wall ,chest cutting etc. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Concealed in wall		
	20 mm CPVC Nominal dia pipe	20.00	RMT
15	Providing and fixing approved quality ISI mark PVC pipe 6kgf/cm <sup>2</sup> with ISI marked PVC fittings ( Tee, Band, Socket etc ), fixing with approved quality adhesive as required including filling the joints with approved quality jointing materail like drip seal, M-seal, connecting new pipe lines with existing running lines including testing, wastage, painting of exposed pipe lines , required scaffolding, m s clamps wherever required, etc. complete all as directed by the Bank's engineer.		
	b.100mm PVC Nominal dia pipe	15.00	RMT
16	Providing and fixing in position approved quality ISI marked PVC Nahani/ floor trap of 100mm X 75mm diameter having deep water seal, p/f approved quality stainless steel grating, connecting, jointing with drip seal / M-seal or any other equivalent jointing material, testing, etc. all complete or as directed by the Bank's Engineer.	5	Nos
17	Providing and fixing stainless steel grating with 304 grade grating, jointing, grouting all complete as required at site by the site engineer	5	Nos
18	Providing and fixing E W C with flushing cistern (Coupled Closet) and heavy duty seat cover of approved make (Jaquar / Hind ware make - Element / Opel Model /other equivalent approved ) including p& S trap all complete as directed . Basic cost of EWC complete set of Rs 14500/- each including GST	1	Nos
19	Providing and fixing over the counter Wash Hand Basin. The counter shall be covered with 19mm wpc Ply and matching laminates outside with necessary support.(RCC Granite platform shall be paid separately).Noted - Basic cost of Wash Hand Basin with Counter Box type half pedestal unit of Rs 3500/- each of including GST	1	Nos
20	Providing & fixing C.P. brass single lever basin mixer with spout of required size with 375mm long copper connection and brass bush including cutting and making good the counter wherever required. (Jaquar or approved equivalent).Rs 3500/- each including GST.	2	Nos
21	Providing and fixing CP 2 Way Bib cock long body with flange of approved make . Basic cost of 2 way bib cock of Rs 1500/- each including GST.	1	Nos

22	Providing and fixing of 15 mm dia CP brass health faucet jet with tube ( chain type ) and hook of Jaquar make or approved equivalent. Note: Basic rate = Rs 1,500/- each including GST.	1	Nos
23	Providing and fixing of 15 MM Dia angular CP stop cock of approved make ( Jaquar make approved equivalent ) . Basic cost of stop cock of Rs 800/- each including GST.	8	Nos
24	Providing and fixing Toilet paper holder with flap of Jaquar make or approved equivalent. Basic cost of toilet paper holder is Rs 1000/- each including GST.	1	Nos
25	Providing and fixing CP Towel ring of approved make and shade Jaquar make approved equivalent (Basic Price-Rs 1200/- each including GST.	1	Nos
26	Providing and fixing of 150 mm square frame with 100 mm dia, 304 grade heavy duty grating jali.	2	Nos
27	Providing and fixing of CP bottle trap of Jaquar make approved equivalent with proper connection complete as directed by Bank's Engineer.	1	Nos
28	Supplying and fixing 6mm thick bevelled edge mirrors of superior quality above the wash basins, of approved size and make with heavy duty S.S. Studs with necessary fixing arrangements, grinding, polishing the edges etc. complete as directed by Bank's Engineer.	1	Sqm
29	Wooden panel (Aluminium & Ply Work): Providing, supplying and fixing Wall panelling with Aluminium tube (section 50mm x 50mm and not less than 1.5 mm (thick) Members of approved brand like Jindal/ Hindalco etc. firmly affixed to the supporting wall at a minimum spacing centre to centre @ 600 x 600mm spacing (horizontally & vertically) or lesser as per requirement of the site if the room grid so dictates, extra support may be needed at corners, joints at ceiling level etc., and these shall be provided by the vendor without any extra charges/cost, the panelling frame structure should be sturdy and to the satisfaction of the Bank's Engineer. Panelling shall be done with 9 mm thick BWP, IS 710 plywood (Green/ Century) and affixed firmly on to the frame on both side/double skin of frame. The panelling shall be constructed in such a manner so that all the electrical wire servicing can be done easily and all the electric, DIT distribution boards can be fixed easily and easily accessible for maintenance. All the openings / cut outs shall be made in consultation with Bank's Electrical Engineer. Measurement shall be taken one side of panelling on the basis of surface area exposed. Basic price of 9mm ply is Rs. 86 /SFT- (Including GST) (Make-Century Ply / Green or any other Bank's approved premium brand). . The quantity mentioned in the tender is tentative and may be increased or decreased as per site requirement and Bank's decision, wastage, fittings / fixtures, overlaps, etc.	15	Sqm

30	<p>Providing, supplying and fixing Wall panelling with existing /old good in condition Aluminium tube (available at site) firmly affixed to the supporting wall at a minimum spacing centre to centre @ 600 x 600mm spacing (horizontally &amp; vertically) or lesser as per requirement of the site if the room grid so dictates, extra support may be needed at corners, joints at ceiling level etc., the panelling frame structure should be sturdy and to the satisfaction of the Bank's Engineer. Panelling shall be done with new 9 mm thick BWP, IS 710 plywood (Green/ Century) and affixed firmly on to the frame on both side of frame. The panelling shall be constructed in such a manner so that all the electrical wire servicing can be done easily and all the electric, DIT distribution boards can be fixed easily and easily accessible for maintenance. All the openings / cut outs shall be made in consultation with Bank's Electrical Engineer. Measurement shall be taken one side of panelling on the basis of surface area exposed. Basic price of 9mm ply is Rs. 86 /SFT- (Including GST) (Make-Century Ply / Green or any other Bank's approved premium brand). . The quantity mentioned in the tender is tentative and may be increased or decreased as per site requirement and Bank's decision, wastage, fittings / fixtures, overlaps, etc.</p>	50	Sqm
31	<p>Lamination:Providing, fixing/pasting/installation on Wooden base laminate (1mm Thick of Approved colour and design of best in class or brand (Selection will be done by the Bank) Basic price of laminate is Rs. 60 /sqft (with GST), The quantity mentioned in the tender is tentative and may increase or decrease as per site requirement and Bank's decision. The rate shall include all labour, adhesive high performance waterproof synthetic resin having superior bonding like fixing with Hiper Heatx /pasting/installation at any height T&amp;P, scaffolding, other incidental charges including wastage, enabling temporary services all fitting fixtures etc complete in all respect and as per Guidance of Banks Engineers.</p>	175	Sqm
32	<p>Veneer :-Providing,Fixing/pasting/installation on Wooden base 3-4mm thick Veneer of Approved colour of best in class or brand (Selection will be done by the Bank.) Basic price of Veneer is Rs. 1600 /sqm- (without GST),The rate shall include all labour, adhesive high performance waterproof synthetic resin having superior bonding like fixing with Hiper Heatx /pasting/installation at any height T&amp;P, scaffolding, other incidental charges including wastage all fitting fixtures etc complete in all respect and as per Guidance of Banks Engineers. (Green, Century or other equivalent approved)</p>	56	Sqm

33	<p>WPC Ply :-Providing,Fixing/pasting/installation on vertical wall 12mm thick WPC ply of Approved colour of best in class or brand (Selection will be done by the Bank.) Basic price of WPC is Rs. 1100 /sqm- (with GST), for fixing on wall base shall be made grid of 2-3 inch width wpc ply on which full ply shall be fixed with 3inch screw such a way to take laminate/veneer.</p> <p>The rate shall include all labour, adhesive high performance waterproof synthetic resin having superior bonding like fixing with Hiper Heatx /pasting/installation at any height T&amp;P, scaffolding, other incidental charges including wastage all fitting fixers etc complete in all respect and as per Guidance of Banks Engineers.</p>	138	Sqm
34	<p>Door frame: Providing and fixing approved quality teak wood door frames and fixed in position as per specification and as per direction of Bank's Engineer. Rates are inclusive of teak wood beading with natural polish of approved tint/shade, all accessories, hardware's fittings, fasteners and finishes (door chouxhats shall be 2nd Class TEAK WOOD) etc, all woodwork to be treated with 1st quality anti-termite paint. Teak wood frame of size 100mm x 75mm (finished size) including fixing complete, applying two coats of anti-termite paint on the surfaces etc. finishing the exposed faces of door frame with natural polish of approved quality, shade and finish all complete as per direction of the Bank's Engineer. Extra support shall be given to make structure / door frame with partition wall. All to be done as directed by Bank's Engineer. The door shall be made as per specifications of the double partition.</p>	0.3	Cum
35	<p>Providing and fixing 30 mm thick ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board ( Green, Century, Duro or other equivalent approved ) and well matched commercial 3-4 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters with edges finished with 2nd class teak wood leaping including providing and fixing 5" long lacker polish ISI marked brass butt hinges of 3 or 4 no. each shutters as per requirement with 2" long heavy duty necessary brass screws including providing and fixing of approved make / quality / design of heavy duty brass/antique door lock with fittings [ brass cylindrical Godrej door lock of model no. GLORIA 240mm door handle set with Lock of main door with necessary brass screws etc. Door stopper brass, all complete as directed by Bank Engineer.</p>	12.6	Sqm
36	Gypboard false ceiling :	90	Sqm

	<p>Providing and fixing suspended type gyp plain board false ceiling system, coving and for column capitals in different levels firmly fixed on GI frame work section of M/s India Gypsum Ltd as Perimeter channel all along the wall fixed with the help of nylon sleeves and screws @600mmc/c Intermediate channel 15mm x 45mm x 0.9 mm at 1200mm c/c Ceiling angle 25mm x10mm x 0.55mm thick fixed to soffit with GI cleat and steel expansion anchor fasteners. Ceiling channel 80mm x 26mm x0.5 mm @450mm c/c.12mm thick gypsum PLAIN board is fixed to the ceiling section with 25mm drywall screws @230mm c/c.Finally boards are to jointed and finished so as to have flush look and levelling the board so as to be in one single plane which includes filling and finishing the board edges with jointing compound, paper tape.All to be completed as directed by Bank's engineers. Rates are inclusive of scaffolding, making any type design &amp; coving in the Gypboard false ceiling along with arm strong panels cut out/ openings for fixing light fittings/AC diffusers with necessary additional frame work, wastages, finishing all etc complete.</p>		
37	<p>Modular False ceiling :Providing and fixing false ceiling at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of Size 595x595mm of approved texture, design and patterns as per CPWD Specification 2019, to be laid in true horizontal level suspended on inter- locking metal T-Grid of hot dipped galvanised iron section of 0.33mmthick (galvanized @ 120 grams per sqm including both sides)comprising of main-T runners of size 24x38 mm of length 3000 mm. Cross - T of size 24x32 mm of length 1200 mm and secondary intermediate cross-T of size 24x32 mm of length 600mm to form grid module of size 600 x 600 mm, suspended from ceiling using galvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 12x50 mm long dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 76x25x25x1.6 mm fixed with grid and Z cleat of size 25x37x25x1.6mm thick with precut hole on both 25mm flange to pierce into 12x50mm or even bigger size dash fastener if require, fixed with Galvanised iron perimeter wall angle or size 24x24x0.40 mm of length 3000 mm to be fixed on periphery wall / partition with the help of plastic rawl plugs at 450mm centre to centre and 40 mm long dry wall S.S screws. The work shall be carried out as per specifications, drawing and as per directions of the Engineer-in Charge. With 15 mm thick Tegular edged light weight calcium silicate false ceiling tiles.</p>	390	Sqm
38	<p>Providing and laying of 1200mm x 120mm &amp; 9-10mm thick prelaminated wooden flooring/skirting of AC-5 class approved make and shade (within approx. basic price). The planks shall be laid as per the manufacturer's specification including providing edge profiles wherever required, under layer insulation etc complete all as directed by the bank's Engineers. (Basic price of Engineered flooring tile- Rs.1600/- per sq.m excluding GST)</p>	85	Sqm

39	<p>Polishing in high gloss or matt finish (as decided by the Bank) melamine clear polish on wood work in required color/wooden shade texture with following process in the sequence as detailed below:1. The surface to be polished is rubbed with sand paper 80/120 no. and then with sand paper of 160/180 nos.2. Applying two coats of sealer with spray gun and allowing sufficient drying time of 8 to 12 hrs after both the 1st coat and 2nd coat.3. On drying of sealer coat, wet rubbing with emery cloth of finer grading with ample water to remove excess sealer layer and make the surface further smooth after this wet rubbing, then surface is applied with special grade melamine fillers to fill all the small and big holes/grooves etc. Filler coat to be allowed to dry for 4 to 6 hrs on which again a light wet rubbing is done this surface is further allowed to dry for 12 hrs.4. On this, 1st coat of melamine polish is applied with spray gun using melamine clear polish and melamine thinner in required proportion. This 1st coat is allowed to dry for 24 hrs then this dry surface is again fine wet rubbed smooth, which is further allowed to dry for 12 hrs. The final melamine polish is applied with compressor pressure spray gun using melamine clear polish and melamine thinner mixed in required proportion complete as per direction of Engineer-in-Charge. (Final coat to be done in 1 or 2 layers without gap of time.)</p>	56	Sqm
40	<p>Acoustical False Ceiling - Providing and fixing soft fiber ceiling solution of approved make with Silhouette frame work to form a module of 600 mm X 600 mm. The tiles shall be of 600mm X600mmX15mm like Acoustic Board (Mineral Fiber Acoustic Ceiling Tiles Armstrong/ Anutone make) board NRC 0.9 or approved equivalent by Bank with fine fissured texture finish. The suspension system shall be as per the manufacturer specification. Installation consists of main runners securely fixed to structural soffit approved hanger at 1200 mm c/c (max), long cross 'T's inter locked between main runner at 600 mm c/c to form grid of 600 X 600 mm etc. complete all as per manufacturers' specification and as directed by Bank's Engineer. Note:- Rate shall include providing and erecting the necessary scaffolding at any level and height required during executing the work, cutout /opening to be made for light fittings etc. No deduction in area measurement will be made for openings not exceeding 0.4 sq m and no extra measurement will be made for forming such opening. Exposed area shall only be measured and paid for. [Basic rate of Acoustic Board is Rs. 1950/ Sq.M excl. GST.]</p>	40.00	sqm

41	<p>Fixed glass panels: Design supply &amp; installation of Fixed Glazing panels with Fittings of SS-304 Grade Steel of approved manufacturer with glass panel having 6mm thick plain glass held together with SS- 304 Grade Stainless steel wherever needed. The glass panel assembly shall be firmly fixed/ connected to Slab/beams/Aluminium partition. The joints between glass panels and gaps at the perimeter and any assembly to be filled with non-staining weather sealant, to make the entire system fully waterproof &amp; dust proof, reputed brands like Modi saint gobain Ozone Dorma or equivalent The rate shall include all labour, T&amp;P, scaffolding, other incidental charges including wastage, enabling temporary services all fitting fixers SS connections etc. complete in all respect and as per Guidance of Banks engineers.</p>	64.00	sqm
42	<p>GLASS DOOR Providing and fixing frameless fully glazed 12mm thick toughened float glass door fixed with partiton, necessary patch fittings of approved make including cutting, making holes, cutouts in the glass of required shape and size to accommodate fittings and fixing the fittings in floors, soffits, jambs including necessary fixtures, screws, sealent wherever required and SS cover over patch fittings. Bank approved patch fitting locking systems, 1 pair of 24" long S. S. (H Shape) Handles of approved make, floor springs, and any necessary hardware items per unit of door like Top Pivot ,Top Patch Fittings, Bottom Patch fittings, Floor Spring , Bottom lock with strike plate and Euro Profile Cylinder, H Shape Handle 25mm dia X 600mm length including all the necessary fittings, labour, materials.Basic Rate is exclusive of GST(12mm thk toughened float glass door Rs 2006/ Sq.M, Heavy Duty Floor Spring Rs 8000.00 per pc, Top and Bottom Pivot Rs 426.40 per each, Patch fitting Rs.1672.80 per set, Bottom Lock Patch Rs.2796.20 per each, H Shape Handle Rs.3200 per set)</p>	10.50	sqm
43	<p>Providing, fixing, fabrication &amp; installation M.S frame with 3mm Thick 40x40 MS framing structure, diagonal member 40x40x3mm:., necessary angle mid patti etc. including welded properly with electric arc and gas welding, applying base coat red oxide primer and two or more coats of 1st quality synthetic enamel paint of approved make and shade all complete as per specifications including lifting, etc. all complete as directed. The rate shall include to welding, wastage etc. All complete as directed by the Bank's Engineer.Welding shall confirm to IS 814, joint shall be welded properly 4/5mm thick fillet weld unless otherwise noted. Make Tata/Jindal/Apolo etc.The frame shall be made as to provide slope seating arrangement or as per direction of Engineer.</p>	1600.00	kg
44	<p>Providing and laying of 18mm thick cement board over existing MS Frame of approved make and shade. The board shall be laid as per the manufacturer's specification including providing edge profiles wherever required, under layer insulation etc complete all as directed by the bank's Engineers. (Basic price of cement fiber BOARD 65 per sq.ft including GST)</p>	60.00	sqm

45	<p>Providing and fixing factory made uPVC white colour casement/casement cum fixed glazed DGU windows comprising of uPVC multi- chambered frame, sash and mullion (where ever required) extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape &amp; size according to uPVC profile of Pristine White), uPVC extruded glazing beads of appropriate dimension, EPDM gasket, stainless steel (SS 304 grade) friction hinges, zinc alloy (white powder coated) casement handles, G.I fasteners 100 x 8 mm size for fixing frame to finished wall, plastic packers, plastic caps and necessary stainless steel screws etc. DGU shall consist of 6mm thick forest green toughened glass on outer side and 6mm clear toughened glass on inner side with 12mm gap in between. Profile of frame &amp; sash shall be mitred cut and fusion welded at all corners, mullion (if required) shall be also fusion welded including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of required size and of approved quality, all complete as per direction of Engineer-in-Charge. (Cost of DGU 5mm thick forest green toughened glass+ 12mm gap + 5mm clear toughened glass as well as silicone shall be included in quoted rate) Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made.</p>	12	Sqm
	<p>Note: For uPVC frame, sash and mullion extruded profiles minus 5% tolerance in dimension i.e. in depth &amp; width of profile shall be acceptable. Casement window double panels with top fixed ventilator with S.S. friction hinges (350x 19 x 1.9 mm) made of (small series) frame 47 x 50 mm, sash 47 x 68 mm &amp; mullion 47 x 68 mm all having wall thickness of 1.9 ± 0.2 mm and glazing bead of appropriate dimension. (Profile of window should be approved by Bank's Engineer).Wherever required scaffolding shall be done for executing the item no extra payment shall be made for this.Before quoting the rate the contractor may visit the site. Material shall be of Fenesta or approved equivalent. Glass Shall be of Saint Gobain, Modi Guard or ISI approved equivalent.</p>		

46	<p>Kitchen over head wall unit:- providing and fixing box type overhead unit 325 mm depth using IS710 Marine ply boiling water proof ),19 mm thick, Marine grade plywood with 0.8 mm thick laminate on inside and 1 mm outside approved laminate with suitable pvc edge.Handle with aluminium profile handle fixed to door,soft closing hinges The cabinets shall be firmly installed on the wall using suitable size wooden wedges, S/S screw etc. including necessary drilling in all type of brick /rcc wall The hinges will be auto loaded hinges of Hettich Make.The shutter using IS710 Marine bwp 19 mm thick ply with lamination on both side and edge finish with soft closing hinges.covering chimney pipeline with 19mm ply and matching laminates.The shelf is adjustable with two slots provided at 300 mm spacing so as to accomodate the shelf. The shelf is using 12mm thick toughened frosted glass with adjustable type.The shutter using IS710 Marine,plywood boiling water proof carcass, 19 mm thick with lamination on both side and edge finish with soft closing hinges.The shelf is adjustable with two slots provided at 300 mm spacing so as to accomodate the shelf.The shelf is using 12mm thick toughened frosted glass with adjustable type.</p>	1.26	sqm
47	<p>(iv) Carcass of the cabinets: Shall be made underneath the kitchen platform by erecting vertical partitions at suitable interval including horizontal top &amp; bottom as per the site requirements so as to facilitate fixing of shutters / SS drawer basket accessories units with telescopic channels/ fittings auto hinges using approved make 19 mm thick, Marine grade plywood with 0.8 mm thick laminate on both sides white balancing laminate with suitable pvc edge, wherever required 19mm thick laminated mid shelves may be provided.6 inch brass/ss handle of premium quality shall be provided for the shutter and each basket drawer. binding tape . The rear side panel of carcass shall be made out of 6 mm thick,marine grade plywood sheet with 0.8mm thick laminate on both sides Front face shall be of 1mm thick laminate matching. Approximate size 8x2.6x2 feet, only front area will be taken for measurement.</p>	1.95	sqm
	<p>Shutters / drawer fascias: Shall be made of 19 mm thick, Marine grade plywood laminated with 1 mm thick high gloss laminate laminate for exposed faces and 0.8mm thick white balancing laminate for inner surfaces with suitable pvc edge binding tape.</p>		
	<p>Horizontal Shelves: shall be made of 19 mm thick Marine grade plywood laminated with 0.8 mm thick white laminate on both sides with suitable pvc edge binding tape</p>		
	<p>Each Shutters shall be fixed with 2 nos of Auto close hinges of approved make including necessary S.S screws etc.</p>		
	<p>Drawers with S.S baskets shall be mounted on high precision auto closer telescopic channels of suitable load carrying capacity (approved make and model) for smooth operation.</p>		
	<p>Wire Baskets &amp; accessories of various required sizes as per below mentioned indicative list shall be made of '304 grade' SS wires of approved make &amp; model: -</p>		

	a. Pull out 3 Tier -300mm 1 PC (Basic rate Rs.4462/- per pc. excluding GST)		
	b. Cutlery basket W 536 1 PC (Basic rate Rs.2601/- per pc. excluding GST)		
	c. CTM Plain (536x500x200) 1 PC (Basic rate Rs.2185/- per pc. excluding GST)		
	dPlain wire basket (4")-600mm Cabinet 1 PC(Basic rate Rs.2745/- per pc. excluding GST)		
48	Providing and fixing in position 304 grade stainless steel sink with drain board of approved make and size including 40mm diameter heavy quality CP waste coupling, PVC waste pipe etc. all complete. The quoted rates shall include filling the joints at the junction of sink and granite stone with white cement mixed with matching pigment etc., all completed as directed by Banks engineer.. (Basic price SS Sink with drain boardRs.8000/- each exclusive of GST)	1.00	nos
49	Providing and applying white cement-based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	320	Sqm
50	Painting the false ceiling surface with two or more coats of first quality 100% acrylic premium emulsion paint of approved make and shade over a coat of cement primer after adequate surface preparation, putty work, etc. as per the direction of the Bank's Engineer. Rate shall be inclusive of coving, different type of design, levels, etc.	320	Sqm
51	Buyback - Taking away of old removed and stacking of false ceiling GI framing ,wood, door shutter, frame, GI / CI / plastic WC, BASIN, MIRROR , FITTING FIXTURES pipes, Plumbing fittings and fixture , looking mirror , removing of door shutter with frame , wooden/ms window shutter with frames etc as directed by the Bank's Engineer.	1	Job

## **PART- II**

**e-tender for**

**Renovation of Issue Department at 2nd floor of Main Office Building, RBI  
Guwahati**

**E-tender no-                    RBI/GUWAHATI/ESTATE/2//26-27/ET/110  
    RBI/GUWAHATI/ESTATE/3//26-27/ET/111**

**Name of the Tenderer:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**e-mail ID & Contact Number:** \_\_\_\_\_

<b>Date of Publication of e-Tender</b>	<b>May 22, 2026 at 17:00 Hours</b>
<b>Date of Pre-Bid Meeting</b>	<b>May 28, 2026 at 11:00 Hours onwards</b>
<b>Last date of Submission of Bid</b>	<b>June 15, 2026 up-to 14:00 Hours</b>
<b>Date of Opening of Part- I of e-Tender</b>	<b>June 15, 2026 from 15:00 Hours</b>

**(Note: Do not quote the rate/amount in this document. All amounts must be quoted online in MSTC portal. All the items in the charts are shown as representational purpose only)**

This document is the property of Reserve Bank of India (RBI). It may not be copied, distributed or recorded on any medium, electronic or otherwise, without the RBI's written permission thereof, except for the purpose of responding to RBI for the said purpose. The use of the contents of this documents, even by the authorized personnel / agencies for any purpose other than the purpose specified herein, is strictly prohibited and shall amount to copyright violation and thus, shall be punishable under the Indian Law.



## SCHEDULE OF QUANTITIES

### PREAMBLE

The rates quoted shall include the following:

1. The item and quantities indicated in the schedule of quantity are tentative and as per need of work and as decided by the Bank certain items/ quantities may not be required to be executed or may be executed with reduction in quantities to any extent. The contractor has to execute items/quantities as per direction of Bank and no claim on this account whatsoever will be entertained by the Bank in respect of non-operation of items/reduction in quantities. It is advised to visit the site, gather the information about work and understand the scope of work well before quoting the rates
2. The contractor shall abide by and fulfill all requirements laid down under the Contract Labour (Regulation and Abolition) Act, 1970 and the rules framed there under and all other relevant statutory acts (such as Minimum Wages Act etc.). If the number of laborers employed by the contractor is twenty or more, the contractor shall obtain the license from the Regional Labour Commissioner. The contractor shall maintain all registers/ documents as required by the Regional Labour Commissioner at site and should furnish the same to the Bank or its representative as and when required.
3. The Contractor must comply with the provisions of Payment of Wages Act 1936, Minimum wages Act 1948, Gratuity Act 1972, Stamp Act 1899, EPF Act 1952, ESI Act 1948, Payment of Bonus Act 1965 etc. & all applicable statutory rules/ guidelines. Notices /penalty, if any, issued /imposed by any statutory norms/requirements shall be paid by the contractor, without any claim to the Employer.
4. Providing for all costs and charges incurred by the contractor complying with all safety health and welfare regulations, appertaining to staff and work people employed on the site.
5. The Bank may consider allowing contractor to take the water (in case of water supply with the Bank is sufficient during the work) and electricity from the Bank's Building. The cutting machine etc. shall be arranged by the contractor as per load of the Bank's meter and wires in case if they are will to take use the electricity from Bank's common area. In case if any damage of electric line/electric meter is observed due to work the contractor has to make it good at his own cost, failing on which the Bank will recover the cost of damages from the bill/security deposit of the contractor without further referring the matter to contractor.



6. Necessary charges towards arranging and getting approval of all materials etc. to be used for work with reference to their make, quality, shade, size etc. of materials shall be borne by the contractor. Only approved materials are to be used in above work.
7. The contractor has to arrange for collection & disposal of debris outside from the Building and site is to be kept clean after day-to-day work.
8. The contractor shall ensure validity of the necessary insurance policies and the Bank Guarantees for the extended period of the work.
9. Contractors will have to submit a time bound program just after the award of the work and get it approved from the Bank before commencement of work.
10. The contractor shall make arrangement for obtaining the necessary work permission / gate passes for bringing and taking out of the materials from the Banks Building including the permission from the authorities.
11. The rates should be inclusive of all relevant taxes like GST, transportation charge, etc. and for all the accessories required for the completion of the work. No extra amount will be paid for whatsoever. All fluctuations in prices of all materials & labour shall be borne by the contractor.
12. The Contractor shall at his own cost arrange for and/or carry out any test of any materials as decided and directed by the Bank. In case, the contractor fails to get the work / portion of works/ materials tested at appropriate time, the Bank will arrange for getting such testing done and all testing charges and other incidental expenditure incurred by the Bank in connection with such tests shall be recovered from the Contractor.
13. Police verification of the contractor and workman is compulsory.

**Place:**

**Name of the Contractor:**

**Date:**

**Address:**

**Sign & Seal of the Contractor:**

### Schedule of Quantities

#### **Name of the Work: Renovation of Issue Department at 2nd floor of Main Office Building, RBI Guwahati**

Sr. No.	Description of Items	Quantity	Unit	Rate (Rs.)	Amount (Rs.)
1	Carefully dismantling manually/by mechanical means the existing Marble Mosaic tiles/ IPS/ Ceramic tiles/ Kota stone flooring/ skirtings / wall dado with bed / back mortar / plaster (extra areas where new wall dado tiles have to be fixed), brick bat coba from sunken portions of WC/Bathroom/toilet, including R.C.C / Kota / Kadapa (Cuddapah) slabs, brick wall / Kadapa (Cuddapah) / Kota slab supports, skirtings, dado and other finishes, existing plumbing / sanitary fittings / fixtures from the bath room / WC/ toilet, including exposed or concealed CI / GI / P.V.C pipes & fittings / specials, C.P / brass fittings, mirrors/ medicine chests / cabinets, water / waste water connections, C.I / P.V.C traps,P.V.C / C.I / C.P / S.S gratings etc, including plugging the water / waste water inlet / outlet temporarily without affecting water supply / waste water flow to the other areas, shifting and stacking the salvageable items at location(s) within the premises, shown by the Bank's Engineer, disposal of debris / malba outside the Bank's premises all lead and lift etc. complete as required by the local municipal authority and as directed by the Bank's engineer.				
a	Flooring -Vitrified/ceramic Tiles, Marble Mosaic etc including under layers of flooring if any, bed mortar upto RCC Surface.	528	Sqm		
b	Wall -Tiles / Skirting upto brick wall/RCC Surface.	62	Sqm		
c	Brick work/PCC / RCC lintel including cutting of reinforcement steel (Thickness will be measured including plaster/wall dado/floor tiles etc.)	28	cum		
d	Carefully dismantling of old gypsum board false ceiling/modular false ceiling with removing of GI frame, T/U channels, fastner etc. and disposal of debris / malba outside the Bank's premises all lead and lift etc. complete as required by the local municipal authority and as directed by the Bank's engineer.	530	Sqm		
e	Carefully dismantling of aluminium frame double skin /wooden partition wall/MS Grill wall and carting away the debris out of the premises etc complete as directed by the Bank's Engineer.	200	Sqm		
f	Carefully removal of MS Window with grill shutter along with frame, hold fasts etc.	7	Nos		
g	Carefully dismantling /removing of existing bath toilet fittings -such as WC/EWC, wash basin,GI/CI/plastic pipes ,plumbing fittings and fixtures, looking mirror etc. as directed by the engineer-in-charge.	1	Job		

2	Providing and applying waterproofing treatment to the sunken portion by applying first coat of Dr. Fixit Pidifin 2k or any other approved equivalent with roller or brush as per manufacturer's specifications on the slab and sides upto 300 mm above finished floor level after thoroughly cleaning the surface and repairing the damages,before application of fiber glass cloths standard GSM shall be laid. Applying second coat in opposite direction,leaving the treated surface for drying for 24 hours,testing for leakages by water ponding for 24 hours ,providing and applying 15 mm thick cement plaster in mix 1:4 (1 cement: 4 coarse aggregate) mixed with waterproofing compound as per manufacturer's specifications over the treated surface,testing by water ponding for 24 hoursetc. all complete as directed.	20	sqm		
3	Providing and treating sunken floors with sliced brick bat coba in required layers in cement mortar 1:4 (1 cement: 4 coarse sand) mixed with approved waterproofing compound as per manufacture's specifications or as directed by the Bank's engineer	2	cum		
4	Providing and laying PCC concrete in 1:2:4 (1 cement: 2 coarse sand: 4 stone ballast 20mm and down) in proper line, level and slope including compacting, curing and applying broom finish to the top surface etc. all complete as directed by Bank's Engineers.	3	cum		
5	Providing and laying in position R/F cement concrete of specified grade including the cost of centering, shuttering, de-shuttering, finishing and curing,excluding the cost of reinforcement,with 1:1.5:3(1 cement:1.5 Coarse sand :3 graded stone aggregate 20 mm nominal size) all complete as directed by Bank's engineer	1.5	cum		
6	Providing and constructing half brick masonry walls with locally available best quality bricks in superstructure in CM 1:4 (1 Cement: 4 Coarse sand) including providing proper key to the adjoining structure, racking the joints, curing, cleaning, carting away debris, if any, outside the Bank's premises. The rate shall also include for scaffolding, curing, tools & tackle and for working at all levels.	55	Sqm		
7	Providing and placing Thermo-Mechanically Treated bars Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.	100	KG		
8	Providing and applying 1:4 mortar(1 Cement : 4 fine aggregate) plaster, on RCC/Brick surface of damaged area such as wall, window jambs,sill,soffits,brick wall etc proper curing as directed by Bank's engineers. Rate shall include necessary scaffolding, curing, etc., doing the plaster in line and level with existing adjoining surface, finishing the surface all complete as directed by Bank's Engineer.	175	Sqm		

9	Providing and fixing VITRIFIED Wall dado tiles of approved make (RAK,Johnson, kajaria or other approved equivalent ) shades, pattern, design and size ( 600mm x300 mm, or other approved size wall dado tile) of wall cladding in required height ( approximately up to 2.40 m) with backing plaster of minimum 12-15 mm thick or more wherever required in cement mortar 1:4 ( 1 cement : 4 Coarse sand ) & cement slurry paste in backing of each tile in proper line and level including curing, filling the joints with white cement mixed with the matching coloured pigments and cleaning, scaffolding, curing etc.all complete as required at site as directed by the Bank's Engineer-in-Charge. The basic rate of tile of Rs 700/- perSqm including GST.	24	Sqm		
10	Providing & fixing 1st quality anti skid ceramic/vitrified tiles of size 600x600 or required size of approved make & shades on flooring conforming to IS:15622, of approved brand & manufacturer and of approved colour and shade laid on 20 mm (Min.) thick bed mortar 1:4 (1 cement: 4 coarse sand) applying cement slurry, tamping, filling the joints with white cement mixed with pigments laid in proper line and level, disposing off the debris out of Bank's premises while complying with the statutory norms etc. complete as directed by the Bank's Engineer. (Basic rate of tile is Rs. 650/- per Sqm. including GST).	6.5	Sqm		
11	Providing and fixing vitrified tiles / digital tiles of (approx. size 600mmx 1200mm or 1200mmx2400mm or any other size) of approved make ( M/s Johnson make , M/s Kajaria , RAK, NITCO or approved equivalent ) and shade laid in floor, skirting & border, inlays or any design pattern with minimum 20 mm thick or more as per site requirement bed mortar in CM 1:4 (1 grey cement : 4 coarse sand) and cement slurry paste in backing of tiles laid in proper line. Grouting with white cement and matching pigments etc with colour of tiles, cleaning , curing , maintaining proper line & level etc all complete as per the direction of Bank's Engineer.. (Measurements shall be taken for finished flooring from in to in of skirting for payment).Basic rate of tiles shall be Rs.800/- per Sqm (including GST).	452	Sqm		
12	Providing and fixing 18mm thick (avg.) Granite slab window sill of approved colour and quality and machine cut and machine polished to appropriate size of 300mm width to horizontal surfaces with 1:4 cement mortar bedding of required thickness including necessary finishing the joints with white cement mixed with coloring pigments to match the colour of slab, curing, cleaning, making edge moulding / full round moulding on the side / as per requirement. all complete as directed by Banks' Engineer. Note :- Basic price of granite shall be Rs. 220/- per sft inclusive of GST	15	Rmt		

13	Providing and fixing 18 mm thick average granite kitchen platform slab/fascia/window sill of approved colour and quality and machine cut and machine polished to appropriate size to vertical /horizontal surfaces with 1:4 cement mortar bedding of average thickness 40 mm including necessary hole for cylinder pipe,curing,cleaning,making edge moulding/full round moulding on both the side all complete as diirected by Bank's engineer. Note : Basic price of tiles shall be Rs. 220 per sq feet exlcusive of GST	2.5	sqm		
14	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes (SDR-11) , having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing including masonry wall ,chest cutting etc. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Concealed in wall				
	20 mm CPVC Nominal dia pipe	20.00	RMT		
15	Providing and fixing approved quality ISI mark PVC pipe 6kgf/cm2 with ISI marked PVC fittings ( Tee, Band, Socket etc ), fixing with approved quality adhesive as required including filling the joints with approved quality jointing materail like drip seal, M-seal, connecting new pipe lines with existing running lines including testing, wastage, painting of exposed pipe lines , required scaffolding, m s clamps wherever required, etc. complete all as directed by the Bank's engineer.				
	b.100mm PVC Nominal dia pipe	15.00	RMT		
16	Providing and fixing in position approved quality ISI marked PVC Nahani/ floor trap of 100mm X 75mm diameter having deep water seal, p/f approved quality stainless steel grating, connecting, jointing with drip seal / M-seal or any other equivalent jointing material, testing, etc. all complete or as directed by the Bank's Engineer.	5			
			Nos		
17	Providing and fixing stainless steel grating with 304 grade grating, jointing, grouting all complete as required at site by the site engineer	5			
			Nos		
18	Providing and fixing E W C with flushing cistern (Coupled Closet) and heavy duty seat cover of approved make (Jaquar / Hind ware make - Element / Opel Model /other equivalent approved ) including p& S trap all complete as directed . Basic cost of EWC complete set of Rs 14500/- each including GST	1			
			Nos		
19	Providing and fixing over the counter Wash Hand Basin. The counter shall be covered with 19mm wpc Ply and matching laminates outside with necessary support.(RCC Granite platform shall be paid separately).Noted - Basic cost of Wash Hand Basin with Counter Box type half pedestal unit of Rs 3500/- each of including GST	1			
			Nos		
20	Providing & fixing C.P. brass single lever basin mixer with spout of required size with 375mm long copper connection and brass bush including cutting and making good the counter wherever required. (Jaquar or approved equivalent).Rs 3500/- each including GST.	2			
			Nos		

21	Providing and fixing CP 2 Way Bib cock long body with flange of approved make . Basic cost of 2 way bib cock of Rs 1500/- each including GST.	1	Nos		
22	Providing and fixing of 15 mm dia CP brass health faucet jet with tube ( chain type ) and hook of Jaquar make or approved equivalent. Note: Basic rate = Rs 1,500/- each including GST.	1	Nos		
23	Providing and fixing of 15 MM Dia angular CP stop cock of approved make ( Jaquar make approved equivalent ) . Basic cost of stop cock of Rs 800/- each including GST.	8	Nos		
24	Providing and fixing Toilet paper holder with flap of Jaquar make or approved equivalent. Basic cost of toilet paper holder is Rs 1000/- each including GST.	1	Nos		
25	Providing and fixing CP Towel ring of approved make and shade Jaquar make approved equivalent (Basic Price-Rs 1200/- each including GST.	1	Nos		
26	Providing and fixing of 150 mm square frame with 100 mm dia, 304 grade heavy duty grating jali.	2	Nos		
27	Providing and fixing of CP bottle trap of Jaquar make approved equivalent with proper connection complete as directed by Bank's Engineer.	1	Nos		
28	Supplying and fixing 6mm thick bevelled edge mirrors of superior quality above the wash basins, of approved size and make with heavy duty S.S. Studs with necessary fixing arrangements, grinding, polishing the edges etc. complete as directed by Bank's Engineer.	1	Sqm		
29	Wooden panel (Aluminium & Ply Work): Providing, supplying and fixing Wall panelling with Aluminium tube (section 50mm x 50mm and not less than 1.5 mm (thick) Members of approved brand like Jindal/ Hindalco etc. firmly affixed to the supporting wall at a minimum spacing centre to centre @ 600 x 600mm spacing (horizontally & vertically) or lesser as per requirement of the site if the room grid so dictates, extra support may be needed at corners, joints at ceiling level etc., and these shall be provided by the vendor without any extra charges/cost, the panelling frame structure should be sturdy and to the satisfaction of the Bank's Engineer. Panelling shall be done with 9 mm thick BWP, IS 710 plywood (Green/ Century) and affixed firmly on to the frame on both side/double skin of frame. The panelling shall be constructed in such a manner so that all the electrical wire servicing can be done easily and all the electric, DIT distribution boards can be fixed easily and easily accessible for maintenance. All the openings / cut outs shall be made in consultation with Bank's Electrical Engineer. Measurement shall be taken one side of panelling on the basis of surface area exposed. Basic price of 9mm ply is Rs. 86 /SFT- (Including GST) (Make-Century Ply / Green or any other Bank's approved premium brand). . The quantity mentioned in the tender is tentative and may be increased or decreased as per site requirement and Bank's decision, wastage, fittings / fixtures, overlaps, etc.	15	Sqm		

30	<p>Providing, supplying and fixing Wall panelling with existing /old good in condition Aluminium tube (available at site) firmly affixed to the supporting wall at a minimum spacing centre to centre @ 600 x 600mm spacing (horizontally &amp; vertically) or lesser as per requirement of the site if the room grid so dictates, extra support may be needed at corners, joints at ceiling level etc., the panelling frame structure should be sturdy and to the satisfaction of the Bank's Engineer. Panelling shall be done with new 9 mm thick BWP, IS 710 plywood (Green/ Century) and affixed firmly on to the frame on both side of frame. The panelling shall be constructed in such a manner so that all the electrical wire servicing can be done easily and all the electric, DIT distribution boards can be fixed easily and easily accessible for maintenance. All the openings / cut outs shall be made in consultation with Bank's Electrical Engineer. Measurement shall be taken one side of panelling on the basis of surface area exposed. Basic price of 9mm ply is Rs. 86 /SFT- (Including GST) (Make-Century Ply / Green or any other Bank's approved premium brand). . The quantity mentioned in the tender is tentative and may be increased or decreased as per site requirement and Bank's decision, wastage, fittings / fixtures, overlaps, etc.</p>	50	Sqm		
31	<p>Lamination:Providing, fixing/pasting/installation on Wooden base laminate (1mm Thick of Approved colour and design of best in class or brand (Selection will be done by the Bank) Basic price of laminate is Rs. 60 /sqft (with GST),The quantity mentioned in the tender is tentative and may increase or decrease as per site requirement and Bank's decision. The rate shall include all labour, adhesive high performance waterproof synthetic resin having superior bonding like fixing with Hiper Heatx /pasting/installation at any height T&amp;P, scaffolding, other incidental charges including wastage, enabling temporary services all fitting fixtures etc complete in all respect and as per Guidance of Banks Engineers.</p>	175	Sqm		
32	<p>Veneer :-Providing,Fixing/pasting/installation on Wooden base 3-4mm thick Veneer of Approved colour of best in class or brand (Selection will be done by the Bank.) Basic price of Veneer is Rs. 1600 /sqm- (without GST), The rate shall include all labour, adhesive high performance waterproof synthetic resin having superior bonding like fixing with Hiper Heatx /pasting/installation at any height T&amp;P, scaffolding, other incidental charges including wastage all fitting fixtures etc complete in all respect and as per Guidance of Banks Engineers. (Green, Century or other equivalent approved)</p>	56	Sqm		
33	<p>WPC Ply :-Providing,Fixing/pasting/installation on vertical wall 12mm thick WPC ply of Approved colour of best in class or brand (Selection will be done by the Bank.) Basic price of WPC is Rs. 1100 /sqm- (with GST), for fixing on wall base shall be made grid of 2-3 inch width wpc ply on which full ply shall be fixed with 3inch screw such a way to take laminate/veneer. The rate shall include all labour, adhesive high performance waterproof synthetic resin having superior bonding like fixing with Hiper Heatx /pasting/installation at any height T&amp;P, scaffolding, other incidental charges including wastage all fitting fixers etc complete in all respect and as per Guidance of Banks Engineers.</p>	138	Sqm		

34	Door frame: Providing and fixing approved quality teak wood door frames and fixed in position as per specification and as per direction of Bank's Engineer. Rates are inclusive of teak wood beading with natural polish of approved tint/shade, all accessories, hardware's fittings, fasteners and finishes (door chouxhats shall be 2nd Class TEAK WOOD) etc, all woodwork to be treated with 1st quality anti-termite paint. Teak wood frame of size 100mm x 75mm (finished size) including fixing complete, applying two coats of anti-termite paint on the surfaces etc. finishing the exposed faces of door frame with natural polish of approved quality, shade and finish all complete as per direction of the Bank's Engineer. Extra support shall be given to make structure / door frame with partition wall. All to be done as directed by Bank's Engineer. The door shall be made as per specifications of the double partition.	0.3	Cum		
35	Providing and fixing 30 mm thick ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board ( Green, Century, Duro or other equivalent approved ) and well matched commercial 3-4 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters with edges finished with 2nd class teak wood leaping including providing and fixing 5" long lacker polish ISI marked brass butt hinges of 3 or 4 no. each shutters as per requirement with 2" long heavy duty necessary brass screws including providing and fixing of approved make / quality / design of heavy duty brass/antique door lock with fittings [ brass cylindrical Godrej door lock of model no. GLORIA 240mm door handle set with Lock of main door with necessary brass screws etc. Door stopper brass, all complete as directed by Bank Engineer.	12.6	Sqm		
36	<p><u>Gypboard false ceiling :</u></p> <p>Providing and fixing suspended type gyp plain board false ceiling system, coving and for column capitals in different levels firmly fixed on GI frame work section of M/s India Gypsum Ltd as Perimeter channel all along the wall fixed with the help of nylon sleeves and screws @600mmc/c Intermediate channel 15mm x 45mm x 0.9 mm at 1200mm c/c Ceiling angle 25mm x10mm x 0.55mm thick fixed to soffit with GI cleat and steel expansion anchor fasteners. Ceiling channel 80mm x 26mm x0.5 mm @450mm c/c. 12mm thick gypsum PLAIN board is fixed to the ceiling section with 25mm drywall screws @230mm c/c. Finally boards are to jointed and finished so as to have flush look and levelling the board so as to be in one single plane which includes filling and finishing the board edges with jointing compound, paper tape. All to be completed as directed by Bank's engineers. Rates are inclusive of scaffolding, making any type design &amp; coving in the Gypboard false ceiling along with arm strong panels cut out/ openings for fixing light fittings/AC diffusers with necessary additional frame work, wastages, finishing all etc complete.</p>	90	Sqm		

37	<p>Modular False ceiling :Providing and fixing false ceiling at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of Size 595x595mm of approved texture, design and patterns as per CPWD Specification 2019, to be laid in true horizontal level suspended on inter- locking metal T-Grid of hot dipped galvanised iron section of 0.33mmthick (galvanized @ 120 grams per sqm including both sides)comprising of main-T runners of size 24x38 mm of length 3000 mm. Cross - T of size 24x32 mm of length 1200 mm and secondary intermediate cross-T of size 24x32 mm of length 600mm to form grid module of size 600 x 600 mm, suspended from ceiling using galvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 12x50 mm long dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 76x25x25x1.6 mm fixed with grid and Z cleat of size 25x37x25x1.6mm thick with precut hole on both 25mm flange to pierce into 12x50mm or even bigger size dash fastener if require, fixed with Galvanised iron perimeter wall angle or size 24x24x0.40 mm of length 3000 mm to be fixed on periphery wall / partition with the help of plastic rawl plugs at 450mm centre to centre and 40 mm long dry wall S.S screws. The work shall be carried out as per specifications, drawing and as per directions of the Engineer-in Charge. With 15 mm thick Tegular edged light weight calcium silicate false ceiling tiles.</p>	390	Sqm		
38	<p>Providing and laying of 1200mm x 120mm &amp; 9-10mm thick prelaminated wooden flooring/skirting of AC-5 class approved make and shade (within approx. basic price). The planks shall be laid as per the manufacturer's specification including providing edge profiles wherever required, under layer insulation etc complete all as directed by the bank's Engineers. (Basic price of Engineered flooring tile- Rs.1600/- per sq.m excluding GST)</p>	85	Sqm		
39	<p>Polishing in high gloss or matt finish (as decided by the Bank) melamine clear polish on wood work in required color/wooden shade texture with following process in the sequence as detailed below:1. The surface to be polished is rubbed with sand paper 80/120 no. and then with sand paper of 160/180 nos.2. Applying two coats of sealer with spray gun and allowing sufficient drying time of 8 to 12 hrs after both the 1st coat and 2nd coat.3. On drying of sealer coat, wet rubbing with emery cloth of finer grading with ample water to remove excess sealer layer and make the surface further smooth after this wet rubbing, then surface is applied with special grade melamine fillers to fill all the small and big holes/grooves etc. Filler coat to be allowed to dry for 4 to 6 hrs on which again a light wet rubbing is done this surface is further allowed to dry for 12 hrs.4. On this, 1st coat of melamine polish is applied with spray gun using melamine clear polish and melamine thinner in required proportion. This 1st coat is allowed to dry for 24 hrs then this dry surface is again fine wet rubbed smooth, which is further allowed to dry for 12 hrs. The final melamine polish is applied with compressor pressure spray gun using melamine clear polish and melamine thinner mixed in required proportion complete as per direction of Engineer-in-Charge. (Final coat to be done in 1 or 2 layers without gap of time.)</p>	56	Sqm		

40	<p>Acoustical False Ceiling - Providing and fixing soft fiber ceiling solution of approved make with Silhouette frame work to form a module of 600 mm X 600 mm. The tiles shall be of 600mm X600mmX15mm like Acoustic Board (Mineral Fiber Acoustic Ceiling Tiles Armstrong/ Anutone make) board NRC 0.9 or approved equivalent by Bank with fine fissured texture finish. The suspension system shall be as per the manufacturer specification. Installation consists of main runners securely fixed to structural soffit approved hanger at 1200 mm c/c (max), long cross 'T's inter locked between main runner at 600 mm c/c to form grid of 600 X 600 mm etc. complete all as per manufacturers' specification and as directed by Bank's Engineer. Note:- Rate shall include providing and erecting the necessary scaffolding at any level and height required during executing the work, cutout /opening to be made for light fittings etc. No deduction in area measurement will be made for openings not exceeding 0.4 sq m and no extra measurement will be made for forming such opening. Exposed area shall only be measured and paid for. [Basic rate of Acoustic Board is Rs. 1950/ Sq.M excl. GST.]</p>	40.00	sqm		
41	<p>Fixed glass panels: Design supply &amp; installation of Fixed Glazing panels with Fittings of SS-304 Grade Steel of approved manufacturer with glass panel having 6mm thick plain glass held together with SS- 304 Grade Stainless steel wherever needed. The glass panel assembly shall be firmly fixed/ connected to Slab/beams/Aluminium partition. The joints between glass panels and gaps at the perimeter and any assembly to be filled with non-staining weather sealant, to make the entire system fully waterproof &amp; dust proof, reputed brands like Modi saint gobain Ozone Dorma or equivalent The rate shall include all labour, T&amp;P, scaffolding, other incidental charges including wastage, enabling temporary services all fitting fixers SS connections etc. complete in all respect and as per Guidance of Banks engineers.</p>	64.00	sqm		
42	<p>GLASS DOOR Providing and fixing frameless fully glazed 12mm thick toughened float glass door fixed with partiton, necessary patch fittings of approved make including cutting, making holes, cutouts in the glass of required shape and size to accommodate fittings and fixing the fittings in floors, soffits, jambs including necessary fixtures, screws, sealent wherever required and SS cover over patch fittings. Bank approved patch fitting locking systems, 1 pair of 24" long S. S. (H Shape) Handles of approved make, floor springs, and any necessary hardware items per unit of door like Top Pivot ,Top Patch Fittings, Bottom Patch fittings, Floor Spring , Bottom lock with strike plate and Euro Profile Cylinder, H Shape Handle 25mm dia X 600mm length including all the necessary fittings, labour, materials.Basic Rate is exclusive of GST(12mm thk toughened float glass door Rs 2006/ Sq.M, Heavy Duty Floor Spring Rs 8000.00 per pc, Top and Bottom Pivot Rs 426.40 per each, Patch fitting Rs.1672.80 per set, Bottom Lock Patch Rs.2796.20 per each, H Shape Handle Rs.3200 per set)</p>	10.50	sqm		

43	<p>Providing, fixing, fabrication &amp; installation M.S frame with 3mm Thick 40x40 MS framing structure, diagonal member 40x40x3mm:, necessary angle mid patti etc. including welded properly with electric arc and gas welding, applying base coat red oxide primer and two or more coats of 1st quality synthetic enamel paint of approved make and shade all complete as per specifications including lifting, etc. all complete as directed. The rate shall include to welding, wastage etc. All complete as directed by the Bank's Engineer.Welding shall confirm to IS 814, joint shall be welded properly 4/5mm thick fillet weld unless otherwise noted. Make Tata/Jindal/Apolo etc.The frame shall be made as to provide slope seating arrangement or as per direction of Engineer.</p>	1600	kg		
44	<p>Providing and laying of 18mm thick cement board over existing MS Frame of approved make and shade. The board shall be laid as per the manufacturer's specification including providing edge profiles wherever required, under layer insulation etc complete all as directed by the bank's Engineers. (Basic price of cement fiber BOARD 65 per sq.ft including GST)</p>	60.00	sqm		
45	<p>Providing and fixing factory made uPVC white colour casement/casement cum fixed glazed DGU windows comprising of uPVC multi- chambered frame, sash and mullion (where ever required) extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape &amp; size according to uPVC profile of Pristine White), uPVC extruded glazing beads of appropriate dimension, EPDM gasket, stainless steel (SS 304 grade) friction hinges, zinc alloy (white powder coated) casement handles,G.I fasteners 100 x 8 mm size for fixing frame to finished wall, plastic packers, plastic caps and necessary stainless steel screws etc. DGU shall consist of 6mm thick forest green toughened glass on outer side and 6mm clear toughened glass on inner side with 12mm gap in between.Profile of frame &amp; sash shall be mitred cut and fusion welded at all corners, mullion (if required) shall be also fusion welded including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of required size and of approved quality, all complete as per direction of Engineer-in-Charge. (Cost of DGU 5mm thick forest green toughened glass+ 12mm gap + 5mm clear toughened glass as well as silicone shall be included in quoted rate) Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made.</p>	12	Sqm		
	<p>Note: For uPVC frame, sash and mullion extruded profiles minus 5% tolerance in dimension i.e. in depth &amp; width of profile shall be acceptable. Casement window double panels with top fixed ventilator with S.S. friction hinges (350x 19 x 1.9 mm) made of (small series) frame 47 x 50 mm, sash 47 x 68 mm &amp; mullion 47 x 68 mm all having wall thickness of 1.9 ± 0.2 mm and glazing bead of appropriate dimension. (Profile of window should be approved by Bank's Engineer).Wherever required scaffolding shall be done for executing the item no extra payment shall be made for this.Before quoting the rate the contractor may visit the site. Material shall be of Fenesta or approved equivalent. Glass Shall be of Saint Gobain, Modi Guard or ISI approved</p>				

	equivalent.				
46	<p>Kitchen over head wall unit:- providing and fixing box type overhead unit 325 mm depth using IS710 Marine ply boiling water proof ),19 mm thick, Marine grade plywood with 0.8 mm thick laminate on inside and 1 mm outside approved laminate with suitable pvc edge.Handle with aluminium profile handle fixed to door,soft closing hinges The cabinets shall be firmly installed on the wall using suitable size wooden wedges, S/S screw etc. including necessary drilling in all type of brick /rcc wall The hinges will be auto loaded hinges of Hettich Make.The shutter using IS710 Marine bwp 19 mm thick ply with lamination on both side and edge finish with soft closing hinges.covering chimney pipeline with 19mm ply and matching laminates.The shelf is adjustable with two slots provided at 300 mm spacing so as to accomodate the shelf. The shelf is using 12mm thick toughened frosted glass with adjustable type.The shutter using IS710 Marine,plywood boiling water proof carcass, 19 mm thick with lamination on both side and edge finish with soft closing hinges.The shelf is adjustable with two slots provided at 300 mm spacing so as to accomodate the shelf.The shelf is using 12mm thick toughened frosted glass with adjustable type.</p>	1.26	sqm		
47	<p>(iv) Carcass of the cabinets: Shall be made underneath the kitchen platform by erecting vertical partitions at suitable interval including horizontal top &amp; bottom as per the site requirements so as to facilitate fixing of shutters / SS drawer basket accessories units with telescopic channels/ fittings auto hinges using approved make 19 mm thick, Marine grade plywood with 0.8 mm thick laminate on both sides white balancing laminate with suitable pvc edge, wherever required 19mm thick laminated mid shelves may be provided.6 inch brass/ss handle of premium quality shall be provided for the shutter and each basket drawer. binding tape . The rear side panel of carcass shall be made out of 6 mm thick,marine grade plywood sheet with 0.8mm thick laminate on both sides Front face shall be of 1mm thick laminate matching. Approximate size 8x2.6x2 feet, only front area will be taken for measurement.</p>	1.95	sqm		
	<p><b>Shutters / drawer fascias:</b> Shall be made of <b>19 mm</b> thick, Marine grade plywood laminated with <b>1 mm thick</b> high gloss laminate for exposed faces and <b>0.8mm thick</b> white balancing laminate for inner surfaces with suitable pvc edge binding tape.</p>				
	<p><b>Horizontal Shelves:</b> shall be made of <b>19 mm thick</b> Marine grade plywood laminated with <b>0.8 mm thick</b> white laminate on both sides with suitable pvc edge binding tape</p>				
	<p>Each Shutters shall be fixed with 2 nos of <b>Auto close hinges</b> of approved make including necessary S.S screws etc.</p>				
	<p>Drawers with S.S baskets shall be mounted on high precision auto closer <b>telescopic channels</b> of suitable load carrying capacity (approved make and model) for smooth operation.</p>				
	<p><b>Wire Baskets &amp; accessories</b> of various required sizes as per below mentioned indicative list shall be made of '304 grade' SS wires of approved make &amp; model: -</p>				

	a. Pull out 3 Tier -300mm 1 PC (Basic rate Rs.4462/- per pc. excluding GST)				
	b. Cutlery basket W 536 1 PC (Basic rate Rs.2601/- per pc. excluding GST)				
	c. CTM Plain (536x500x200) 1 PC (Basic rate Rs.2185/- per pc. excluding GST)				
	dPlain wire basket (4")-600mm Cabinet 1 PC(Basic rate Rs.2745/- per pc. excluding GST)				
48	Providing and fixing in position 304 grade stainless steel sink with drain board of approved make and size including 40mm diameter heavy quality CP waste coupling, PVC waste pipe etc. all complete. The quoted rates shall include filling the joints at the junction of sink and granite stone with white cement mixed with matching pigment etc., all completed as directed by Banks engineer.. (Basic price SS Sink with drain boardRs.8000/- each exclusive of GST)	1.00	nos		
49	Providing and applying white cement-based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	320	Sqm		
50	Painting the false ceiling surface with two or more coats of first quality 100% acrylic premium emulsion paint of approved make and shade over a coat of cement primer after adequate surface preparation, putty work, etc. as per the direction of the Bank's Engineer. Rate shall be inclusive of coving, different type of design, levels, etc.	320	Sqm		
51	Buyback - Taking away of old removed and stacking of false ceiling GI framing ,wood, door shutter, frame, GI / CI / plastic WC, BASIN, MIRROR , FITTING FIXTURES pipes, Plumbing fittings and fixture , looking mirror , removing of door shutter with frame , wooden/ms window shutter with frames etc as directed by the Bank's Engineer.	1	Job		

**Note: In MSTC Portal, you are required to submit the Total Amount for each of individual items (including GST and any other applicable taxes & charges).**