



## ई-निविदा सूचना

भारतीय रिज़र्व बैंक, जयपुर, मुख्य कार्यालय भवन में स्थित OLDR के नवीनीकरण के कार्य हेतु पात्र बोलीदाताओं से दो भागों (भाग-I तथा भाग-II) में ई-निविदा आमंत्रित करता है। निविदा एमएसटीसी लिमिटेड (<https://mstcecommerce.com/eprocn>) के ई-निविदा पोर्टल के माध्यम से की जाएगी। सभी पात्र कंपनियां/ फ़र्म उपरोक्त वेबसाइट के माध्यम से एमएसटीसी के साथ स्वयं को पंजीकृत करना सुनिश्चित करें ताकि वे निविदा प्रक्रिया में भाग ले सकें। ई-निविदा की अनुसूची नीचे दी गई है:

क. ई-निविदा का नाम	भारतीय रिज़र्व बैंक, जयपुर के मुख्य कार्यालय भवन में स्थित OLDR के नवीनीकरण का कार्य
ख. ई-निविदा की संख्या	RBI/Jaipur Regional office/Estate/6/26-27/ET/113
ग. कार्य की अनुमानित लागत	₹35,28,565/-
घ. निविदा की प्रक्रिया	ई-खरीद प्रणाली ऑनलाइन भाग -1 (टेक्नों-वाणिज्य बोली) और भाग-2 (मूल्य बोली) ( <a href="http://www.mstcecommerce.com/eprocn">www.mstcecommerce.com/eprocn</a> ) के जरिए
ङ. निविदाकर्ताओं को डाउनलोड करने हेतु एनआईटी की उपलब्धता की तारीख	22 मई, 2026, अपराह्न 02:00 बजे से
च. पात्र फ़र्म	भारतीय रिज़र्व बैंक, जयपुर कार्यालय के साथ सिविल ट्रेड (उप-श्रेणी 1.1) (25 लाख रुपये से अधिक लागत वाले कार्यों के लिए) में सूचीबद्ध वेंडर ही निविदा में भाग लेने के लिए पात्र हैं।
छ. बयाना जमा - राशि (ईएमडी)	₹70,600/- (सत्तर हजार छह सौ रुपये मात्र) की बयाना राशि एनईएफटी (NEFT) के माध्यम से, नीचे दिए गए विवरणानुसार, भाग-1 टेक्नों-वाणिज्य बोली के साथ जमा करवानी होगी:  खाता संख्या - 8692299 IFSC कोड - RBIS0JPPA01 (नोट: आईएफएससी कोड का पाँचवा एवं दसवां अंक शून्य है।)  सभी बोलीदाताओं (एमएसएमई सहित) को ईएमडी जमा करने की आवश्यकता है।
ज. <a href="http://www.mstcecommerce.com/eprocn">www.mstcecommerce.com/eprocn</a> पर ऑन लाइन टेक्नो-वाणिज्यिक बोली तथा कीमत बोली के प्रस्तुतीकरण के लिए ई-टेंडर शुरू होने की तारीख	22 मई, 2026, अपराह्न 02:00 बजे से
झ. ऑन लाइन टेक्नो-वाणिज्यिक बोली तथा मूल्य बोली के प्रस्तुतीकरण के लिए ई-टेंडर खत्म होने की तारीख	12 जून, 2026, अपराह्न 02:00 बजे तक
ञ. भाग I खोलने की तारीख (अर्थात टेक्नो-वाणिज्यिक बोली)	12 जून, 2026, अपराह्न 03:00 बजे
भाग II खोलने की तारीख (अर्थात मूल्य बोली)	मूल्य बोली खोलने की तिथि और समय सभी पात्र बोलीदाताओं को ई-मेल के माध्यम से अलग से सूचित किया जाएगा।
त. लेन-देन प्रभार	मेसर्स एमएसटीसी लिमिटेड के पक्ष में अथवा मेसर्स एमएसटीसी लि. द्वारा सूचित गेटवे/ एनईएफटी/ आरटीजीएस के माध्यम से

### टिप्पण:

- कृपया नोट करें कि पोर्टल से टेंडर दस्तावेज डाउनलोड करने के लिए कोई टेंडर-शुल्क नहीं है।
- आवेदन करने के इच्छुक आवेदकों को आवश्यक पात्रता रखने के समर्थन में दस्तावेजी साक्ष्य प्रस्तुत करके बैंक को संतुष्ट करना होगा और ऐसा करने में उनकी विफलता की स्थिति में, बैंक के पास उनकी उम्मीदवारी को अस्वीकार करने का अधिकार सुरक्षित है।
- बैंक न्यूनतम बोली वाली निविदा को स्वीकार करने के लिए बाध्य नहीं है और किसी भी निविदा को पूर्ण या आंशिक रूप से स्वीकार करने का अधिकार सुरक्षित रखता है। बैंक बिना कोई कारण बताए सभी निविदाओं को अस्वीकार करने का अधिकार भी सुरक्षित रखता है।
- भविष्य में निविदा से संबंधित जारी किए गए किसी भी संशोधन/शुद्धिपत्र, यदि कोई हो, को केवल भारतीय रिज़र्व बैंक की वेबसाइट (<https://www.rbi.org.in>) और एमएसटीसी वेबसाइट पर अधिसूचित किया जाएगा जैसा कि ऊपर दिया गया है और इसे अखबार में प्रकाशित नहीं किया जाएगा।



## **RESERVE BANK OF INDIA, JAIPUR ESTATE DEPARTMENT**

### **Renovation work in OLDR at Main Office Building, RBI Jaipur**

#### **DISCLAIMER**

Reserve Bank of India, Estate Department, Jaipur, has prepared this document to give background information on the Project to the interested parties. While Reserve Bank of India has taken due care in the preparation of the information contained herein and believe it to be accurate, neither Reserve Bank of India nor any of its authorities or agencies nor any of their respective officers, employees, agents or advisors give any warranty or make any representations, express or implied as to the completeness or accuracy of the information contained in this document or any information which may be provided in association with it.

The information is not intended to be exhaustive. Interested parties are required to make their own inquiries and respondents will be required to confirm in writing that they have done so, and they do not rely only on the information provided by RBI in submitting the Tender. The information is provided on the basis that it is non-binding on Reserve Bank of India or any of its authorities or agencies or any of their respective officers, employees, agents or advisors.

Reserve Bank of India reserves the right not to proceed with the Project or to change the configuration of the Project, to alter the timetable reflected in this document or to change the process or procedure to be applied. It also reserves the right to decline to discuss the matter further with any party expressing interest.

No reimbursement of cost of any type will be paid to persons or entities expressing interest.

**Reserve Bank of India  
Estate Department  
Jaipur**

**Renovation work in OLDR at Main Office Building, RBI Jaipur**

**Part I**

**Techno-Commercial Bid**

Name of Bidder:.....

Address:.....

Telephone No:.....

Email Address:.....

**e-Tender No.: RBI/Jaipur Regional office/Estate/6/26-27/ET/113**

**Last Date and Time of submission of e-Tender: June 12, 2026, up  
to 14:00 Hrs**

**Section - I**  
**(Only through e-procurement)**  
**SCHEDULE OF TENDER (SOT)**

**NOTE:** THIS IS A LIMITED TENDER ENQUIRY. ONLY THOSE BIDDERS / VENDORS WHO ARE EMPANELLED AS VENDORS WITH RESERVE BANK OF INDIA, JAIPUR FOR SUCH WORKS GIVEN BELOW UNDER RESPECTIVE CATEGORY ARE ELIGIBLE TO PARTICIPATE IN THIS TENDER. BIDDERS ARE ADVISED TO CHECK WITH RBI, JAIPUR REGARDING THEIR ELIGIBILITY FOR THIS TENDER BEFORE PARTICIPATING.

<b>a. e-Tender Name</b>	<b>Renovation work in OLDR at Main office Building, RBI Jaipur</b>
<b>b. e-Tender No.</b>	RBI/Jaipur Regional office/Estate/6/26-27/ET/113
<b>c. Estimated cost of the work</b>	<b>₹35,28,565/-</b>
<b>d. Mode of Tender</b>	<b>e-Procurement System</b> (Online Part I - Techno-Commercial Bid and Part II - Price Bid through <a href="https://www.mstcecommerce.com/eprocn/">https://www.mstcecommerce.com/eprocn/</a> )
<b>e. Date of NIT available to parties to download</b>	May 22, 2026, from 14:00 Hrs onwards
<b>f. Eligible Vendors</b>	<b>Only empanelled vendors of Reserve Bank of India, Jaipur Office in Civil Trade (Sub-category 1.1) (works costing more than ₹25 lakhs)</b>
<b>g. Earnest Money Deposit (EMD)</b>	<b>₹70,600/- (Rupees Seventy Thousand and Six Hundred only)</b> to be submitted through <b>NEFT</b> (as per the below mentioned details) along with the Part I/Technical-Commercial Bid.  Account Number - <b>8692299</b> IFSC Code - <b>RBIS0JPPA01</b> (Fifth and Tenth digits in IFSC code are <b>Zero</b> ).  <b>All bidders (including MSME) need to submit EMD.</b>
<b>h. Date of Starting of e-Tender for submission of online Techno-Commercial Bid and Price Bid at</b> <a href="https://www.mstcecommerce.com/eprocn/">(https://www.mstcecommerce.com/eprocn/)</a>	May 22, 2026, from 14:00 Hrs onwards
<b>i. Date of closing of online e-tender for submission of Techno-Commercial Bid &amp; Price Bid</b>	June 12, 2026, up to 14:00 Hrs
<b>j. Date &amp; time of opening of Part-I (i.e. Techno-Commercial Bid)</b> <b>Date &amp; Time of opening of Part- II (i.e. Price Bid)</b>	June 12, 2026, at 15:00 Hrs.  Date and time of opening of Price Bid will be informed separately to all the eligible bidders later through email.
<b>k. Transaction Fee</b>	To be paid through MSTC Payment Gateway /NEFT /RTGS in favour of MSTC Ltd. or as advised by M/s MSTC Ltd.

## **Important Instructions for E-procurement**

Bidders are requested to read the terms & conditions of this tender before submitting your online tender.

### **Process of E- tender:**

**A) Registration:** The process involves vendor's registration with MSTC e-procurement portal which is free of cost. Only after registration, the vendor(s) can submit his/their bids electronically. Electronic Bidding for submission of Technical Bid as well as Commercial Bid will be done over the internet. The Vendor should possess Class III signing type digital certificate. Vendors are to make their own arrangement for bidding from a P.C. connected with Internet. MSTC is not responsible for making such arrangement. (Bids will not be recorded without Digital Signature).

**SPECIAL NOTE: THE TECHNICAL BID AND THE COMMERCIAL BID HAS TO BE SUBMITTED ON-LINE AT [www.mstcecommerce.com/eprochome/rbi](http://www.mstcecommerce.com/eprochome/rbi)**

1) Vendors are required to register themselves online with [www.mstcecommerce.com](http://www.mstcecommerce.com) → e-Procurement → PSU/ Govt depts → Select RBI Logo- > Register as Vendor -- Filling up details and creating own user id and password → Submit.

2) Vendors will receive a system generated mail confirming their registration in their email which has been provided during filling the registration form.

In case of any clarification, please contact RBI/MSTC, (before the scheduled time of the e- tender).

### **B) Contact person (RBI):**

Contact person for clarification:

1. Name: Shri Ashok Kumar Gupta, Manager, E-mail: [ashokkgupta@rbi.org.in](mailto:ashokkgupta@rbi.org.in), Mobile: 9717108444
2. Name: Shri Kamta Prasad Shukla, Assistant Manager, E-mail: [kamtaprasadshukla@rbi.org.in](mailto:kamtaprasadshukla@rbi.org.in), Mobile: 7408431444

**SECTION A**  
**LETTER OF OFFER**

Place: \_\_\_\_\_

Date: \_\_\_\_\_

Regional Director,  
Reserve Bank of India  
Jaipur - 302004.

Dear Sir,

Having examined the drawings, specifications, designs and schedule of quantities relating to the works specified in the memorandum hereinafter set out and having examined the site of the works specified in the said memorandum and having acquired the requisite information relating thereto as affecting the tender, I/We hereby offer to execute the works specified in the said memorandum within the time specified in the said memorandum at the rates mentioned in the attached schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Conditions of Tender, the Articles of Agreement, Special Conditions, Schedule of Quantities and with such materials as are provided for, by and in all other respects in accordance with such conditions so far as they may be applicable.

**Memorandum**

(a)	Description of work	Renovation work in OLDR at Main office Building, RBI Jaipur
(b)	Estimated cost	<b>₹35,28,565/-</b>
(c)	Earnest Money	<b>₹70,600/-</b>
(d)	Retention Money, to be withheld from each bill	5%
(e)	Time allowed for completion of the works from tenth day after the date of written order to commence work.	<b>150 Days</b>
(f)	Value of work for Interim Certificate	₹20 Lakhs

2. Should this tender be accepted, I/We hereby agree to abide by and fulfill the terms and provisions of the said Conditions of Contract annexed hereto so far as they may be applicable or in default thereof to forfeit and pay to the Reserve Bank of India the amount mentioned in the said conditions.
3. Intending tenderers has to deposit a sum of **₹ 70,600/- (Rupees Seventy Thousand and Six Hundred only)** as Earnest Money Deposit in the A/c 8692299 & IFSC – RBIS0JPPA01 (5<sup>th</sup> and 10<sup>th</sup> digits are Zero) on or before 1400 hrs on

the date given in NIT and must be reflected in our account, with the Reserve Bank of India, Estate Department, Jaipur- 302004

EMD amount is not to bear any interest. Should I/We fail to execute the contract when called upon to do so, I/We do hereby agree that this sum shall be forfeited by me/us to the Reserve Bank of India.

4. Our bankers are (full address)

(i) \_\_\_\_\_

(ii) \_\_\_\_\_

The names of partners of our firm are:

(i) \_\_\_\_\_

(ii) \_\_\_\_\_

Name of the partner of the firm authorized to sign

OR

Name of person having power of Attorney to sign the Contract (certified true copy of the Power of Attorney should be attached)

Yours faithfully,

Signature of Contractor

Signatures and addresses of witnesses

	Signature	Address
(i)		
(ii)		

## SECTION B

### Articles of Agreement

#### FORMAT FOR ARTICLES OF AGREEMENT (for successful bidder)

(On the Rs. 500/- stamp paper)

यह समझौता अनुबंध भारतीय रिजर्व बैंक, जयपुर) जिसके बाद बैंक कहा जाएगा ( और \_\_\_\_\_ के मध्य दिनांक \_\_\_\_\_ को) इसके बाद "ठेकेदार "कहा जाएगा( निष्पादित किया गया।

ARTICLES OF AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_ between the Reserve Bank of India, Jaipur (hereafter called "The Bank") of the one part and \_\_\_\_\_ (thereinafter called "the Contractor") of the other part.

जहां \_\_\_\_\_ बैंक \_\_\_\_\_ वांछित \_\_\_\_\_ है,  
( \_\_\_\_\_ ) और किए गए कार्य का विशिष्ट वर्णन करें।  
WHEREAS The Bank is \_\_\_\_\_ desirous of  
( \_\_\_\_\_ ) and has caused specifications describing the works to be done.

और उक्त विशिष्टताओं के अनुसार, मात्रा और रेखाचित्रों की अनुसूची पर या पार्टियों की ओर से हस्ताक्षर किए गए हैं।

AND WHEREAS the said specifications, the Schedule of Quantities and drawings have been signed by or on behalf of the parties hereto.

और यतः ठेकेदार ने इसके आगे उल्लिखित शर्तों तथा परिणाम की अनुसूची तथा ठेके की शर्तें (जिन्हे) इसके आगे सामग्री रूप से "उक्त शर्तें" कहा गया है) के अधीन उक्त आरेखनों में दर्शाये गए और/या उक्त विनिर्देशों में वर्णित तथा परिणाम की अनुसूची में सम्मिलित निर्माण कार्य को उनमें निर्दिष्ट दरों के अनुसार हिसाब लगाई गयी कुल राशि पर या ऐसी अन्य राशि पर , जो उनके अधीन देय हो ( जिसे इसके आगे "उक्त ठेके की राशि" कहा गया है) निष्पादित करना स्वीकार किया है।

AND WHEREAS the Contractor has agreed to execute upon the subject to the Conditions set forth herein and to the Conditions set forth in the Special Conditions and in the Schedule of Quantities and Conditions of Contract (all of which are collectively hereinafter referred to as "the said Conditions") the works shown upon the said drawings and/or described in the said specification and included in the Schedule of Quantities at the respective rates therein set forth amounting to the sum as therein arrived at or such other sum as shall become payable thereunder (hereinafter referred to as 'the said Contract Amount')

अब इस बात पर निम्न तरह से सहमति है:

**NOW IT IS HEREBY AGREED AS FOLLOWS:**

1	उक्त शर्तों में निर्दिष्ट अवधियों में और प्रणाली से देय ठेके की राशि के बदले ठेकेदार उक्त शर्तों पर तथा उनके अधीन और उक्त आरेखनों में दर्शित तथा उक्त विनिर्देशों एवं परिमाणों की अनुसूची में उल्लिखित निर्माण कार्य निष्पादित करेगा और पूरा करेगा।
---	---

	In consideration of said Contract Amount to be paid at the times and in the manner set forth in the said conditions, the Contractor shall upon and subject to the said Conditions execute and complete the work shown upon the said Drawings and described in the said Drawings and described in the said Specifications and the Schedule of Quantities.
2	<p>बैंक ठेकेदार को उक्त शर्तों में निर्दिष्ट अवधियों में तथा उनमें निर्दिष्ट प्रणाली से उक्त ठेके की राशि या ऐसी कोई अन्य राशि, जो देय हो जाए, अदा करेगा।</p> <p>The Bank shall pay the Contractor the said Contract Amount, or such other sum as shall become payable, at the times and in the manner specified in the said conditions.</p>
3	<p>उक्त शर्तों को और उनके परिशिष्ट को इस करार के भाग के साथ पढ़ा जाएगा तथा इस करार से संबन्धित पक्ष उक्त शर्तों का क्रमशः पालन करेंगे, अपने-आपको उनके अधीन मानेंगे तथा उसमें उल्लिखित शर्तों के अधीन अपनी ओर से करार का निष्पादन करेंगे।</p> <p>The said Conditions and Appendix thereto shall be read and construed as forming part of this agreement and the parties hereto shall respectively abide by, submit themselves to the said Conditions and perform the agreements on their part respectively in the said Conditions contained.</p>
4	<p>इसमें उल्लिखित नक्शे, करार और प्रलेख इस संविदा के आधार माने जायेंगे।</p> <p>The plans, agreement and documents mentioned herein shall form the basis of this Contract.</p>
5	<p>यह संविदा न तो निर्धारित एकमुश्त राशि की संविदा है और न ही फुटकर कार्य की संविदा, परंतु यह "सम्पूर्ण" _____ " के संबंध में कार्य को पूरा करने की संविदा है जिसके लिए दरों की अनुसूची तथा संभाव्य परिमाणों में उल्लिखित दरों पर या उक्त शर्तों में निर्दिष्ट दरों पर वस्तुतः हिसाब लगायी गयी मात्राओं के अनुसार अदायगी की जाएगी।</p> <p>This Contract is neither a fixed/ Lump sum Contract nor a Piece work Contract but is a Contract to carry out the " _____ " to be paid for according to actual measured quantities at the rates contained in the Schedule of Rates and Probable quantities or as provided in the said Conditions.</p>
6	<p>अनुबंध में दिये अनुसार ठेकेदार को सिविल संबंधी सभी कार्यों हेतु वाजिब सुविधा वहन करनी होगी एवं ऐसे कार्यों के पूरा होने के बाद दीवारों, फर्श आदि को हुये नुकसान को ठीक करना होगा।</p> <p>The Contractor shall afford every reasonable facility for the carrying out of all works relating to civil works and other ancillary works in the manner laid down in the said Conditions, and shall make good any damages done to walls, floors etc. after the completion of such works.</p>
7	<p>बैंक इस अनुबंध में बिना किसी पूर्वाग्रह के किए जानेवाले कार्य में किसी भी मद को जोड़ने या हटाने एवं ड्राइंग और कार्य की प्रकृति को बदलने का अधिकार रखता है।</p> <p>The Bank reserves to itself the right of altering the Drawings and nature of the work by adding to or omitting any items of work or having portions of the same carried out without prejudice to this contract.</p>
8	<p>समय को इस अनुबंध के महत्वपूर्ण कारक के रूप में माना जाएगा, और ठेकेदार साइट को सौंपने के तुरंत बाद या औपचारिक कार्य आदेश जारी होने के 10 दिनों के बाद जो भी बाद में हो दी गई शर्तों एवं समय विस्तार के प्रावधानों के अनुसार दी गई शर्तों के अनुसार कार्य पूर्ण करेगा एवं समय विस्तार के प्रावधानों के अधीन है।</p> <p><b>Time</b> shall be considered as one of the important factor of this Contract, and the Contractor hereby agrees to commence the work soon after the site is</p>

	handed over to him or from 14 days after the day of issue of formal works order as provided for in the said Conditions, whichever is later, and to complete the entire work as provided in said condition , subject nevertheless to the provisions for extension of time.
9	इस अनुबंध के तहत बैंक द्वारा सभी भुगतान केवल जयपुर में किए जाएंगे। All payments by The Bank under this Contract will be made only at Jaipur.
10	इस समझौते से जुड़े या किसी भी तरह से उत्पन्न होने वाले सभी विवादों को जयपुर में उत्पन्न माना जाएगा और इनका निपटान केवल जयपुर में न्यायालयों के ही अधिकार क्षेत्र में होगा। All disputes arising out of or in any way connected with this agreement shall be deemed to have arisen at Jaipur and only Courts in Jaipur shall have jurisdiction to determine the same.
11	इस संविदा के विभिन्न अंशों को ठेकेदार ने पढ़ लिया है तथा उन्हें पूर्ण रूप से समझ लिया है। That the several parts of this Contract have been read by the Contractor and fully understood by the Contractor.
12	<b>गैर-प्रकटीकरण खंड</b> : ठेकेदार बैंक ,के बुनियादी ढांचे/प्रणालियों/उपकरणों आदि की प्रत्यक्ष या अप्रत्यक्ष रूप से किसी भी जानकारी, सामग्री और विवरण का किसी तीसरे पक्ष को खुलासा नहीं करेगा, जो इस समझौते के संबंध में अपने संविदात्मक दायित्वों के निर्वहन के दौरान ठेकेदार के कब्जे या ज्ञान के पास आ सकता है, और हर समय इस पर विश्वास रखेगा। ठेकेदार सिवाय इसके तहत दायित्वों को पूरा करने या लागू कानूनों का पालन करने के लिए आवश्यक सीमा के अलावा अनुबंध के विवरण को वैयक्त और गोपनीय मानेगा। ठेकेदार नियोक्ता की पिछली लिखित सहमति के बिना किसी भी व्यापार या तकनीकी पत्र या अन्य जगहों पर कार्यों के किसी भी विवरण का खुलासा, प्रकाशित होने की अनुमति नहीं देगा। ठेकेदार किसी भी गोपनीय जानकारी के प्रकटीकरण के परिणामस्वरूप नियोक्ता को होने वाले किसी भी नुकसान के लिए नियोक्ता को क्षतिपूर्ति करेगा। उपर्युक्त का पालन करने में विफलता को ठेकेदार की ओर से अनुबंध का उल्लंघन माना जाएगा और नियोक्ता नुकसान का दावा करने और कानूनी उपचारों को आगे बढ़ाने का हकदार होगा। ठेकेदार अपने कर्मचारियों के मध्य सभी उचित कार्रवाई करेगा ताकि यह सुनिश्चित किया जा सके कि इस समझौते के तहत गोपनीय सूचनाओं का प्रकटीकरण न करने के दायित्व पूरी तरह से संतुष्ट हों । गैर-प्रकटीकरण और गोपनीयता के संबंध में ठेकेदार के दायित्व किसी भी कारण से इस समझौते की समाप्ति या इस समझौते के टर्मिनेशन के बाद भी बने रहेंगे। <b>Non-Disclosure clause:</b> The Contractor shall not disclose directly or indirectly any information, materials and details of the Bank's infrastructure/systems/equipment etc., which may come to the possession or knowledge of the Contractor during the course of discharging its contractual obligations in connection with this agreement, to any third party and shall at all times hold the same in strictest confidence. The Contractor shall treat the details of the contract as private and confidential, except to the extent necessary to carry out the obligations under it or to comply with applicable laws. The Contractor shall not publish, permit to be published, or disclose any particulars of the works in any trade or technical paper or elsewhere without the previous written consent of the Bank. The Contractor shall indemnify the Bank for any loss suffered by the Bank as a result of disclosure of any confidential information. Failure to observe the above shall be treated as breach of contract on the part of the Contractor and the Bank shall be entitled to claim damages and pursue legal remedies. The Contractor shall take all appropriate actions with respect to its employees to ensure that the obligations of non-disclosure of confidential information under this agreement are fully satisfied. The Contractor's obligations with respect to non-disclosure and confidentiality will survive even after the expiry or termination of this agreement for whatever reason.

13	<p><b>यौन उत्पीड़न की रोकथाम संबंधी उपबंध</b></p> <p>ठेकेदार/एजेंसी कार्य स्थल) रोकथाम, निषेध और निवारण (अधिनियम 2013 में महिलाओं के यौन उत्पीड़न के प्रावधान के पूर्ण अनुपालन के लिए पूरी तरह जिम्मेदार होगी। बैंक के परिसर के भीतर अपने कर्मचारी के खिलाफ यौन उत्पीड़न की किसी भी शिकायत के मामले में ठेकेदार/एजेंसी द्वारा गठित आंतरिक शिकायत समिति के समक्ष शिकायत दर्ज की जाएगी और ठेकेदार/एजेंसी शिकायत के संबंध में उक्त अधिनियम के तहत उचित कार्रवाई सुनिश्चित करेगी। बैंक के किसी भी कर्मचारी के खिलाफ ठेकेदार के किसी भी गंभीर कर्मचारी से यौन उत्पीड़न की किसी भी शिकायत का बैंक द्वारा गठित क्षेत्रीय शिकायत समिति द्वारा संज्ञान लिया जाएगा। यदि ठेकेदार के कर्मचारी द्वारा यौन हिंसा साबित हो जाती है, तो ठेकेदार किसी भी मौद्रिक मुआवजे के लिए जिम्मेदार होगा, जिसे घटना में कर्मचारी शामिल होने की स्थिति में भुगतान करने की आवश्यकता हो सकती है। ठेकेदार अपने कर्मचारी को कार्यस्थल पर यौन उत्पीड़न की रोकथाम और संबंधित मुद्दे के बारे में शिक्षित करने के लिए जिम्मेदार होगा।</p> <p><b>Prevention of Sexual harassment clause:</b> The contractor/Agency shall be solely responsible for full compliance with the provision of “the sexual Harassment of women at work place (Prevention, Prohibition and Redressal) Act 2013”. In case of any complaint of sexual harassment against its employee within the premises of Bank, complaint will be filed before the Internal complaint committee constituted by the Contractor/Agency and the Contractor/Agency shall ensure appropriate action under the said Act in respect to the complaint. Any complaint of sexual harassment from any aggravated employee of the contractor against any employee of the Bank shall be taken cognizance of by the Regional Complaints Committee constituted by the Bank. The Contractor shall be responsible for any monetary compensation that may need to be paid in case the incident involves the employee, if sexual violence by the employee of the contractor is proved. The contractor shall be responsible for educating its employee about prevention of sexual harassment at workplace and related issue.</p>
14	<p>सफल बोलीदाता बैंक से पूर्व अनुमति लिए बिना कार्य का उप-ठेका नहीं देगा। The successful Bidder shall not sub-contract the work without taking prior permission from the Bank.</p>
15	<p><b>बैंक गारंटी खंड :</b> यह सहमति व्यक्त की जाती है कि _____ द्वारा ₹ _____ की बैंक गारंटी (Performance Bank Guarantee) प्रदान की जाएगी, जो _____ 2025 से _____ 2026 तक वैध होगी। यह बैंक गारंटी इस अनुबंध के नियमों और शर्तों के पालन को सुनिश्चित करने के लिए प्रदान की जा रही है। यदि _____ अनुबंध की शर्तों का पालन करने में विफल रहता है, तो भारतीय रिज़र्व बैंक, जयपुर को इस बैंक गारंटी की राशि प्राप्त करने का अधिकार होगा।</p> <p><b>Performance Bank Guarantee Clause:</b> It is agreed that _____ shall submit a Performance Bank Guarantee of ₹ _____ /-, which shall be valid from _____ 2025, to _____, 2026. This bank guarantee is being provided to ensure compliance with the terms and conditions of this agreement. If _____ fails to comply with the contractual terms, Reserve Bank of India, Jaipur shall have the right to invoke and claim the guaranteed amount.</p>
16	<p><b>व्यवसाय निरंतरता खंड:</b> अगर किसी अप्रत्याशित घटना, प्राकृतिक आपदा, महामारी, साइबर हमले, सरकारी प्रतिबंध, या अन्य किसी आपातकालीन स्थिति के कारण इस अनुबंध के तहत किसी भी पक्ष की व्यावसायिक गतिविधियाँ बाधित होती हैं, तो प्रभावित पक्ष को अन्य पक्ष को यथाशीघ्र सूचित करना होगा। दोनों पक्ष व्यवसाय की निरंतरता सुनिश्चित करने के लिए उचित उपाय करेंगे, जिसमें वैकल्पिक संसाधनों का उपयोग, दूरस्थ कार्य की व्यवस्था, और आवश्यकतानुसार सेवाओं को पुनर्स्थापित करने के प्रयास शामिल होंगे। यदि व्यवधान एक निर्दिष्ट अवधि (जैसे ___ दिन) से अधिक समय तक बना रहता है, तो दोनों पक्ष इस अनुबंध को संशोधित करने, निलंबित करने या समाप्त करने के लिए आपसी सहमति से निर्णय ले सकते हैं।</p>

	<p><b>Business Continuity Clause:</b> In the event that any party's business operations are disrupted due to unforeseen circumstances such as natural disasters, pandemics, cyber-attacks, government restrictions, or any other emergency, the affected party shall promptly notify the other party. Both parties shall take reasonable measures to ensure business continuity, including utilizing alternative resources, remote work arrangements, and efforts to restore services as necessary. If the disruption continues beyond a specified period (e.g., ___ days), the parties may mutually decide to amend, suspend, or terminate this agreement.</p>
17	<p><b>भाषा खंड:</b> उक्त करार अंग्रेजी और हिंदी भाषा में है। हिंदी पाठ में किसी भी विसंगति और/या किसी संदेह की स्थिति में, अंग्रेजी पाठ मान्य होगा।</p> <p><b>Language Clause:</b> The agreement is in English and Hindi. In the event of any discrepancy and /or any doubt in the Hindi text, the English text will stand valid.</p>
यदि ठेकेदार एक भागीदारी या एक व्यक्ति है If the contract or is a Partnership or an Individual	<p>इसके साक्ष्य में बैंक तथा ठेकेदार ने इन दस्तावेजों तथा मूल प्रति पर इसके ऊपर उल्लेखित दिन और वर्ष में हस्ताक्षर किए हैं।</p> <p>IN WITNESS WHEREOF The Bank and the Contractor have set their respective hands to these presents and two duplicates hereof the day and year first hereinabove written.</p>
यदि ठेकेदार एक कंपनी है If the contract or is a Company	<p>इसके साक्ष्य में बैंक ने अपने विधिवत प्राधिकृत किये हैं और ठेकेदार ने इन पर तथा उक्त दोनों प्रतिलिपियों पर अपनी नियमित मोहर लगवाई है/इसके पहले उक्त दिनांक और वर्ष को अपनी ओर से इन दस्तावेजों तथा उक्त दो प्रतिलिपियों का निष्पादन करवाया है।</p> <p>IN WITNESS WHEREOF The Bank has set its hand to these presents through its duly authorized official and the Contractor has caused its common seal to be affixed hereunto and the said two duplicate/has caused these presents and the said two duplicates hereof to be executed on its behalf, the day and year first hereinabove written.</p>

Signature Clause

SIGNED AND DELIVERED by the Reserve Bank of India by the hand of

Shri .....

(name and designation)

.....

..... in the presence of

(1)

Address

(2)

Address

.....  
.....  
.....

Witnesses

SIGNED AND DELIVERED BY  
.....  
.....

If the part is a partnership firm or any individual should be signed by all or on behalf of all the partners.

(1)

Address

.....  
.....  
.....

2)

.....

Address

.....  
.....  
.....

Witnesses

If the Contractor signs under its common Seal the signature clause should tally with their sealing clause in the Articles of Associations.

THE COMMON SEAL OF

Was hereunto affixed pursuant to the resolutions passed

By its Board of Directors at the meeting held on

.....  
.....  
.....

In the presence of

The Contractor is signing by the hand of power of attorney whether a company or individual.

(1)

.....  
.....

The Contractor is signing by the hand of power of attorney whether a company or individual.

(2)

.....  
.....

Directors who have signed these presents in taken thereof in the presence of

(1) .....

....

(2) .....

....

SIGNED AND DELIVERED BY the Contractor by the hand Of

Shri .....

and duly constituted attorney.

## SECTION C

### GENERAL INSTRUCTIONS TO TENDERERS

**(To be read in relevance to e-tendering process only)**

**1. Issue and Submission of Tender:**

Participation in this tender will be allowed to empaneled contractors in respective category & who have experience in related trades like **civil works, etc.** Tender for **“Renovation work in OLDR at Main office Building, Jaipur”** as the case may be, shall be uploaded through MSTC website strictly in accordance to the procedures prescribed in Section-I of this document & will be remain open to the tenderer for participation before -----under any circumstances whatsoever.

**2. Part I – Technical & Commercial:**

- a. Part-I shall contain the unpriced tender consisting of scope of works as specified, specifications of an item of works, documents and commercial terms and conditions etc. Earnest Money shall be submitted through NEFT only.
- b. Part-I of the tender as submitted shall contain the following and to be deposited in the RBI, Estate Department, Jaipur Office unless otherwise stated separately in this document:

(i) Intending tenderer has to deposit a sum of **₹ 70,600/- (Rupees Seventy Thousand and Six Hundred only)** The EMD need to submit as shown above in *A/c No.8692299, Account name RBI Jaipur IFSC Code: RBIS0JPPA01 (0=Zero)* through NEFT / Mobile Banking / RTGS {Intimate/ forward the transaction details to [estatedeptjaipur@rbi.org.in](mailto:estatedeptjaipur@rbi.org.in)}. EMD should be interest free and shall be returned to bidder after submission of PBG.

(ii) Power of Attorney/authorization with the seal of the company/firm in the name of the person signing the tender documents.

(iii) Performance Guarantee as stated in the ‘Memorandum

**3. Part II – Price:**

(a) This part shall contain prices in Indian Rupees only and shall be opened through online after due fulfilment of condition as per Part-I tender. Change of terms and conditions and technical deviations, if any, found in Part II of the tender will not be taken into account and will be treated as null and void.

(b) Rates should be quoted in Indian Rupees only. No request for any change in rate or conditions after the opening of the part II tender will be entertained.

(c) The rates quoted shall be based on the Part-II of tender and shall be firm and binding without any Escalation whatsoever till the entire Contract period.

(d) The rates quoted shall be deemed to be for the finished work and shall be firm and binding till the entire work is completed & handed over to the Bank.

- (e) For any item, if the rate and amount do not tally with respect to the bill of quantities, then the amount arrived on the basis of quoted rates shall only be acceptable and in case of variation of rates in the original and duplicate, the lower of the two rates will be considered for arriving at the total amount for that item.

#### 4. Opening of Tender:

As per the procedures laid down in Section-I hereto for opening of e-tender.

a. Validity of Tender: The Tender along with the prices shall remain valid initially for a period of 3 months from the date of opening of tender which period may be further extended by mutual agreement in writing by the Tenderer and the Tenderer shall not cancel or withdraw the tender during this period or change the quoted rates.

b. The Reserve Bank of India does not bind itself to accept the lowest or any tender and reserves to itself the right to accept or reject any or all the tenders either in whole or in part without assigning any reasons for doing so. The tenderer whose tender is not accepted shall not be entitled to claim any costs, charges, damages and expenses of and incidental to or incurred by him through or in connection with his submission of tenders, even though the Bank may right to modify/withdraw the tender.

c. The Contractor shall note that unless otherwise stated, the tender is strictly on item rate basis and his attention is drawn to the fact that rates for each and every item should be correct, workable and self-supporting. The quantities in the Schedule of Quantities approximately indicate the total extent of work but may vary to any extent and may even be omitted thus altering the aggregate value of the contract. No claim shall be entertained on this account.

5(a). The tenderers are advised to submit the tender based strictly on the General Conditions of the Contract and scope of works as specified contained in the tender documents, and not to stipulate any deviations. If acceptance of the terms and conditions given in the tender documents has any price implications, the same should be considered and included in the quoted price. Tender containing deviations from the terms and conditions is liable to be rejected.

6. No advice whatsoever especially on any change in rate, specifications or conditions after opening of the tender will be entertained.

7(a). The rates shall also be firm and shall be valid for the entire duration of the contract and/or extension thereof and shall not be subject to exchange variations, labour conditions, fluctuations in railway freights or any conditions whatsoever.

7(b). The rates quoted in the tender shall include all charges including for packing, transport, loading, unloading and for delivery at site. Tenderers must include in their rates Good and Service Tax (GST), royalties and any other tax and duty or other levy levied by the Central Government or any State Government or local authority, if applicable as per latest notification/s of Govt. of India/State Govt./Statutory/Local Authority.

New levies at actual in addition to statutory variation in taxes, duties, levies and cesses except income tax shall be reimbursed/adjusted as per applicability. For reimbursement of the amounts paid, Contractor shall produce documentary proof of enhancement of taxes (except income tax) and receipts of payments. Any reduction in any taxes, etc. shall be recovered from the dues to the contractor.

7(c). The rates quoted in the tender shall include all charges for clearing of site after completion, debris collections, erection of debris chutes if necessary, dismantling and taking away the debris (as soon as it becomes equivalent to one truck load or as & when directed by the Bank's Engineer) outside the compound (as per the rules and regulations of municipal authorities) from time to time as directed by Bank so as to keep the surrounding neat & clean complete centering, boxing, staging, planking, timbering, fencing, hoarding, plant and equipment, storage sheds, watching and lighting, by night as well as day including Sundays and Holidays, protection of the public and safety of adjacent roads, streets, pavements, walls, houses, buildings and all other erections, matters and things and the contractor shall take down and remove any or all such centering, scaffolding, staging, planking, timbering, strutting, shoring etc., as occasion shall require or when ordered so to do, and fully reinstate and make good all matters and things disturbed during the execution of work and to the satisfaction of the Bank.

7(d). Water required for the work or workmen can be availed from the available source at site **free of cost**. The contractor has to make his own arrangements to take the supply to the requisite position. However, in case of failure of water supply or water crisis due to which no water is available at site for any reason, then it must be noted that contractor has to make his own arrangement for procuring water at no extra cost to Bank so that work progress must not hamper.

7(e). Electric power required for the work can also be drawn from the supply available at site (at single point) **free of cost**. The contractor has to make his own arrangements to take the supply to the requisite position.

7(f). **Labourers will not be allowed to stay at site after working hours. The working hours will be 09.00 AM to 05.30 PM. For working on non-working days including holidays, Saturday and Sunday a necessary permission needs to be taken by the vendor to enter in the bank.**

7 (g). The contractor shall furnish a break-up of rate/cost/amount of any of the items or all the items, as may be sought for by the Bank, along with supporting documents etc. This, however, shall not be construed for any additional claim at any point of time.

8. The Earnest Money Deposit as mentioned in the memorandum at section- A of this tender by a Demand Draft or by NEFT or in the form of irrevocable Bank Guarantee in the enclosed prescribed format shall only be accepted by the Bank issued by a Schedule Bank in both the cases. The demand draft or Bank Guarantee shall be drawn in favour of Reserve Bank of India, Jaipur. The validity of the Bank Guarantee shall be for 6 **months** from the last date of receipt of tender which period may be further extended in case of extension of validity of tender with respect to

clause 13 hereof. Further, it shall be extended by the successful bidder up to the completion of the work.

- a) Intending tenderers shall pay an Earnest Money Deposit (EMD) a sum of ₹ **70,600/- (Rupees Seventy Thousand and Six Hundred only)** Earnest Money Deposit (EMD) shall be deposited through NEFT in favour of Reserve Bank of India, on or before the date given in E-tendering notification in favour of Reserve Bank of India, Jaipur.
- b) **Under no circumstances Earnest money deposit will be accepted in the form of fixed deposit receipt of Bank or Insurance Guarantee or Cheque etc.**

The EMD will be returned to the tenderer without Interest if his tender is not accepted by the Bank on award of work in favour of the successful tenderer.

9. The tenderers may obtain for themselves on their own responsibility and at their own expenses all the information which may be necessary for the purpose of making tender and for entering into a contract and may examine the drawings, inspect the site of the work, inspect and understand the all local conditions, means of access to the work, nature of the work and all matters pertaining thereto. The intending tenderer can obtain any clarifications regarding the tender, specifications, if any from the office of the Regional Director, Estate department, Reserve Bank of India, Jaipur on any Bank's working day between 11:00AM to 4:00 PM by contacting Shri Ashok Kumar Gupta, Manager (Tech-Civil), M- 9717108444.

10. Validity of Tender:

The Tender along with the prices shall remain valid initially for a period of **3 months** from the date of opening of tender, which period may be further extended by mutual agreement in writing by the Tenderer and the Tenderer shall not cancel or withdraw the tender during this period or change the quoted rates.

11. The Reserve Bank of India does not bind itself to accept the lowest or any tender and reserves to itself the right to accept or reject any or all the tenders either in whole or in part. The tenderer whose tender is not accepted shall not be entitled to claim any costs, charges, damages and expenses of and incidental to or incurred by him through or in connection with his submission of tenders, even though the Bank may right to modify/withdraw the tender.

12. The Contractor shall note that unless otherwise stated, the tender is strictly on item rate basis and his attention is drawn to the fact that rates for each and every item should be correct, workable and self-supporting. The quantities in the Schedule of Quantities approximately indicate the total extent of work but may vary to any extent and may even be omitted thus altering the aggregate value of the contract. No claim shall be entertained on this account.

**Place:**

**Signature of the tenderer with seal**

**Date:**

**Address**

## SECTION D

### General Terms and Conditions of the Contract

1. On receipt of intimation from the Employer regarding the acceptance of his/their tender, the successful tenderer shall be bound to sign the formal Contract agreement within fourteen days, in accordance with the draft agreement and the Schedule of Conditions. The written acceptance by the Reserve Bank of India of a tender will constitute a binding contract between the Reserve Bank of India and the Person so tendering, whether such formal agreement is or is not subsequently executed within the stipulated period of Fourteen days. Unless the contract agreement is signed, no payment shall be entertained by the Employer. **The agreement shall be executed in duplicate. One copy will remain in the custody of Employer and the second set of copy will remain in the custody of contractor. The agreement shall be made on necessary stamp paper (having worth equal to applicable stamp duty in the state of Rajasthan) and the cost of necessary stamp duty on both the document shall be borne solely by the contractor.**

2. The Contractor shall not assign or not sublet any portion of the contract except with the written consent of the Employer. In case of breach of these conditions, the Employer may serve a notice in writing on the Contractor rescinding the contract whereupon the security deposit shall stand forfeited to the Employer, without prejudice to his other remedies against the Contractor.

3. The Contractor shall carry out all the work strictly in accordance with drawings, details and instructions of the Bank's Engineer. If any changes required during the currency of the contract by deviating the tender requirements based on the opinion of the Bank's Engineer (with the prior approval in writing from the Employer), the Contractor shall carry out the same. The Bank's Engineer's decision in such cases shall be final.

4. A schedule of probable Quantities in respect of each work and Specifications accompany the Special Conditions. The Schedule of Probable Quantities is liable to alterations as per Bank's requirement. The Reserve Bank of India also reserves the right to increase or decrease the quantities and even omit any item of work after the order is placed and the Contractor shall execute the same without claiming anything extra for the same. In this context, the rates quoted for each item must be self-supporting and relevant.

5(a). Security for the due fulfillment of the contract under clause 7 of General Instructions to Tenderers, 5% of the total value of work done will be withheld from their each running A/c bill by the Bank as Retention Money (RM). On the request of the contractor, the amount of retention money deducted from each bill may be released against Bank Guarantee valid till the completion of 'Defect Liability Period' for equivalent amount after the virtual completion of the work till the completion of defect liability period. The EMD shall be released without any interest to the contractor on completion of the work after issue of virtual completion certificate and the R.M. amount shall be released after successful completion of 12 months of Defect Liability

Period from the date of completion certificate provided all the defects pointed out are rectified. The security deposit of the successful tenderer and R.M. will be forfeited if he/they fails to comply with any of the conditions of contract. No interest will be paid on Security Deposit and Retention Money withheld by the Bank.

5(b) The successful tenderer, within a period of **14 days** from the date of award of work by the Bank, shall submit a **Performance (Bank) Guarantee** (to be arranged by the contractor at his own cost) obtained from any of the nationalized / scheduled bank, in the format approved by the Bank for an amount equivalent to 5% of the contract value. This is to ensure adherence to complete the work and execution:

- (i) Of abnormally low rated items up to the full tender quantity.
- (ii) Strictly as per the specifications and instructions.
- (iii) With usage of only approved materials and getting the materials tested as per tender provisions.
- (iv) With best quality workmanship.

The above-noted **Performance Bank Guarantee** shall be valid up to the satisfactory completion of the work in all respects and shall have to be renewed by the contractor up to extended completion time, if any. In case, the contractor fails to comply with any of the above conditions, the Bank will be at liberty to invoke the Guarantee based on the certificate issued by the Bank's Engineer. The Guarantee shall be released after issue of virtual completion certificate.

6. All compensation or other sums of money payable by the contractor to the Employer under the terms of this contract may be deducted from his security deposit if the amount so permits and the contractor shall, unless such deposit has become otherwise payable, within ten days after such deduction make good in cash the amount so deducted.

7. All the statutory deductions at source will be deducted as per the norms of Govt. /statutory authorities. Successful tenderers shall get registration under relevant Govt. body/authority/agency prior to award of the work.

8. The Contractor should note that unless otherwise stated, the tender is strictly on item rates basis and his attention is drawn to the fact that rates for each and every item should be correct, workable and self-supporting. The quantities in the Schedule of Quantities approximately indicate the total extent of work, but may vary to any extent and may even be omitted thus altering the aggregate value of the Contract. However, during actual execution of work if the quantities of any of the items of work exceeds by more than 25% of the tender quantities, the quantities of such items executed with the concurrence of the employer, in excess of 25% of the tender quantity shall be considered as an extra item of work for which the Contractors shall submit fresh rates supported by rate analysis worked on the actual cost basis plus 15% towards establishment charges, contractor's overhead and profit. If any of the items of work is omitted from the accepted tender at the sole discretion of the employer, the contractor shall not be entitled to any claim on this account. The Contractor may, when authorized, and shall, when directed, in writing by the

Employer add to, omit from or vary the works shown upon the drawings or described in the specification, or included in the Schedule of Quantities, but the Contractor shall make no addition, omission or variation without such authorization or direction.

No claim for an extra shall be allowed unless it shall have been executed under provisions hereof or with the concurrence of the Employer as herein mentioned. Any such extra is herein referred to as authorized extra and shall be made in accordance with the following provisions.

- (a) (i) The net rates or prices in the original tender shall determine the valuation of the extra work where such extra work is of similar character and executed under similar conditions as the work priced therein.
- (ii) Rates for all items, wherever possible, should be derived out of the rates given in the Priced Bill of Quantities.

(b) The net prices of the original tender shall determine the value of the items omitted provided if omissions vary the conditions under which any remaining items of works are carried out the prices for the same shall be valued under sub-clause (c) thereof.

(c) Where the extra works are not of similar character and/or executed under similar conditions as aforesaid or where the omissions vary the conditions under which any remaining items of works are carried out or if the amount of any omissions or additions relative to the amount of the whole of the contract works or to any part thereof shall be such that in the opinion of the engineer the net rate or price contained in the Priced Schedule of Quantities or tender or for any item of the works involves loss or expense beyond that reasonably contemplated by the Contractor or is by reason of such omission or addition rendered unreasonable or inapplicable, the Engineer shall fix such other rate or price as in the circumstances he shall think reasonable and proper, with the prior approval in writing of the Employer.

(d) Where extra work cannot be properly measured or valued the Contractor shall be allowed day work prices as the net rates stated in the tender of the Priced Schedule of Quantities or, if not so stated, then in accordance with the local day work rates and wages for the district, provided that in either case vouchers specifying the daily time (and if required, the workman's name) and materials employed be delivered for verification to the Employer or his representative at or before the end of the week following that in which the work has been executed.

(e) It is further clarified that for all such authorized extra items where rates cannot be derived from tender, the Contractors shall submit rates supported by rate analysis worked on the "actual cost basis" plus 15% towards establishment charges, contractor's overhead and profit. Such items will not be eligible for escalation.

(f) The measurement and valuation in respect of the Contract shall be completed within the "Period of Final Measurement" stated in the Appendix.

9. The successful tenderer should make his own arrangement to obtain all the building materials required for the work.

10(a). Wherever the basic rate for the material is specified, the contractor should furnish to the Bank for verifications all the original paid bills. The purchase rate shall be got approved from the Bank's Engineers before purchasing such materials. No overhead and profit shall be considered on the cost difference.

10(b). The basic rates are inclusive of all prevalent taxes on material including GST, etc. levied by Government or any public body. The rate quoted shall include cost of transportation to the site, storing, handling, wastage etc. and nothing extra on these accounts will be considered and paid in basic rates. The agencies are to submit tax paid invoices for 100% quantity in support of their claim of basic rate as specified in Part-II of the tender and taxes etc. Quantities indicated in the Bills or measured whichever is minimum shall only be considered for price adjustment. In absence of invoices, no payment shall be made for positive difference in basic cost, Negative variations shall be recovered based on the approved rates/market rates.

11. The tenderer shall have to use materials of the makes/manufacturers specified in the list of material of approved brand and/or manufacture contained in this tender form.

12. Time allowed for carrying out the work is as per the memorandum at Section-A of this tender which shall be strictly observed by the tenderer. The work shall throughout the stipulated period of the contract be proceeded with all due diligence and if the Contractor fails to complete the work within the specified period, he/they shall be liable to pay liquidated damages at the rate of 0.25 % per week of estimated tender amount subject to a maximum amount of 10% of the tendered amount.

The Liquidated damages will be levied in following manner:

"If the Contractor fails to maintain the required progress of the works by the completion time stipulated in the Contract or within any extended time under time extension Clause and the employer certifies in writing that in his opinion the same ought reasonably to have been completed, the Contractor shall pay the Employer the sum named as "Liquidated Damages" for the period during which the said works shall so remain incomplete and the Employer may deduct such damages from any moneys due to the Contractor.

13. The Contractor shall not be entitled to any compensation for any loss suffered by him on account of delays in commencing or executing the work, whatever the cause of delays may be, including delays arising out of modifications to the work entrusted to him or in any sub-contract connected therewith or delays in awarding contracts for other trades of the project or in commencement or completion of such works or in procuring Government controlled or other building materials or in obtaining water and power connections for construction purposes or for any other reason whatsoever and the Employer shall not be liable for any claim in respect thereof. The Employer does not accept liability for any sum besides the tender amount, subject to such variations as are provided for herein.

14. The successful tenderer is bound to carry out any or all items of work necessary for the completion of the job even though such items are not included in the quantities and rates. Schedule of Instructions in respect of such additional items and their quantities will be issued in writing by the Bank's Engineer.

15. The successful tenderer must co-operate with other contractor/(s) appointed by the Employer so that the work shall proceed smoothly without any delay and to the satisfaction of the Engineer.

16. DEFECT LIABILITY PERIOD:

Any defect or fault which may appear during **12 months** from the date of completion of work/or supply and installation in full as specified under the contract, arising in the opinion of the Bank's Engineer from materials or workmanship not in accordance with the contract, shall upon the directions in writing of the Bank's Engineer, and within such reasonable time as shall be specified therein, be amended and made good by the Contractor at his own cost and in case of default the Bank may employ and pay other persons to amend and make good such defects/faults and damages, loss and expenses consequent there upon or incidental thereto shall be made good and borne by the contractor and such damages, loss and expenses shall be recoverable from him by the Bank, or may be deducted by the Bank upon the Bank's Engineers' certificate in writing from any moneys due or that may become due to the contractor. The contractor shall remain liable under the provisions of this clause notwithstanding the signing by the Bank's Engineer any certificate or passing of any accounts.

17. DELIVERY SCHEDULE: The entire work is to be completed within a period as mentioned in the memorandum at Section-A of this tender. The Contractors are advised to visit the site and get themselves fully acquainted with the general and local site conditions, particularly, those having bearing upon transportation, handling, storage etc. prior to quoting the tender. The material required for the work will have to be delivered, placed and fixed in position at RBI Office, Rambagh circle Jaipur site of the Bank.

18. TERMS OF PAYMENT: Payment shall be made based on completed items of work the minimum value of an RA bill shall be as per the memorandum at Section-A of this tender. On request of contractor, Bank at its discretion may release the 75% of the amount payable to the Contractor on the RA bills as ad-hoc payment within 7 working days from the date of certification by the Bank's Site Engineer, pending test checking of work and measurement checking, detailed arithmetical accuracy check and certification by competent technical officer of the Bank. 5% Retention money shall be deducted from each payment including ad-hoc payment.

19. Insurance: The contractor shall, at his own expense, effect and maintain till issue of the virtual completion certificate under this contract, with an insurance company approved by the employer the insurance policies as described in clause 24 under "Conditions Hereinbefore Referred To".

20. Errors, Omission and Descriptions:

- (a) In case of errors, omissions and/or disagreement between written and scaled dimensions on the drawings or between the drawings and specification etc. the following order of preferences shall apply.
- (i) Between the written or shown description or dimensions in the drawings and the corresponding one in the specification the later shall be taken as correct.
- (ii) Between the written description of the item in the specifications and the detailed descriptions in the schedule of quantities of the same item, the later shall be adopted.
- (b) Between the duplicate copies of the tender and original tender, the original shall be taken as correct.
- (c) In all cases of omissions and/or doubts or discrepancies in any item or specification a reference shall be made to the Employer whose elucidation, elaboration or decision shall be considered as authentic. The Contractor shall be held responsible for any errors that may occur in the work through lack of such reference and precaution.
21. Should any treasure, fossils, minerals or works of art of antediluvian interest be found during excavation or while carrying out the works, the contractor shall give immediate notice of any such discovery and shall make over such finds to the Employer. Contractor shall hand over the same to RBI and that contractor shall not claim any right title interest for the same.
22. All disputes and differences of any kind whatever arising out of or in connection with the contract or the carrying out of the works shall be settled as described under clause 34 of "Conditions Hereinbefore Referred To".
23. Contract Labour License: Necessary contract license for deploying contract labour (as per prevailing contract labour Act 1970) shall be obtained from the central labour authorities.
24. All safety measures as per the safety code of tender shall be strictly adhered.
- 25 (a) For structural repair materials, manufacturer`s test certificates are to be submitted for every batch.
- (b) During the repairs/restoration process of building, the Bank's Engineer/representatives may supervise and carry out inspection to ensure the compliance of tender specifications as and when intimated. The contractor shall make necessary arrangements for the same.
- (c) The contractor shall at his own expenses supply and deliver to the laboratory (as approved by the Bank) the samples to be tested as may be directed by the Engineer/Authorities.
- (d) The entire cost of testing (including cost of material to be tested, supply and delivery of material to the laboratory, testing cost charged by the laboratory etc.) shall be borne by the contractor.

I/We hereby declare that I/we have read and understood the above instructions to the contractors.

Place:

Signature of Tenderer with stamp

Date:

Address:

## **SPECIAL CONDITIONS OF THE CONTRACT**

1. The entire work is to be completed in **150 days** subject to the extension of time allowed to complete the work and the contractor therefore has to submit their **appropriate Schedule/ Programme** of work supported by his infrastructure with adequate support of plants, tools, tackles, labour force etc. After mobilizing the site, major activities to be taken up may be Barricading/scaffolding erection/ safety net fixing, etc. The contractor shall start the work in designated place which is interconnected four blocks with one or more activity as per their planned programme so as to complete the entire work within the stipulated time.
2. The space / area stacking yard, store, site office etc may be finalized by the firm in consultation with Bank's engineer before commencement of work.
3. Labourers will not be allowed to stay at site/within premises.
4. The water required for the work or workmen can be availed from the available source at site free of cost. The contractor has to make his own arrangements to take the supply to the requisite position. However, in case of failure of water supply or water crisis due to which no water is available at site for any reason, then it must be noted that contractor has to make his own arrangement for procuring water at no extra cost to Bank so that work progress must not hamper.
5. The electric power required for the work can also be drawn from the supply available at site (at single point) **free of cost**. The contractor has to make his own arrangements to take the supply to the requisite position.
6. Contractor will have to make his own arrangement to hoist all the material, tools and plants, scaffolding etc. as per tender at the place of work as well as lowering down the same along with debris and salvaged material without causing any dust, nuisance, spillage and safety hazards. For this purpose, the contractor will have to get his scheme approved well in advance from the Employer and shall have to incorporate any changes suggested by him. No debris more than a truckload shall be allowed to be accumulated at site.
7. The Contractor at his own cost will have to put up proper and sufficient hoarding screen and fence during the time as be necessary for safety and convenience of the staff and visiting public and maintain the same in good condition during work and where necessary cause such hoarding or fence to be well lighted during the night to prevent accidents. Contractor will have to make good without any extra payment, any damage done during the work. The tenderers are requested in their own interest to inspect the site to assess the nature and quantum of work.
8. Contractor shall not be allowed to store any of the debris material inside the building. It shall be allowed only at Ground level within the premises. Necessary arrangements shall be made in advance with the prior approval of Engineer-in-charge to transport all debris to ground by means of suitable chutes or any other suitable/safe mode and stack the same wherever directed by the Bank's Engineer prior to carting away. Material shall be brought through the staircase only and no freight/passenger lift shall be used for lifting/lowering materials.

9. Work platforms erected shall be such as to facilitate safe working of workers and supervisors as also to support man, materials, and debris on at least three to four levels simultaneously.
10. Contractor shall, before start of the work shall submit his time schedule to carry out the work.
11. The contractor shall endeavor to keep dust and dirt nuisance inside the building to minimum. Contractor shall also provide at his cost thick polythene sheets on floors inside Bank premises of sufficient width for labourers to walk on / transport the materials, to the complete satisfaction of Bank engineer.
12. The work is required to be carried out with ongoing occupancy. Contractor shall be required to give his best possible co-operation to offer minimum of inconvenience to the occupier to the extent possible. Day to day cleaning shall be done by the contractor for surrounding work area and the staircase & passages used by the labourers shall be cleaned properly & satisfactorily to Bank's Engineer.
13. Only steel scaffolding shall be allowed to use for repair work as well as plaster and painting work wherever required.
14. The Tenderer shall use only approved make of materials as given in the tender and materials shall be of premium quality. The materials shall be used in the work only after Bank's approval.
15. The tenderer shall obtain at his cost require labour licence, make payment to his/her workmen strictly in accordance with the Minimum Wages Act and shall comply all the provisions of the Contract Labour Act and shall keep and maintain all necessary documents / records for inspection of Government Authorities / Bank's officials from time to time.
16. Contractor shall provide and erect a temporary arrangement like safety nets/platforms/barricade around work area being taken up for renovation work in reasonable advance period so that employee may safely move around without any risk or danger. This shall be in accordance with relevant safety standards and safety guidelines of Occupational Safety and Health Administration (OSHA) for construction.
17. The Contractor shall during the whole time the works are in progress employ a competent representative who shall be constantly in attendance at the works while the men are at work. Any directions explanation, instructions or notices given by the Employer to such representative shall be held to be given to the Contractor.

Place:

Signature of Tenderer with stamp

Date:

Address:

## **SAFETY CODE**

1. First aid appliances including adequate supply of sterilized dressing and cotton wool shall be kept in a readily accessible place.
2. An injured person shall be taken to a public hospital without loss of time, in cases where the injury necessitates hospitalization.
3. Suitable and strong scaffolds should be provided for workmen for all works that cannot safely be done from the ground.
4. No portable single ladder shall be over 8 meters in length. The width between the side rails shall not be less than 30 cm (clear) and the distance between two adjacent rungs shall not be more than 30 cm. When a ladder is used an extra mazdoor shall be engaged for holding ladder.
5. The excavated material shall not be placed within 1.5 meters of the edge of trench or half of the depth of trench whichever is more. All trenches and excavations shall be provided with necessary fencing and lighting.
6. Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be one meter.
7. No floor, roof or other part of the structure shall be so overloaded with debris or materials as to render it unsafe.
8. Those engaged in welding works shall be provided with welder's protective eye-shields and gloves.
9. (i) No paint containing lead or lead products shall be used except in the form of paste of readymade paint.  
(ii) Suitable facemasks should be supplied for use by the workers when the paint is applied in the form of spray or surface having lead paint dry rubbed and scrapped.
10. Overalls shall be supplied by the Contractor to the painters and adequate facilities shall be provided to enable the working painters to wash during the periods of cessation of work.
11. Hoisting machines and tackle used in the works, including their attachments, anchorage and supports shall be in perfect condition.
12. The ropes used in hoisting or lowering material or as a means of suspension shall be of durable quality and adequate strength and free from defects.

## **FIRE SAFETY CODE**

1. Cutting / drilling machine and other electrically operated equipment's used at site shall be plugged into correctly rated electrical outlets.
2. Only ISI marked 7 pin plug and other appliances and equipment's shall be used.
3. Electrical power cables/wires used shall not have any joints and shall be properly rated.
4. All electrical appliances i.e. welding, drilling, cutting machine etc. shall be safely and securely earthed to prevent leakage current while in operation.
5. Two buckets of water and sand shall be kept in an easily accessible area on the site.
6. Fire extinguishers recommended and issued by fire officers shall be kept on the site.
7. Used paint drums shall be stored in specified store only after closing them properly.
8. Personal protective equipment's such as safety shoes, hand gloves, welder's mask, ear plug etc. depending upon the requirement of the work shall be provided by the contractor to the workmen to prevent occupational health hazards.
9. The safety belt shall be provided by the contractor and used by the workmen while working from height for more than 3m from Ground level.
10. None of the passages near lift lobby and staircases shall be used for stacking / dumping any kind of materials/waste.
11. Both the staircase doors shall be normally kept closed.
12. None of the fire extinguishers shall be removed/shifted from its designated location.
13. Power supply shall be switched off from the mains when equipment is not in use.
14. Wood-shavings and saw-dust generated from the work shall be collected on daily basis, removed from site and stored at the designated place in proper manner.
15. Any debris generated from the work shall be collected on daily basis, removed from site and stored at the designated place in proper manner.
16. Battery operated emergency light/torches shall be provided by the contractor to the workmen while working beyond office hours.

## The Conditions hereinbefore referred to

### Interpretation of Clause

1. In construing these conditions, the Specifications, Schedule of Quantities and Contract Agreement, the following words shall have the meanings herein assigned to them except where the subject or context otherwise requires.
  - (a) Employer                      Shall mean The Reserve Bank of India and shall include its assignees and successors
  - (b) Bank's                              Shall mean the technical officer or any other successor of  
Engineer/Engineer              the Bank nominated by the Employer for that purpose  
/Engineer-in-  
Charge
  - (c) Contractor  
In the case of a      Contractor      shall      mean      \_\_\_\_\_  
partnership firm      \_\_\_\_\_  
and \_\_\_\_\_ trading as partners in the name  
and style of \_\_\_\_\_  
and having a place of business at \_\_\_\_\_  
and shall include the partners for the time being of the said  
firm and the legal representatives of a deceased partner.  
  
In the case of      Contractor shall mean \_\_\_\_\_  
individual              trading in the name and style of \_\_\_\_\_  
\_\_\_\_\_ and shall include his heirs, successors and legal  
representatives.  
  
In the case of      Contractor      shall      mean      \_\_\_\_\_  
company              \_\_\_\_\_ a company  
incorporated under \_\_\_\_\_ and  
having its registered office at \_\_\_\_\_  
and shall include its successors and assignees.
  - (d) Site                              Shall mean the site of the contract works including any building and erections thereon and any other land (inclusively) as aforesaid allotted by the Employer for the Contractor's use.
  - (e) This Contract                      Shall mean the Articles of Agreement, General Instructions, General Terms and Conditions, Special Conditions of Contract, Appendixes, Specifications, Workmanship, Mode of Measurement, Schedule of Quantities set forth in this document, The work shown upon the said drawings and/or

described in the said Specifications and included in the Schedule of Quantities at the respective rate therein set forth amounting to the sum as therein arrived at or such other sum as shall become payable there under attached hereto and duly signed.

- (f) Notice in writing Or written notice shall mean a notice in written, typed or printed characters sent (unless delivered personally or otherwise proved to have been received) by registered post to the last know private or business address or registered office of the addressee and shall be deemed to have been received when in the ordinary course of post it would have been delivered.
- (g) Act of Insolvency Shall mean any act of insolvency as defined by the Presidency Towns Insolvency Act, or the Provincial Insolvency Act or any Act amending such original.
- (h) Net Prices If in arriving at the contract amount the Contractor shall have added to or deducted from the total of the items in the Tender any sum, either as a percentage or otherwise, then the net price of any item in tender shall be the sum arrived at by adding or deducting from the actual figure appearing in the Tender as the price of that item a similar percentage or determining the percentage or proportion of the sum so added or deducted by the contractor the total amount of any Prime Cost items and provisional sums of money shall be deducted from the total amount of the tender. The expression "net rates" or "net prices" when used with reference to the contract or accounts shall be held to mean rates or prices so arrived at.
- (i) Works Shall mean '**Renovation work in OLDR at Main office Building, RBI Jaipur** for the Employer at Jaipur as provided herein.

Words importing persons include firms and corporations. Words importing the singular only also include the plural and vice versa where the context requires.

- Scope of Contract 2. The contractor shall carry out and complete the said work in every respect in accordance with this Contract and with the directions of and to the satisfaction of Employer. The Employer may in his absolute discretion and from time to time issue further drawing and/or written instructions, details directions and explanations which are hereafter collectively referred to as "Bank's Instructions" in regard to:-
- (a) The variation or modification of the design, quality or quantity of works or the addition or omission or substitution of any work.
  - (b) Any discrepancy in the Drawings or between the Schedule of Quantities and/ or Drawings and/or Specification.

- (c) The removal from the site of any material brought thereon by the Contractor and the substitution of any other material therefore.
- (d) The removal and/or re-execution of any works executed by the Contractor.
- (e) The dismissal from the works of any persons employed thereupon.
- (f) The opening up for inspection of any work covered up.
- (g) The amending and making good of any defects under clause 19 and 20 thereof.

The Contractor shall forthwith comply with and duly execute any work comprised such Employer's instructions provided always that verbal instructions directions and explanations given to the Contractor or his representative upon the works by the Employer's shall, if involving a variation, be confirmed in writing by the Contractor within seven days, and if not dissented from in writing within a further seven days by Employer's such shall be deemed to be Employer's instructions within the scope of the Contract.

Variations to be approved by the Employer

3. The Contractor shall submit a statement to variations giving quantity and rates duly supported by analysis of rates, vouchers, etc. The rates on scrutiny and final acceptance by Employer shall form a supplementary tender. The Employer shall not be liable for payment of such variations until these statements are sanctioned by it.

Agreement

4. The Contract shall be executed in duplicate. One copy will remain in the custody of Employer and the second set of copy will remain in the custody of contractor. The agreement shall be made on necessary stamp paper (having equal to applicable stamp duty in the state of **Rajasthan** and the cost of necessary stamp duty on both the document shall be borne solely by the contractor.

Contractor to provide everything necessary at his cost

5. The contractor shall provide at his cost everything necessary for the proper execution of the work according to the intent and meaning of the drawing. Schedule of quantities and specification taken together with whether the same may or may not be particularly shown or described therein provided that the same can reasonably be inferred there from and if the contractor finds any discrepancy in the drawings or between the drawings schedule of quantities and specifications he shall immediately and in writing refer same to the Employer who shall decide which is to be followed.

Authorities, notices and patents

6. The contractor shall conform to the provisions of any Act of the legislature relating to the works and to the regulations and bye-laws of any authority, and of any water, electric supply and other companies and/or authorities with whose, systems the structure is

proposed to be connected, and shall, before making any variations form the drawings or Specifications that may be necessitated by so conforming, give to the Employer written notice, specifying the variation proposed to be made and the reason for making it and apply for instruction thereon. In case the Contractor shall not within ten days receive such instructions, he shall proceed with the work conforming to the provisions, regulations, or by-laws in question, and any variation so necessitated shall be dealt with under Clause 13 hereof.

The Contractor shall bring to the attention of the Employer all notices required by the said Acts, regulations or bye-laws to be given to any authority and pay to such authority, or to any public office all fees that may be properly chargeable in respect of the works, and lodge the receipts with the Employer.

The contractor shall indemnify the Employer against all claims in respect of patent rights, and shall defend all action arising from such claims, and shall himself pay all royalties, license fees, damages, cost and charges of all and every sort that may be legally incurred in respect thereof.

Setting out of works.

7. The Contractor shall set out the works and shall be responsible for the true and perfect setting out of the same and for the correctness of the positions, levels, dimensions, and alignment of all parts thereof. If at any time any error in this respect shall appear during the progress of the works or within a period of one year from the completion of the works, the Contractor shall, if so required, at his own expense rectify such error to the satisfaction of the Employer.

Materials & workmanship to conform to description

8. All materials and workmanship shall so far as procurable be of the respective kinds described in the Schedule of Quantities and/or Specifications and in accordance with the Employer's instructions, and the Contractor shall upon the request of the Employer furnish him with all invoices, accounts, receipts and other vouchers to prove that the materials comply therewith. The Contractor shall at his own cost arrange for and carry out any test/s of any materials which the Employers may require.

During the manufacturing/ fabrication process, the Bank's Engineer/ representatives may visit factory for inspection to ensure the compliance of tender specifications as and when intimated. The contractor shall make necessary arrangements for factory inspection for such visit/s.

Contractor's superintendence and

9. The Contractor shall give all necessary personal superintendence during the execution of the works, and as long thereafter as the Employer may consider necessary until the expiration of the "Defects

representative on the works. Liability Period” stated in the Appendix hereto. The Contractor shall also during the whole time the works are in progress employ a competent representative who shall be constantly in attendance at the works while the men are at work. Any directions explanation, instructions or notices given by the Employer to such representative shall be held to be given to the Contractor.

Dismissal of workmen. 10. The Contractor shall on the request of the Employer immediately dismiss from the works any person employed thereon by him who may, in the opinion of the Employer, be incompetent or misconduct himself and such persons shall not be again employed on the works without the permission of the Consultant.

Access to works 11. The Employer, and their respective representatives shall at all reasonable times have free access to the work and/ or to the workshops, factories or other places where materials are lying or from which they are being obtained and the Contractor shall give every facility to the Employer, and their representatives necessary for inspections and examination and test of the materials and workmanship. No person not authorized by the Employer except the representatives of public authorities shall be allowed on the works at any time.

Bank’s Engineer 11. (a) The term Bank’s Engineer shall mean the person appointed and paid by the employer and acting under the orders of the Employer to inspect the works; the contractor shall afford the Bank’s Engineer every facility and assistance for inspecting the works and materials and for checking and measuring time and materials. The Bank’s Engineer shall not have power to set out works or to revoke, alter, enlarge or relax the requirements of the Contract, or to sanction any day work, additions, alterations, deviations or omissions, or any extra work whatever except in so far as such authority may be specially conferred by a written order of the Employer with the prior concurrence in writing of the Employer.

The Bank’s Engineer or any representative of the Employer, shall have power to give notice to the contractor or to his representative of non- approval of any work or materials and such work shall be suspended of the use of such materials shall be discontinued until the decision of the Employer is obtained. The work will from time to time be examined by the Employer, the Bank’s Engineer or the Employer’s representative but such examination shall not in any way exonerate the Contractor from the obligation to remedy any defects which may be found to exist at any stage of the works after the same is completed. Subject to the limitation of this clause the Contractor shall take instructions only from the Employer.

Assignment and Subletting	12. The whole of the works included in the Contract shall be executed by the contractor and the Contractor shall not directly or indirectly transfer, assign or under-let the Contract or any part / share thereof or any interest therein without the prior written consent of the Employers and no undertaking shall relieve the Contractor from the full and entire responsibility of the Contract or from active superintendence of the works during their progress.
Alterations, additions, omission etc.	13. No alteration, omission or variation shall vitiate this Contract but in case the Employer thinks proper at any time during the progress of the works to make any alterations in, or additions to, or omissions from, the works or any alteration in the kind or quality of the materials to be used therein and shall give notice thereof in writing under its hand to the Contractor. The Contractor shall alter, add to, or omit from, as the case may be, in accordance with such notice, but the Contractor shall not do any work extra to or make any alterations or additions to or omissions from the works or any deviation from any of the provisions of the Contract, Stipulation, Specification or Contract Drawings without the previous consent in writing of the Employer and the value of such extras, alterations, additions or omissions shall in all cases be determined by the Engineer with the prior approval in writing of the Employer in accordance with the provisions of Clause 17 hereof, and the same shall be added to or deducted from the Contract Amount, as the case may be.
Schedule of Quantities.	14. The Schedule of Quantities, unless otherwise stated shall be deemed to have been prepared in accordance with the Standard Method of Measurement. Any error in description or in quantity or in omission of items from the Schedule of Quantities shall not vitiate this contract but shall be rectified and the value thereof, as ascertained under Clause 17 hereof, shall be added to, or deducted, from the Contract Amount (as the case may be) provided that no rectification of errors, if any, shall be allowed in the Contractor's Schedule of Rates.
Sufficiency of Schedule of quantities	15. The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the prices stated in the Schedule of Quantities and/ or the Schedule of Rates and Prices which rates and prices shall cover all his matters and things necessary for the proper completion of the works.
Measurement of works	16. The Employer may from time to time intimate to the Contractor that he requires the works to be measured and the Contractor shall forthwith attend or send a qualified Agent to assist the Bank's Engineer in taking such measurements and calculations and to furnish all particulars or to give all assistance required by any of them.

Should the Contractor not attend or neglect or omit to send such agent then the measurement taken by the Bank's Engineer shall be taken to be correct measurements of the works. Such measurements shall be taken in accordance with the Mode of Measurements detailed in the tender document.

The Contractor or his Agency may at the time of measurement take such notes and measurements as he may require.

All authorized extra works, omissions and all variations made with the prior approval in writing of the Employer shall be included in such measurements.

Prices for extras etc. ascertainment of 17. The Contractor may, when authorized, and shall, when directed, in writing by the Employer add to, omit from or vary the works shown upon the drawings, or described in the specifications, or included in the Schedule of quantities, but the Contractor shall make no addition, omission or variation without such authorization or direction. A verbal authority or direction by the Employer shall, if confirmed by them in writing within seven days, be deemed to have been given in writing.

No claim for an extra shall be allowed unless it shall have been executed under provisions of Clause 13 hereof or under provisions of clause 8 of general terms and conditions or by the authority of the Employers with the concurrence of the employer as herein mentioned. Any such extra is herein referred to as authorized extra and shall be made in accordance with the provisions in the clause 8 of general terms and conditions.

Unfixed materials when taken into account to be the property of the Employer. 18. Where in any Certificate (of which the Contractor has received payment), the Employer has included the value of any unfixed materials intended for and /or placed on or adjacent to the works such materials shall become the property of the Employer and they shall not be removed except for use upon the works, without the written authority of the Employer. The Contractor shall be liable for any loss of or damage to, such materials.

Removal of improper works 19. The Bank shall, during the progress of the works, have power to order in writing from time to time the removal of the works within such reasonable time or times as may be specified in the order, or any materials which in the opinion of the Employer are not in accordance with the Specifications or the instructions of the Employer, the substitution of proper materials, and the removal and proper re-execution of any work executed with materials or workmanship not in accordance with the Drawings and Specifications or instruction and the Contractor shall forthwith carry out such order at his own cost. In case of default on the part of the contractor to carry out such order,

the Employer shall have the power to employ and pay other persons to carry out the same; and all expenses consequent thereon, or incidental thereto, as certified by the Employer shall be borne by the Contractor or may be deducted by the Employer from any money due, or that may become due, to the Contractor.

Defects after virtual completion.

20. Any defect, shrinkage, settlement or other faults which may appear within the "Defects Liability Period" stated in the Appendix hereto or, if none stated, **then within twelve months** after the virtual completion of the works, arising in the opinion of the Employer from materials or workmanship not in accordance with the contract, shall upon the directions in writing of the Employer and within such reasonable time as shall be specified therein, be amended and made good by the Contractor, at his own cost and in case of default the Employer may employ and pay other persons to amend and make good such defects, shrinkage, settlement or other faults, and all damages loss and expenses consequent thereon or incidental thereon or incidental there to shall be made good and borne by the Contractor and such damage, loss and expenses shall be recoverable from him by the Employer or may be deducted by the Employer, upon the Engineer's Certificate in writing from any money due or that may become due to the Contractor, or the Employer may in lieu of such amending and making good by the Contractor deduct from any moneys due to the Contractor a sum, to be determined by the Employer equivalent to the cost of amending such work and in the event of the amount retained under Clause 31 hereof being insufficient, recover the balance from the Contractor, together with any expenses the Employer may have incurred in connection therewith.

Should any defective work have been done or material supplied by any sub-contractor employed on the works who has been nominated or approved by the Employer as provided in Clauses 12 and 22 hereof, the Contractor shall be liable to make good in the same manner as if such work or material had been done or supplied by the Contractor and been subject to the provisions of this Clause and Clause 2 hereof. The Contractor shall remain liable under the provisions of this Clause notwithstanding the signing of any Certificate or the passing of any accounts, by the Employer.

Certificate of virtual completion & defects liability period.

21. The works shall not be considered as completed until the Employer has certified in writing that they have been virtually completed. The Defects Liability Period shall commence from the date of such Certificate.

Nominated Sub-Contractor. 22. All Specialists, Merchants, Tradesmen and other executing any work of supplying and fixing any goods for which prime cost prices or provisional sums are included in the Schedule of Quantities and/or specification who may be nominated or selected by the Employer are hereby declared to be Sub-Contractors employed by the Contractor and are herein referred to as nominated Sub-Contractors.

No nominated Sub-Contractor shall be employed on or in connection with the works against the Contractor shall make reasonable objections or (Save where the "Employer and Contractor shall otherwise agree) who will not enter into a Contract providing.

- a) That the nominated Sub-Contractor shall indemnify the Contractor against the same obligations in respect of the Sub-Contract as the Contractor is under in the respect of this Contract.
- b) That the nominated Sub-Contractor shall indemnify the Contractor against claims in respect of any negligence by the Sub-Contractor, his servants or agents or any misuse by him or them of any scaffolding or other plants, the property of the contractor or under any Workman's Compensation Act in force.
- c) Payment shall be made to the nominated Sub-Contractor within fourteen days of his receipt provided that before any Certificate is issued, the Contractor shall upon request furnish, to the Employer proof that all nominated Sub-Contractor's accounts, included in previous Certificates have been duly discharged, in default whereof the Employer may pay the same upon a certificate of the Employer and deduct the amount thereof from any sums due to the Contractor. The exercise of this power shall not create privacy of contract as between Employer and Sub-Contractor.

Other persons employed by Employer 23. The Employer reserves the right to use premises and any portions of the site for the execution of any work not included in this Contract which it may desire to have carried out by other persons and the Contractor shall allow all reasonable facilities for the execution of such work but shall not be required to provide any plant or material for the execution of such work except by special arrangement with the Employer. Such work shall be carried out in such manner as not to impede the progress of the works included in the Contract and the Contractor shall not be responsible for any damage or delay which may happen to or occasioned by such work.

Insurance in respect to damages to 24. The Contractor shall be responsible for all injury or damage to persons, animals or things and for all damage to property which may arise from any factor omission on the part of the Contractor or any

persons and  
property

Sub-Contractor or any nominated Sub-Contractor or any of their employees. The liability under this clause shall cover also, inter-alia any damages to structures, whether immediately adjacent to the works or otherwise; any damage to roads, streets, footpaths, bridges as well as damage caused to the buildings and other structures and works forming the subject matter of this contract. The contractor shall also be responsible for any damage caused to the building and other structures and works forming the subject, matter of this contract due to rain, wind, frost or other inclemency of weather. The contractor shall, indemnify and keep indemnified the Employer and hold him harmless in respect of all and any loss and expenses arising from any such injury or damage to persons or property as aforesaid and also against any claim made in respect of injury or damage, whether under any statute or otherwise and also in respect of any award or compensation or damage consequent upon such claims.

The Contractor shall, at his own expense, effect and maintain till issue of the virtual completion certificate under this contract, with an insurance company approved by the Employer, an **All Risk Policy** for Insurance for the full amount of the contract including earthquake risk in the joint names of the employer and the contractor (the name of the former being placed first in the policy) against all risk policy for contractors and deposit such policy or policies with the employer before commencing the works.

The contractor shall reinstate all damage of every sort mentioned in this Clause so as to do delivery of the whole of the works complete and perfect in every respect and so as to make good or otherwise satisfy all claims for damage to property or third parties.

The Contractor shall also indemnify and keep indemnified the Employer against all claims which may be made against the Employer by any person in respect of anything which any arise in respect of the works or in consequence thereof and shall at his own expense, effect and maintain until the virtual completion of the contract, with an Insurance Company approved by the employer a policy of Insurance in the joint names of the Employer and the Contractor (name of the former being placed first in the policy) against such risk and deposit such policy or policies before commencement of the works. Third party liability in "Contractors All Risk Policy" shall be minimum ₹ **2.00 lakh (Rupees Two lakh only)** per person for any one accident or occurrence and ₹ **5.00 lakh (Rupees Five lakh only)** in respect of damage to property for any one accident or occurrence. The contractor shall also indemnify the employer against all claim which may be made upon the Employer, whether under the Workmen's Compensation Act or any other statute in force, during the currency of this contract or at Common Law in respect of any

employee of the contractor or of Sub-Contractor and shall at his own expense effect and maintain until the virtual completion of the contract or with an Insurance Company, approved by the Employer, a policy of insurance against such risks and deposit such policy or policies with the Employer from time to time during the currency of this contract.

In default of the contractor insuring as providing above, the employer may so insure and may deduct the premiums paid from any moneys due or which may become due to the contractor.

The contractor shall be responsible for any liability which may not be covered by the Insurance Policies referred to above and also for all other damages to any person, animal or defective carrying out of this contract, whatever, may be the reasons due to which the damage shall have been caused.

The contractor shall also indemnify and keep Indemnified the Employer against all and any costs, charges or expenses arising out of any claim or proceedings relating to the works and also in respect of any of damage or compensation arising there from.

Without prejudice to the other rights of the employer against contractor in respect of such default, the employer shall be entitled to deduct from any sums payable to the contractor the amount of any damages, compensation costs, charges and other expenses paid by the employer and which are payable the contractor under this clause.

The Contractor shall upon settlement by the insurer pursuant to a policy taken under this clause, proceed with due diligence to rebuild or repair the works destroyed or damaged. In this event all the monies received from the Insurer in respect of such damage shall be paid to the Contractor and the contractor shall not be entitled to any further payment in respect of the expenditure incurred for rebuilding or repairing of the materials or goods destroyed or damaged.

The contractor, in case of re-building or reinstatement after damage shall be entitled to such extension of time for completion as the Employer may deem fit, but shall, however, not be entitled to reimbursement by the employer of any shortfall or deficiency in the amount finally paid by the insurer in settlement of any claim arising as set out herein.

Without prejudice to his liability under this clause, the contractor shall also cause all nominated sub-contractors to effect, for their respective portions of the works, similar policies of insurance in accordance with the provisions of this clause and shall produce or cause to produce

to the employer such policies. The contractor shall not permit a nominated sub-contractor to commence work at the site unless the said insurance policies are submitted. In the event of failure of the sub-contractor to take out such a policy of insurance before commencing the works at the site, the contractor shall be responsible for any claim or damage attributable to the said sub-contractor.

**Insurance:** The contractor shall take all insurances at his cost to cover all kinds of risks from the time the equipment /materials leave the manufacturer's works till handing over work to the Bank, in the joint names of the Bank and the contractor and it shall cover the following risks.

Workmen Compensation for working men  
Third party liability (@10% of estimated cost of work per accident maximum for 3 period)  
Contractor's All Risk policy for contract value  
Note:

These policies shall be valid till the completion of the work and shall be submitted prior to obtaining any permission to work at site. If the contractor does not provide these policies, the Bank reserves the right to stop the work till the submission of the insurance policies and the delay caused due non-submission of insurance policies will be on account of contractor and Bank reserve the right to levy the liquidated damages for delay.

**The vendor(s) need to extend the period of validity of all type of insurance up to extended time in case any extension of time for completion of work is granted by the Bank. Bank will not pay any charges for extending the validity of all type of insurance for such extended period**

Date of commencement and completion. 25. The Contractor shall be allowed admittance to the site on the "Date of Commencement" stated in the Appendix hereto, or such later date as may be specified by the Employer and he shall thereupon and forthwith begin the works and shall regularly proceed with and complete the same (except such work as the Employer may desire to delay on or before the "Date of Completion" stated in the Appendix subject nevertheless to the provisions for extension of time hereinafter contained.

Damage for non-completion 26. If the Contractor fails to complete the works by the date stated in the Appendix or within any extended time under Clause 27 hereof and the Employer certifies in writing that in his opinion the same ought reasonably to have been completed the Contractor shall pay the Employer the sum named in the Appendix as "Liquidated Damages" for the period during which the said work shall so remain incomplete

and the employer may deduct such damages from any moneys due to Contractor.

Delay and extension of time

27. If in the opinion of the Employer the works be delayed (a) by force Majure or (b) by reason of any exceptionally inclement weather or (c) by reason of proceeding taken or threatened by or dispute with adjoining or neighboring owners or public authorities arising otherwise than through the Contractor's own default or (d) by the works of delays of other Contractors or Tradesmen engaged or nominated by the Employer and not referred to in the Schedule of Quantities and/or Specification or (e) by reason of Employer's instructions as per Clause 2 of hereof or (f) by reason of civil commotion, local combination of workmen or strike or lockout affecting any of the building trades or (g) in consequences of the Contractor not having received in due time necessary instructions from the Employer for which he specifically applied in writing or (h) from other causes which the Employer may certify as beyond the control of contractor or (i) in the even the value of work exceed the value of the priced scheduled of quantities owing to variation, the Employer may make a fair and reasonable extension of time for completion of the Contractor Works; in case of such strike or lockout the Contractor shall nevertheless constantly use his endeavors to prevent delay and shall do all that may reasonably be required to the satisfaction of the Employer to proceed with work.

Failure by contractor to comply with Employer's instructions

28. If the Contractor after receipt of written notice from the Employer requiring compliance within ten days fails to comply with such further drawings and/or Employer instructions the Employer may employ and pay other persons to execute any such work whatsoever that may be necessary to give effect thereto, and all costs incurred in connection therewith shall be recoverable from the Contractor by the Employer on the Certificate of the Employer as a debt or may be deducted by him from any money due to the Contractor.

Termination of contract by the Employer

29. If the contractor being an individual or a firm commits any "act of insolvency", or shall be adjudged an insolvent or being an incorporated Company shall have an order for compulsory winding up made against it or pass an effective resolution for winding up voluntarily or subject to the supervision of the Court and the Official Assignee or the Liquidator in such acts of insolvency or winding up, as the case may be, shall be unable within seven days after notice to him requiring him to do so, to show to the reasonable satisfaction of the Employer that he is able to carry out and fulfill the Contract and to give security therefore, if so required by the Employer.

Or if the Contractor (whether an individual, firm or incorporated Company) shall suffer execution or other process of Court attaching property to be issued against the Contractor.

Or shall suffer any payment under this Contract to be attached by or on behalf of any of the creditors of the Contractor.

Or shall assign or sublet this Contract without the consent in writing of the Employer first had and obtained.

Or shall charge or encumber this Contract or any payments due of which may become due to the Contractor hereunder.

Or if the Employer shall certify in writing that the Contractor,

- i. Has abandoned the Contract, or
- ii. Has failed to commence the works, or has without any lawful excuse under these Conditions suspended the progress of the works for fourteen days after receiving from the Employer notice to proceed or
- iii. Has failed to proceed with the works with such due diligence and failed to make such due progress as would enable the works to be completed within the time agreed upon or
- iv. Has failed to remove materials from the site or to pull down and replace work for seven days after receiving the Employer written notice that the said materials or work were condemned and rejected by the Employer under these conditions, or
- v. Has neglected or failed persistently to observe and perform all or any of the acts, matters of things by this Contract to be observed and performed by the Contractor for seven days after written notice shall have been given to the Contractor requiring the Contractor to observe or perform the same.

Then and in any of the said cases the Employer may, notwithstanding any previous waiver, after giving seven days' notice in writing to the Contractor, determine the Contract, but without thereby affecting the powers of the Employer or the obligations and liabilities of the contractor, the whole of which shall continue in force as fully as if the Contract had not been so determined, and as if the works subsequently executed had been executed by or on behalf of the Contractor. And further, the Employer by his agents or servants may enter upon and take possession of the works and all plant, tools, scaffolding, sheds, machinery steam and other power utensils and materials lying upon the premises or the adjoining lands or roads, and use the same as its own property or may employ the same by means of his own servants and workmen in carrying on and completing the works or by employing any other Contractor or other person or persons to complete the works, and the Contractor shall not in any way interrupt or do any act, matter or thing to prevent or hinder such

other Contractor or other person or persons employed for completing and finishing of using the materials and plant for the works. When the works shall be completed or as soon thereafter as convenient the Employer shall give a notice in writing to the Contractor to remove his surplus materials and plant, and should the Contractor fail to do so within a period of fourteen days after receipt thereof by him, the Employer may sell the same by public auction, and give credit to the Contractor for the net amount realized. The Employer shall thereafter ascertain and certify in writing under his hand what (if anything) shall be due or payable to or by the Employer, for the value of the said plant and materials so taken possession of by the Employer and the expense or loss which the Employer shall have been put to in procuring the works to be completed and the amount, if any, owing to the Contractor and the amount which shall be so certified shall thereupon be paid by the Employer to the Contractor or by the Contractor to the Employer, as the case may be, and the Certificate of the Employer shall be final and conclusive between the parties.

Termination of  
Contracts by  
Contractor

30. If the payment of the amount payable by the Employer under Certificate of the Employer shall be in arrears and unpaid for thirty days after notice in writing requiring payment of the amount as aforesaid shall have been given by the Contractor to the Employer, or if the Employer interferes with or obstructs the issue of any such Certificate, or if the Employer shall repudiate the Contractor, or if the works be stopped for three months under the order of the Employer or the Employer or by any injunction or other order of any Court of Law, then and in any of the said cases the Contractor shall be at Liberty to determine the Contract by notice in writing to the Employer, and he shall be entitled to recover from the Employer, payment for all works executed and for any loss he may sustain upon any plant or materials supplied or purchased or prepared for the purpose of the Contract.

In arriving at the amount of such payment the net rates contained in the Contractor's original Tender shall be followed or where the same may not apply valuation shall be made in accordance with Clause 17 hereof.

Certificates and  
payments

31.(a) The Contractor shall be paid by the Employer from time to time by installments under Interim Certificates to be issued by the Employer to the Contractor on account of the works executed when in the opinion of the Employer, work to the approximate value named in the Appendix as 'Value of work for Interim Certificates" (or less at the reasonable discretion of the Employer) has been executed in accordance with this Contract. On request of contractor, Bank at its discretion may release the 75% of the amount payable to the Contractor on the RA bills as ad-hoc payment within 7 working days

from the date of certification by the Bank's Site Engineer, pending test checking of work and measurement checking, detailed arithmetical accuracy check and certification by competent technical officer of the Bank. however all the payments shall be subject to a retention of the percentage of such value named in the Appendix hereto as "Retention Percentage for Interim Certificates" until the total amount retained shall reach the sum named in Appendix as "Total Retention Money" after which time installments shall be up to the full value of the work subsequently so executed and fixed in the building. And when the works have been virtually completed and the Employer shall have certified in writing that they have been completed, the Contractor shall be paid by the Employer in accordance with the Certificate to be issued by the Employer the sum of money named in the Appendix as "Installment after Virtual Completion" being a part of the said Total Retention money. And the Contractor shall be entitled to the payment of the Final Balance in accordance with the Final Certificate to be issued in writing by the Employer at the expiration of the period referred to as "the Defect Liability Period" in the Appendix hereto from the date of Virtual Completion or as soon as after the expiration of such period as the works shall have been finally

completed and all defect made good according to the true intent and meaning hereof whichever shall last happen, provided always that the issue by the Employer of any Certificate during the progress of the works or at or after their completion shall not relieve the contractor from his liability under Clause 2 and 20 hereof, not relieve the contractor of his inability in cases of fraud, dishonesty, or fraudulent concealment relating of the works or material or to any matter dealt with in the Certificate, and in case of all defects and insufficiencies in the works or materials which a reasonable examination would not have disclosed. No certificate of the Employer shall of itself be conclusive evidence that any works or materials to which it relates are in accordance with the Contract neither will the Contractor have a claim for any amounts which the Employer might have certified in any interim bill and paid by the Employer and which might subsequently be discovered as not payable and in this respect the Employer's decision shall be final and binding.

(c) The Contractor has to submit along with his all running account bills and final bill, a statement showing the details as well as the quantities of cement, steel and other building materials procured by him up to the date of the bill for verification of the same before settlement of such bills by the Bank.

(d) The Employer shall have power to withhold any Certificate if the works or any parts thereof are not being carried out to his satisfaction.

(e) The Employer may make any correction in any previous Certificate which shall have been issued by him.

(f) No certificate of payment shall be issued by the Employer if the Contractor fails to insure the works and keep them insured till the issue of the Virtual Completion Certificate.

(g) Payment upon the Employer's Certificate shall be made within the periods named in the Appendix as "Period for honor of Certificates" after such Certificates have been delivered to the Employer.

Delayed  
Payment

32. Any amounts payable by the Employer to the Contractor in pursuance of any certificate given by the Employer hereunder shall, if not paid within the "Period of honouring certificates" named in the Appendix, carry interest at the rate named in the Appendix as the "Rate of Interest for delayed payment" from the date upon which such sum ought to have been paid by the Employer until the payment.

Matters to be  
finally  
determined by  
Bank

33. The decision, opinion, direction, Certificate with respect to all or any of the matters under Clause 2,5,7,8,12,16,17,19,20,21,27 (a,b,c,d,f), 28 hereof (which matters are herein referred to as excepted matters) shall be final and conclusive and binding on the parties hereto and shall be without appeal. Any other decision, opinion, direction. Certificate of valuation of the Employer or any refusal of the Employer to give any of the same, shall be subject to the right of Arbitration and review under Clause 34 hereof.

Settlement of  
disputes try  
arbitration

34. All disputes and differences of any kind whatever arising out of or in connection with the contract or the carrying out of the works (whether during the progress of the works or after their completion and whether before or after the determination abandonment or breach of contract) shall be referred to and settled by the Bank who shall state its decision in writing. Such decision may be in the form of a final certificate or otherwise. The decision of the Bank with respect to any of the excepted matters shall be final and without appeal as stated in clause 33 hereof. But if either the contractor be dissatisfied on any matter the contractor may within 28 days after receiving notice of such decision give a written to the other party requiring that matters in dispute be arbitrated upon. Such written notice shall specify the matters, which are in dispute or difference of which such written notice has been given. If both the parties agree, a single arbitrator would be appointed for the purpose. In case no agreement could be reached on the appointment of single arbitrator, both the parties will nominate one person each as an arbitrator on their behalf. The arbitrators nominated by the parties shall nominate one more person to act as third arbitrator or umpire.

The arbitrator or arbitrators, as the case may be, shall have power to open up, review and revise any certificate, opinion, decision, requisition or notice, save in regard to the excepted matters, referred to in the preceding Clause, and to determine all matters in dispute which shall be submitted to arbitration and of which notice shall have been given as aforesaid.

The arbitrator or arbitrators, as the case may be, shall make his or their award within one year (or such further extended time as may be decided by him or them as the case may be with the consent of the parties) from the date of entering on the reference. In case during the arbitration proceeding the parties mutually settle or compromise their dispute or difference, on the parties filling their joint memorandum of the settlement or compromise, the arbitrator or the arbitrators as the case may be, shall make an award in terms of such settlement or compromise.

Upon any such reference, the decision on the cost incidental to the reference and award respectively shall be in the discretion of the arbitrator or arbitrators as the case may be, who may determine the amount thereof or direct the same to be taxed as between the party and party, and shall direct by whom and whom and in what manner the same shall be borne and paid.

This submission shall be deemed to be a submission to arbitration within the meaning of the Indian Arbitration and Conciliation Act, 1996 or any statutory modification thereof. The award of the arbitrator or arbitrators, as the case may be, shall be final and binding on the parties. It is agreed that the Contractor shall not delay the carrying out of the works by reason of any such matter, question or dispute being referred to arbitration, but shall proceed with the works with all due diligence and shall until the decision of the arbitrator or arbitrators is given, abide by the decision of the Bank. No award of the arbitrator or arbitrators, as the case may be, shall be relieve the Contractor of his obligations to adhere strictly to the Bank's instructions with regard to the actual carrying out of the works. The Employer and the Contractor hereby also agree that arbitration under this clause shall be a condition precedent to any right of action under the contract.

Right of  
Technical  
Scrutiny of Final  
Bill.

35. The Employer shall have a right to cause a technical examination of the works by any of the persons or organization as appointed by the employer and the final bill of the Contractor including all supporting vouchers, abstracts, etc. If as a result of this examinations or otherwise any sum is found to have been overpaid or over certified it shall be lawful for the Employer to recovery the sum from any payment due to the Contractor for this works or any other works being carried out by the contractors elsewhere under the RESERVE BANK OF INDIA.

Employer entitled to recover compensation paid to workmen.	36. If, for any reason, the Employer is obliged, by virtue of the provisions of the Workmen's Compensation Act, 1923, or any statutory modification or re-enactment thereof to pay compensation to a workman employed by the Contractor in execution of the works, the Employer shall be entitled to recover from the Contractor the amount of compensation so paid, and without prejudice to the rights of the Employer under the said Act. The Employer shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by the Employer to the Contractor under this contract or otherwise. The Employer shall not be bound to contest any claim made against it under the said Act, except on the written request of the contractor and upon his giving to the Employer for all cost for which the Employer might become liable in consequence of contesting such claim.
Abandonment of works.	37. If at any time after the acceptance of the tender, the Employer shall for any reasons whatsoever not require the whole or any part of the works to be carried out, the Employer shall give notice in writing to the Contractor who shall have to claim to any payment of compensation or otherwise whatsoever on account of any profit or advantage which he might have derived from the execution of the whole works.
Return of surplus materials	38. Notwithstanding anything to the contrary contained in any or all the clauses of this Contract, where any material for the execution of the Contract is procured with the assistance of the Employer by purchases made under orders of permits or licenses issued by Government, the contractor shall hold the said materials economically and solely for the purpose of the Contractor and not dispose of them without the prior written permission of the Employer and return it to the Employer, if required by the Employer, at the price to be determined by the Employer having due regard to the condition of the materials, the price to be determined not to exceed the purchase price thereof inclusive of <b>GST</b> , octroi and other such levies paid by the Contractor in respect thereof. In the event of breach of the aforesaid condition, the Contractor shall, addition to being liable to action for contravention of the terms of licenses or permit and/or criminal breach of trust be liable to Employer for all moneys, advantages or profits resulting or which in the usual course would have resulted to him by reason of such breach.
Right of Employer to terminate contract in the event of death of	39. Without prejudice to any of the right or remedies under this Contract, if the Contractor being an individual dies, the Employer shall have the option of terminating the Contract without incurring any liability for such termination.

contractor if  
individual

Date:

Place:

Signature of Contractor with Seal

## Appendix Hereinbefore Referred To

### Reference to clauses in Conditions Hereinbefore Referred To

Clause No.		
20	Defects Liability Period	12 Months
31	Period of Final Measurement	3 months from the date of virtual completion
25	Date of commencement	14th day after the date of issue of work order
25	Period of completion	150 Days
12 of general conditions of contract	Rate of liquidated damages	As per clause no.12 of General conditions of contract.
31	Value of works for interim certificates	₹ 20 lakh.
31	Retention percentage	5% towards security deposit.
31 & 5(a)	Security Deposit	5% of the value of work.
5(b) of General Terms and Conditions of Contract.	<b>Performance (Bank) Guarantee</b> (to be arranged by the contractor at his own cost) obtained from any of the nationalized / scheduled bank, in the format approved by the Bank	5% of the contract value. The above-noted <b>Performance Guarantee</b> shall be valid up to the satisfactory completion of the work in all respects and shall have to be renewed by the contractor up to extended completion time, if any. The Guarantee shall be released after issue of virtual completion certificate.
31	Period of honoring certificates of payment	30 days for running a/c bills and 3 months for final bills
32	Interest for delayed payment	Simple interest of 3% per annum

Signature of Contractor with seal

## **Specifications**

### **Section (A) – General:**

1. Materials shall be of the best approved quality obtainable, and they shall comply with the respective latest IS specification.
2. Samples of all materials shall be got approved before placing an order and the approved sample shall be deposited with the Engineer.
3. In case of non-availability of materials in metric sizes, the nearest size in FPS units shall be provided with the prior approval of the Engineer for which neither extra will be paid nor shall any rebate be recovered.
4. All the materials shall be tested in the reputed recognized NABL accredited testing laboratory approved by the Engineer, as per the testing schedule approved by the Engineer. Results of such tests in original issued by the laboratory shall be submitted to the Engineer. The entire charges connected with such testing including for repeated tests if ordered by the Employer shall be borne by the Contractor.
5. It shall be obligatory for the Contractor to furnish certificate, if demanded by the Engineer, from manufacturer or the material supplier that the work has been carried out by using their materials and as per their recommendations.
6. All materials supplied by the Employer/ any other specialist firm shall be properly stored and the Contractor shall be responsible for its safe custody until they are required on the works and till the completion of work.
7. Unless otherwise shown on the drawings or mentioned in the Schedule of Quantities or Special Conditions, the quality of materials, workmanship dimensions etc. shall be as specified herein under.
8. All equipment and facilities for carrying out field test on materials shall be provided by the Contractors without any extra cost.

## **Section (B) – Material:**

### **(a) Cement**

Cement shall comply in every respect with the requirements of the latest publication of IS and unless otherwise specified, Ordinary Portland Cement conforming to IS 269, 8112 or 12269 shall be used as directed.

The weight of ordinary Portland cement shall be taken as 1440 kg per cum (90 lbs per cft). Cement shall be measured by weight and in whole bags, and each undisturbed and sealed 50 kg bag being considered equivalent to 34.72 litres (1.2 cft) in volume. Care should be taken to see that each bag contains full quantity of cement. When part bag is required, cement shall be taken by weight or measured in measuring boxes.

No other make of cement but that approved by the Bank will be allowed on works and the source of supply shall not be changed without approval of the Employer in writing. Test certificates to show that cement is fully complying with the specifications shall be submitted to the Bank and notwithstanding this, the Bank may at their discretion, order that the cement brought on site and which they may consider damaged or of doubtful quality for any reason whatsoever, shall be retested in an approved testing laboratory and fresh certificates of its soundness shall be produced. Cement ordered for retesting shall not be used for any work pending results of retests.

Cement shall be stored in weatherproof shed with raised wooden plank, flooring to prevent deterioration by dampness or intrusion of foreign matter. It shall be stored in such a way as to allow the removal and use of cement in chronological order of receipt i.e. first received being first used. Cement deteriorated and/or clotted shall not be used on work but shall be removed at once from the site. However, allowing use of warehouse set cement shall be determined by the Employer.

Daily record of cement received and consumed shall be maintained by the Contractor in an approved form and submitted to the Engineer.

### **(b) Fine Aggregate**

Sand shall conform to IS 383 and relevant portion of IS 515. It shall pass through a IS sieve 4.75 mm (3/16 BS) test sieve leaving a residue not more than 5%. It shall be from natural source crushed stone screenings, if allowed, chemically inert, clean, sharp, hard, durable, well graded and free from dust, clay, shale large pebbles, salt, organic matter, loam mica or other deleterious matter. The sum of percentages of all deleterious materials in sand shall not exceed 5% by weight. It shall be washed if directed to reduce the percentage of deleterious substance to acceptable limits. Sand shall not contain any trace of salt and it shall be tested and sand containing any trace of salt shall be rejected.

The fine aggregate for concrete shall be graded within limits as specified in IS 383 and the Fineness Modulus may range between 2.60 to 3.20.

The fine aggregate shall be stacked carefully on a clean hard dry surface so that it will not get mixed up with deleterious foreign materials, if such a surface is not available a platform of planks of corrugated iron sheets or brick floor or a thin layer of lean concrete shall be prepared.

### **(c) Water**

Water for mixing cement mortar or concrete shall not be salty or brackish and shall be clean, reasonably clear and free from objectionable quantities of silt and traces of oil, acid and injurious alkali, salts, organic matter and other deleterious materials which will either weaken the mortar or concrete or cause efflorescence or attack the steel in reinforced cement concrete. Water shall be obtained from sources approved by the Engineer. Potable water is generally considered satisfactory for mixing and curing concrete, mortar, masonry etc. Where water other than main source is used this shall be tested in an approved testing laboratory to establish its suitability. All charges connected therewith shall be borne by the Contractors.

### **(d) Paints**

Oil bound distemper, cement primer, oil paint, enamel paint, flay oil paint, plastic paint, anti-corrosive primer, red lead, waterproof cement paint shall be from an approved manufacturer and shall conform to the latest Indian Standards for various paints. Ready mixed paints as received from the manufacturer without any admixture shall be used, except for addition of thinner, if recommended by the manufacturer.

## Scope of Work

### Name of work: Renovation work in OLDR at Main office Building, RBI Jaipur

- 1) Getting the approval of Make of material / Color shade etc. before start of work.
- 2) Covering the nearby area/adjacent fitting with poly-ethylene sheet/Masking tape (whichever is applicable)
- 3) Soft barricading of the area of work.
- 4) Ensuring the main (permanent) electrical supply has been cut off.
- 5) Dismantling and stacking of the material at the designated place.
- 6) Demolitions and disposal of the debris as per schedule of quantities.
- 7) Repair work to Concrete/plastered surface.
- 8) Masonry work including brickwork, plaster work, tile on wall and floor.
- 9) False ceiling work
- 10) Carpentry work and wooden flooring.
- 11) Painting/coating of area considering all the items of work (such as scraping, repair, primer, putty and paint)
- 12) Cleaning the area including floor, or any other fitting.
- 13) Carry out the items of work in proper sequence as mentioned in BOQ/manufactures specifications/as per instruction of engineer in charge.
- 14) Disposing off the debris/demolished item of work daily basis.

**Note:** 1. Mentioned above is the tentative sequence of work. Vendor need to assess the best possible way in which he can complete the work ensuring proper safety, work with best quality standard of each item of work and completing the work on or before the schedule date of completion.

1. Basic price of the material is the cost of one unit of material without GST, transportation, or any other overhead

### Approved Make of Material

**Note:**

1. The contractor shall use materials of any one of the brands listed below. If any one of the brand is not available or there is discrepancy in the required specifications and availability, contractor may propose to use any other equivalent brand having BIS/ISI marking and having required specifications with same basic price written in the respective items with the approval of the Engineer-in-Charge.

2. Contractor needs to get approval for manufacturers / make / brands / from the Engineer-In-Charge prior to initiating procurement required for execution.

Sr. no.	Material	Make
1	Cement (OPC-43 Grade)	Ultratech, Ambuja, ACC or approved equivalent
2	False Ceiling with Frame	Armstrong/Gyproc/ USG Boral or approved equivalent
3	Veneer/Laminate	Greenlam/ Century or approved equivalent
4	Glass	Saint-Gobin/ Asahi or approved equivalent
5	Hardware Fittings	Ozone/Hettich/Godrej/Dorma/ebco/Grohe/Hafele or approved equivalent
6	Paint	Asian Paints/ Nerolac/ Berger/ Snowcem or approved equivalent
7	Primer	Asian Paints / Nerolac / Berger/Snowcem or approved equivalent
8	White Cement based putty	Birla white/ JK or approved equivalent
9	Aluminium section	Tata/Jindal/Nalco or approved equivalent
10	Cement	Ultratech, Ambuja, ACC or approved equivalent
11	Tile Adhesive/ admixtures/ grout/ bonding agent/waterproofing compound	BASF/Fosroc/Pidilite/Ultratech/Sica/Asian or approved equivalent
12	Tiles (GVT/Full Body/Double charge)	Somany/ HR Johnson/Kajaria/Nitco/Sunhearrt/RAK or approved equivalent

13	Flush Door/Plywood	Century/ Greenply or approved equivalent
14	MDF Board	Green/ Century or approved equivalent
15	CP Fittings	Kohler/ Jaquar/ Hindware or approved equivalent
16	CPVC Pipe and fittings (SDR-11/Sch-40)	Astral/Ashirwad/Supreme/Prince or approved equivalent
17	Adhesive	Fevicol or approved equivalent
18	Kitchen Sink	Nirali / Diamond or approved equivalent.

Name and Signature of contractor:

Date:

Place:

## **Section (C) Mode of Measurement:**

The method of measurement for various items in the tender shall be generally in accordance with the IS: 1200 unless otherwise specifically stipulated in this tender document.

## **Section (D) Workmanship:**

### **Plastering**

#### **Scaffolding:**

Scaffolding for carrying over plastering work shall be rigid & secured double scaffolding (steel) arrangement having two sets of vertical supports so that scaffolding is independent of the walls.

#### **Preparation of surface**

After carefully removing the existing external plaster, all putlog holes in brickwork and junction between concrete and brickwork shall be properly filled in advance. Joints in brickwork shall be raked about 10 mm and concrete surface hacked to provide the grip to the plaster. Projecting burns of mortar formed due to gaps at joints in shuttering shall be removed.

Dust and loose mortar shall be brushed out. Efflorescence if any shall be removed by brushing and scrapping. The surface shall then be thoroughly washed with water, cleaned and kept wet before plastering is commenced. In case of concrete surface if a chemical retarder has been applied to the form work, the surface shall be roughened by wire brushing and all the resulting dust and loose particles cleaned off and care shall be taken that none of the retarders is left on the surface.

Ceiling plaster shall be completed before commencement of wall plaster. Plastering shall be started from the top and worked down towards the floor. Plaster about 15 × 15 cm shall be first applied, horizontally and vertically, at not more than 2 metres intervals over the entire surface to serve as gauges. The surfaces of these gauged areas shall be truly in the plane of the finished plaster surface. The mortar shall then be laid on the wall, between the gauges with trowel. The mortar shall be applied in a uniform surface slightly more than the specified thickness. This shall be brought to a true surface, by working a wooden straight edge reaching across the gauges, with small upward and sideways movements at a time. Finally the surface shall be finished off true with trowel or wooden float according as a smooth or a sandy granular texture is required. Excessive trowelling or over working the float shall be avoided. All corners, arises, angles and junctions shall be truly vertical or horizontal as the case may be and shall be carefully finished. Rounding or chamfering corners, arises, provision of grooves at junctions etc. where required shall be done without any extra payment. Such rounding, chamfering or grooving shall be carried out with proper templates or battens to the sizes required. When suspending work at the end of the day without leaving scope for a joint as far as possible. Where the same is unavoidable, the plaster shall be left, cut clean to line both horizontally and vertically. When recommencing the plastering, the edge of the old work shall be scrapped

cleaned and wetted with cement slurry before plaster is applied to the adjacent areas, to enable the two to properly join together. Plastering work shall be closed at the end of the day on the body of wall and not nearer than 15 cm to any corners or arises. It shall not be closed on the body of the features such as plasters, bands and cornices, nor at the corners of arises. Horizontal joints in plaster work shall not also occur on parapet tops and copings as these invariably lead to leakages. The plastering and finishing shall be completed within half an hour of adding water to the dry mortar. No portion of the surface shall be left out initially to be patched up later on. The plastering and finishing shall be completed within half an hour of adding water to the dry mortar.

Curing shall be started as soon as the plaster has hardened sufficiently not to be damaged when watered. The plaster shall be kept wet for a period of at least 7 days. During this period, it shall be suitably protected from all damages at the contractor's expense by such means as the Engineer-in-Charge may approve. The dates on which the plastering is done shall be legibly marked on the various sections plastered so that curing for the specified period thereafter can be watched.

The plaster shall be finished to a true and plumb surface and to the proper degree of smoothness as required. The work shall be tested frequently as the work proceeds with a true straight edge not less than 2.5 m long and with plumb bobs. All horizontal lines and surfaces shall be tested with a level and all jambs and corners with a plumb bob as the work proceeds.

Any cracks which appear in the surface and all portions which sound hollow when tapped, or are found to be soft or otherwise defective, shall be cut out in rectangular shape and redone as directed by the Engineer.

(i) When ceiling plaster is done, it shall be finished to chamfered edge at an angle at its junction with a suitable tool when plaster is being done. Similarly when the wall plaster is being done, it shall be kept separate from the ceiling plaster by a thin straight groove not deeper than 6 mm drawn with any suitable method with the wall while the plaster is green.


(ii) To prevent surface cracks appearing between junctions of column/beam and walls, 200 mm wide GI chicken wire mesh should be fixed with U nails 200 mm centre to centre before plastering the junction. The plastering of walls and beam/column in one vertical plane should be carried out in one go. For providing and fixing chicken wire mesh with U nails payment shall be made separately.

### **Painting & Polishing**

Patch repair, surface preparation, application of primer and painting etc. all complete as per the Manufacturers' specification in conformity with the relevant BIS codes as directed by the Engineer.



CLIENT	PROJECT	PROJECT NO.	ISSUE	DRAWN BY	DESCRIPTION	DANQUER DESIGN & EXECUTION
--------	---------	-------------	-------	----------	-------------	----------------------------------



01


CLIENT  
Reserve bank of India  
Ram Bang Circle, JAIPUR

DATE  
REVISION

PROJECT NO.  
PROJECT

ALL RIGHTS RESERVED. THE ARCHICAD DESIGN, DRAWINGS AND CONTENTS ARE THE PROPERTY OF DANQUER DESIGN & EXECUTION. THE ARCHITECT HAS PROVIDED A PROFESSIONAL SERVICE TO THE CLIENT. DANQUER DESIGN & EXECUTION IS NOT RESPONSIBLE FOR ANY CONSTRUCTION DEFECTS OR OMISSIONS THAT MAY OCCUR DURING THE CONSTRUCTION OF THE PROJECT. THE CLIENT IS ADVISED TO CONSULT WITH THE ARCHITECT FOR ANY CHANGES TO THE DESIGN.

**DANQUER**  
DESIGN &  
EXECUTION



**C**



TV WALL PANEL

03


CLIENT  
Reserve bank of India  
Ram Bahg Circle, JAIPUR

DATE  
REVISION

PROJECT NO.  
PROJECT

ALL RIGHTS RESERVED. THE ARCHITECT, DRAWING, AND INFORMATION CONTAINED HEREIN IS THE PROPERTY OF DANQUER DESIGN & EXECUTION. THIS DOCUMENT IS FOR THE EXCLUSIVE USE OF THE CLIENT AND IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF DANQUER DESIGN & EXECUTION.

**DANQUER**  
DESIGN &  
EXECUTION



Asian paints emulsion (matt black)

WPC panel baten size 1" X 2" ratio panel size 6" X 9"

Suspended false ceiling with teak veneer finish

**E**

1'-6"

4"

Calcecruda Stucco Mirror Paledio Tile by Asian paints Designer texture paint)

Slim profile ALU glass door by Ozone

Slim profile glass door by ozone

Marino laminate full body unicorn laminte 1mm thickness

teak veneer with melamine polish

**C**

**D**

04

Reserve bank of India  
Ram Bahg Circle, JAIPUR

PROJECT NO.


DATE

PROJECT

RIGHTS reserved in the architectural drawings, designs, specifications, and all other documents prepared by DANQUER DESIGN & EXECUTION. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of DANQUER DESIGN & EXECUTION.

**DANQUER  
DESIGN &  
EXECUTION**

**F**



05


CLIENT  
Reserve bank of India  
Ram Bang Circle, JAIPUR

DATE  
REVISION

PROJECT NO.  
PROJECT



ALL RIGHTS RESERVED. THE ARCHICAD COMPANY,  
AND ALL OTHER TRADE NAMES ARE THE PROPERTY  
OF THEIR RESPECTIVE OWNERS. THIS DOCUMENT IS  
THE PROPERTY OF DANQUER DESIGN & EXECUTION  
AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN  
ANY FORM OR BY ANY MEANS, ELECTRONIC OR  
MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING,  
OR BY ANY INFORMATION STORAGE AND RETRIEVAL  
SYSTEM, WITHOUT PERMISSION IN WRITING FROM  
DANQUER DESIGN & EXECUTION.

**DANQUER**  
DESIGN &  
EXECUTION



WOODEN SUSPENDED CEILING

<p>06</p> <p>Reserve bank of India Ram Bahg Circle, JAIPUR</p>	<p>DATE</p>
	<p>REVISION</p>
<p>PROJECT NO.</p>	<p>PROJECT</p>
<p><small>All rights reserved. The copyright, drawings, and other documents are the property of DANQUER DESIGN &amp; EXECUTION. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of DANQUER DESIGN &amp; EXECUTION.</small></p>	
<p><b>DANQUER</b> DESIGN &amp; EXECUTION</p>	



07


CLIENT  
Reserve bank of India  
Ram Bang Circle, JAIPUR

DATE  
REVISION

PROJECT NO.  
PROJECT

ALL RIGHTS RESERVED. THE ARCHITECT, ENGINEER, AND CONTRACTOR SHALL BE RESPONSIBLE FOR THE DESIGN AND CONSTRUCTION OF THE PROJECT. THE CLIENT SHALL BE RESPONSIBLE FOR THE OPERATION AND MAINTENANCE OF THE PROJECT. THE ARCHITECT, ENGINEER, AND CONTRACTOR SHALL NOT BE RESPONSIBLE FOR THE OPERATION AND MAINTENANCE OF THE PROJECT.

**DANQUER**  
DESIGN &  
EXECUTION



<p>At DANKO, we provide the highest quality of design and execution services. We are committed to providing the best possible results for our clients. We are committed to providing the best possible results for our clients. We are committed to providing the best possible results for our clients.</p> <p><b>DANKO</b> DESIGN &amp; EXECUTION</p>	PROJECT NO.	DATE	CLIENT
	PROJECT	REVISION	Reserve bank of India Ram Bahg Circle, JAIPUR



PARAMETRIC CEILING

<p><b>CLIENT</b> Reserve bank of India Ram Bahg Circle, JAIPUR</p>	<p><b>DATE</b> REVISION</p>	<p><b>PROJECT NO.</b> PROJECT</p>	<p><b>DANQUER</b> DESIGN &amp; EXECUTION</p>
--	---------------------------------	---------------------------------------	--

All rights reserved. The design, drawings, and specifications are the property of DANQUER & ASSOCIATES. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of DANQUER & ASSOCIATES.

**Draft of Bank Guarantee for Earnest Money Deposit**

The Regional Director  
Reserve Bank of India,  
Estate Department,  
Jaipur.

Place:

Date:

Dear Sir,

**Renovation work in OLDR at Main office Building, RBI Jaipur**

Ref. NIT/Advt. \_\_\_\_\_ date \_\_\_\_\_

**WHEREAS**

The Reserve Bank of India, having its Central Office at Shahid Bhagat Singh Road, Mumbai (hereinafter called the 'Employer') has invited tenders for the "**Renovation work in OLDR at Main office Building, Jaipur**" (hereinafter called "the said tender") on the terms and conditions mentioned in the tender documents.

1. It is one of the terms of invitation of tenders that the tenderer shall furnish a Bank Guarantee for a sum of ₹ \_\_\_\_\_ (Rupees \_\_\_\_\_ only) as Earnest Money Deposit.
2. M/s \_\_\_\_\_, (hereinafter called as Tenderer), who are our constituents to submit their tender for the said work and have requested us to furnish guarantee to the Employer in respect of the said sum of ₹ \_\_\_\_\_ (Rupees \_\_\_\_\_ only).

**NOW THIS GUARANTEE WITNESSETH**

1. We \_\_\_\_\_ (Bank) do hereby agree with and undertake to Reserve Bank of India, their Successors, Assigns that in the event of the Reserve Bank of India coming to the conclusion that the Tenderer have not performed their obligations under the said conditions of the tender or have committed a breach thereof, which conclusion shall be binding on us as well as the said Tenderer, we shall on demand by the Reserve Bank of India, pay without demur to the Reserve Bank of India, a sum of ₹ \_\_\_\_\_ (Rupees \_\_\_\_\_ only) or any lower amount that may be demanded by the Reserve Bank of India. Our guarantee shall be treated as equivalent to the Earnest Money Deposit for the due performance of the obligations of the Tenderer under the said Conditions, provided, however, that our liability against such sum shall not exceed the sum of ₹ \_\_\_\_\_ (Rupees \_\_\_\_\_ only).
2. We also agree to undertake to and confirm that the sum not exceeding ₹ \_\_\_\_\_ (Rupees \_\_\_\_\_ only) as aforesaid shall be paid by us without any demur or protest, merely on demand from the Reserve Bank of India on receipt of a notice in writing stating the amount is due to them

and we shall not ask for any further proof or evidence and the notice from the Reserve Bank of India shall be conclusive and binding on us and shall not be questioned by us in any respect or manner whatsoever. We undertake to pay the amount claimed by the Reserve Bank of India within a period of one week from the date of receipt of the notice as aforesaid.

3. We confirm that our obligation to the Reserve Bank of India under this guarantee shall be independent of the agreement or agreements or other understandings between the Reserve Bank of India and the Tenderer.

This guarantee shall not be revoked by us without prior consent in writing of the Reserve Bank of India.

We hereby further agree that –

- a) Any forbearance or commission on the part of the Reserve Bank of India in enforcing the conditions of the said agreement or in compliance with any of the terms and conditions stipulated in the said tender and / or hereunder or granting of any time or showing of any indulgence by the Reserve Bank of India to the Tenderer or any other matters in connection therewith shall not discharge us in any way and our obligation under this guarantee. This guarantee shall be discharged only by the performance by the Tenderers of their obligations and in the event of their failure to do so, by payment by us of the sum not exceeding ₹ \_\_\_\_\_ (Rupees \_\_\_\_\_ only).
- b) Our liability under these presents shall not exceed the sum of ₹ \_\_\_\_\_ (Rupees \_\_\_\_\_ only).
- c) Our liability under this agreement shall not be affected by any infirmity or irregularity on the part of our said constituents in tendering for the said work or their obligations there under or by dissolution or change in the constitution of our said constituents.
- d) This guarantee shall remain in force up to \_\_\_\_\_ (six months from the last date of receipt of tender) provided that if so desired by the Reserve Bank of India, this guarantee shall be renewed for a further period as may be indicated by them on the same terms and conditions as contained herein.
- e) Our liability under this presents will terminate unless these presents are renewed as provided hereinabove on the \_\_\_\_\_ or on the day when our said constituents comply with their obligations, as to which a certificate in writing by the Reserve Bank of India alone is the conclusive proof whichever date is later. Unless a claim or suit or action is filed against us within \_\_\_\_\_ or any extended period, all the rights of the Reserve Bank of India against us under this guarantee shall be forfeited and we shall be released and discharged from all our obligations and liabilities hereunder.

Yours faithfully,

For and on behalf of

\_\_\_\_\_ Bank.

Authorized official (with seal)

(NB: This guarantee will require stamp duty as applicable in the state, where it is executed and shall be signed by the official whose signature and authority shall be verified. The necessary stamp duty shall be paid by the tenderer).

**Important Instructions Regarding E-tender**

This is an e-procurement event of RBI. The e- procurement Service Provider/Contractor is the MSTC Limited.

You are requested to read and understand the Notice Inviting Tender and subsequent corrigenda if any, before submitting your online tender.

**Process of E-tender:**

**A (Registration :**The process involves vendor's registration with MSTC e-procurement portal which is free of cost .Only after registration, the vendor(s) (can submit his/their bids electronically .Electronic Bidding for submission of Techno-Commercial Bid as well as Price Bid over the internet will be done .The Vendor should possess Class III signing and encryption type digital certificate .Vendors are to make their own arrangement for bidding from a P.C .connected with Internet .RBI is not responsible for making such arrangement . )Bids will not be recorded without Digital Signature .(

**SPECIAL NOTE: THE PRICE BID AND THE COMMERCIAL BID HAS TO BE**

**SUBMITTED ON-LINE ONLY AT [www.mstcecommerce.com/eprocn/](http://www.mstcecommerce.com/eprocn/) (Version 3)**

1 (Vendors are required to register themselves online with

[www.mstcecommerce.com/eprocn/](http://www.mstcecommerce.com/eprocn/)

Register as Vendor --Filling up details and creating own user id and password Submit .For further details, go to Download Guide /Video /Registration

Vendors will receive a system generated mail confirming their registration in their

email which has been provided during filling the registration form .In case of any

clarification, please contact MSTC/ RBI, )before the scheduled time of the e -tender(.

**Contact details:**

**a) Contact person (MSTC) For Vendors:**

HO Central Help Desk: (For vendors)

Phone Number :07969066600

[helpdeskho@mstcindia.in](mailto:helpdeskho@mstcindia.in) (Please mention "HO Helpdesk" as subject while sending emails)

Availability

9:30 AM to 5:00 PM on all working days for all Technical issues e-Tenders, System settings etc.

**b) Contact person (MSTC)**

Please visit [www.mstcindia.co.in/content/Contact.aspx](http://www.mstcindia.co.in/content/Contact.aspx) and update your Regional Office accordingly.

**c) Contact person at RBI (RO/TE)**


Shri Srajan Pandey,

Phone No: 0141-2578467

Guide.

**1. System Requirement:**

For details, vendor may refer to the **DOWNLOAD SYSTEM SETTING GUIDE** available <https://www.mstcecommerce.com/eproc/v>



**2 Special Note towards Transaction fee:** The vendors shall pay the transaction fee using “Transaction Fee Payment” Link against the specific tender in the “Bid Floor”/through the “Pay Transaction fee” in “Event catalog” through their login. Service Provider / Contractor / Vendor shall have the facility of making the payment either through NEFT or Online Payment. On selecting NEFT, Service Provider / Contractor / Vendor shall generate a challan by filling up a form. Service Provider / Contractor / Vendor shall remit the transaction fee amount as per the details printed on the challan without making change in the same. On selecting Online Payment, Service Provider / Contractor / Vendor shall have the provision of making payment using its Credit / Debit Card / Net Banking. Once the payment gets credited to MSTC’s designated bank account, the transaction fee shall be auto authorized.

**Transaction fee is non-refundable.** A vendor will not have the access to online e- tender without payment of the transaction fee.

**NOTE:** Bidders are advised to remit the transaction fee well in advance before the closing time of the event so as to give themselves sufficient time to submit the bid.

3. Information about tenders / corrigenda shall be sent by email only during the process till finalization of tender. Hence the vendors are required to ensure that their corporate email I.D. provided is valid and updated at the time of registration of vendor with the MSTC Ltd. Vendors are also requested to ensure validity of their class III signing and encryption type of DSC (Digital Signature Certificate).

4. E-tender cannot be accessed after the due date and time mentioned in NIT (Notice inviting tender).

### 5 **Bidding in E-tender:**

Note: Vendors are instructed to use **Upload Documents** link in My menu to upload documents in document library .Multiple documents can be uploaded .Maximum size of single document for upload is 5 MB.

Once documents are uploaded in the library, vendors can attach documents through **Attach Document** link against the particular e-Tender .Please note that if the documents are not attached to any e-Tender, the same cannot be downloaded by RBI and it will be deemed that the vendor has not submitted the documents .For further assistance please follow instructions of vendor guide.

- a) Bidders need to submit necessary EMD, E-Tender fees )If ANY (and Transaction fee separately for the e-tender .Transaction fees if any are non-refundable .No interest will be paid on EMD .EMD of the unsuccessful bidders will be refunded by RBI.
- b) The process involves Electronic Bidding for submission of Techno Commercial Bid as well as Price Bid.

The bidder)s (who have submitted the above fees can only submit their Techno Commercial Bids and Price Bid through internet in MSTC website [www.mstcecommerce.com](http://www.mstcecommerce.com) → e-procurement →New Common Portal →Bid Floor Manager →live event →Selection of the live event →Transaction fee->Common terms->Attach Documents->Price Bid .

Please Note: The vendor after successful remittance of the transaction fees and EMD details, will get the attach documents and common terms tab enabled in their login. Post successful completion of this step, the vendors will be allowed to save the lot specific terms and submit their price bid against the lot through the portal or download and upload the excel file for submitting price bids, as the case may be. In case the attach documents and/or saving common terms step is unsuccessful, the tabs for saving lot specific terms and submitting price bid would be disabled. The status of whether the same is successful/pending would be displayed in the bid status button.

- c) First the vendor needs to fill up the Commercial specification if any and save it .Then the vendor should fill up the Techno-commercial bid .After filling the Techno-Commercial Bid, bidder should click 'save 'for recording their Techno-Commercial bid .Once the same is done, the Price Bid link becomes active and the same has to filled up and then bidder should click on "save "to record their price bid .Then once both the Techno-Commercial bid & price bid has been saved, the bidder can click on the "Final Submission "button to register their bid

**NOTE** - :After clicking the final submission "Delete bid" option would be shown .If the vendor wants to delete the bid after final submission and re submit the bid, then he/she should click delete bid and resubmit the same and again click final submission.

- d) In all cases, bidder should use their own ID and Password along with Digital Signature at the time of submission of their bid.
- e) During the entire e-tender process, the bidders will remain completely anonymous to one another and also to everybody else.
- f) The e-tender floor shall remain open from the pre-announced date & time and for as much duration as mentioned above .
- g) All electronic bids submitted during the e-tender process shall be legally binding on the bidder .Any bid will be considered as the valid bid offered by that bidder and acceptance of the same by the Buyer will form a binding contract between Buyer and the Bidder for execution of supply/work .Such successful tenderer shall be called hereafter **SUPPLIER/CONTRACTOR**.
- h) It is mandatory that all the bids are submitted with class III signing and encryption type of digital signature certificate otherwise the same will not be accepted by the system .
- i) Buyer reserves the right to cancel or reject or accept or withdraw or extend the tender in full or part as the case may be without assigning any reason thereof .
- j) No deviation of the terms and conditions of the e-Tender document is acceptable . Submission of bid in the e-tender floor by any bidder confirms his acceptance of terms & conditions for the e-Tender.
- k) Unit of Measure )UOM (is indicated in the e-tender Floor .Rate to be quoted should be in Indian Rupee as per UOM indicated in the e-tender floor/tender document.

**PROFORMA OF BANK GUARANTEE for PERFORMANCE SECURITY DEPOSIT/  
Retention Money**

(On Non-Judicial Stamp Paper of appropriate value purchased in the name of the issuing bank)

Place : \_\_\_\_\_

Date : \_\_\_\_\_

The Regional Director

Reserve Bank of India,

\_\_\_\_\_

\_\_\_\_\_

Dear Sir,

**Name of the work** \_\_\_\_\_ -

**Bank Guarantee for PERFORMANCE SECURITY DEPOSIT / Retention Money**

WHEREAS

Reserve Bank of India, having its Central Office at Shahid Bhagat Singh Road, Mumbai, (hereinafter called "the RBI") has awarded the Contract for the captioned project (hereinafter called the "Contract") to M/s \_\_\_\_\_ (Name of the Contractor) (hereinafter called "the said Contractor" which expression shall include its successors and assigns).

AND

Whereas the Contractor is bound by the said Contract to submit to RBI a Performance Security for a total amount of ₹. \_\_\_\_\_ (Rupees \_\_\_\_\_ only) (Amount in figures and words) for the due fulfilment by the said contractor of the terms and conditions contained in the contract. We, \_\_\_\_\_ (Name of the Bank), (hereinafter called "the Bank"), at the request of M/s \_\_\_\_\_, the contractor, do hereby undertake to pay to the RBI an amount not exceeding Rs \_\_\_\_\_ as Performance Guarantee for due fulfilment of the terms and conditions of the contract.

NOW THIS GUARANTEE WITNESSETH

1. We \_\_\_ (Name of the Bank) do hereby agree with and undertake to RBI, their Successors, Assigns that in the event of the RBI coming to the conclusion that the Contractor has not

performed his obligations under the said conditions of the contract or have committed a breach thereof, which conclusion shall be binding on us as well as the said contractor; we shall on demand by the RBI, pay without demur to the RBI, a sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only) or any lower amount that may be demanded by the RBI. Our guarantee shall be treated as equivalent to the Performance Guarantee Amount for the due performance of the obligations of the Contractor under the said Contract, provided, however, that our liability against such sum shall not exceed the sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only).

2. We also agree to undertake to and confirm that the sum not exceeding Rs. \_\_\_\_\_ (Rupees only) as aforesaid shall be paid by us without any demur or protest, merely on demand from the RBI on receipt of a notice in writing stating that the amount is due to them and we shall not ask for any further proof or evidence and the notice from the RBI shall be conclusive and binding on us and shall not be questioned by us in any respect or manner whatsoever. The Bank shall pay to RBI any money so demanded notwithstanding any dispute/disputes raised by the Contractor in any suit or proceedings pending before any Court, Tribunal or Arbitrator/s relating thereto and the liability under this guarantee shall be absolute and unequivocal. We undertake to pay the amount claimed by the RBI within a period of one week from the date of receipt of the notice as aforesaid.
3. We confirm that our obligation to the RBI under this guarantee shall be independent of the agreement or agreements or other understandings between the RBI and the Contractor.
4. This guarantee shall not be revoked by us without prior consent in writing of the RBI.

We hereby further agree that –

- a) Any forbearance or commission on the part of the RBI in enforcing the conditions of the said agreement or in compliance with any of the terms and conditions stipulated in the said Contract and/or hereunder or granting of any time or showing of any indulgence by the RBI to the Contractor or any other matters in connection therewith shall not discharge us in any way and our obligation under this guarantee. This guarantee shall be discharged only by the performance by the Contractor of their obligations and in the event of their failure to do so, by payment by us of the sum not exceeding Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only).
- b) Our liability under these presents shall not exceed the sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only) .
- c) Our liability under this agreement shall not be affected by any infirmity or irregularity on the part of our said constituents/clients or their obligations thereunder or by dissolution or change in the constitution of our said constituents.
- d) This guarantee shall remain in force up to \_\_\_\_\_ (60 days beyond the Defect liability period) provided that if so desired by the RBI, this guarantee shall be renewed for a further period as may be indicated by them on the same terms and conditions as contained herein.

e) Our liability under these presents will terminate unless these presents are renewed as provided hereinabove on the \_\_\_\_\_ or on the day when our said constituents comply with their obligations, as to which a certificate in writing by the RBI alone is the conclusive proof whichever date is later. Unless a claim or suit or action is filed against us within \_\_\_\_\_ or any extended period, all the rights of the RBI against us under this guarantee shall be forfeited and we shall be released and discharged from all our obligations and liabilities hereunder.

In witness whereof I/We of the Bank have signed and sealed this guarantee on the -----  
-- day of ----- (Month) (Year) being herewith duly authorized.

For and on behalf of \_\_\_\_\_ (Name of the Bank)

Signature of authorized Bank official

Name:

Designation

Stamp/ Seal of the Bank

Signed, sealed and delivered for and on behalf of the Bank by the above named in the presence of :

Witness 1

Signature .....

Name .....

Address .....

**(NB: This guarantee will require stamp duty as applicable in the state, where it is executed and shall be signed by the official whose signature and authority shall be verified)**

## **PREAMBLE TO SCHEDULE OF QUANTITIES**

**Name of Work: Renovation work in OLDR at Main office Building, RBI Jaipur**

The quoted rate shall include the following.-

1. The quantities indicated in the schedule of quantity are tentative and may vary to any extent. If decided by the Bank certain items / quantities may not be required to be executed or may be executed with reduction / addition in quantities to any extent. The contractor has to execute item / quantities as per direction of Bank and no claim on this account whatsoever will be entertained by the Bank in respect of non- operation of items /reductions in quantities.
2. Rates are all inclusive so as to fulfil all requirements to comply with all provisions under Contract Labour Act 1970, Minimum Wage Act (including subsequent revision if any) and rules therein. Each contractor has to ascertain these provisions before quoting their rates.
3. All costs and charges incurred by the contractor complying with all safety health and welfare regulations, appertaining to staff and work people employed on the site.
4. Keeping the site free from debris arising from the works during the renovation/construction/repair period by regularly carting away debris out of premises and leave the site free from debris on completion of work to the satisfaction of the Employer.
5. Making necessary holes/pockets/chases in masonry / concrete/ floors/ walls etc. require for carrying out the said work and making good the damages matching to the surrounding area at no extra coast to the Bank.
6. Rates of item shall be inclusive of providing scaffolding for all internal works inside the flats. Scaffolding shall be paid separately only for external work to be carried out in Section-G.
7. Repainting the work area wherever required after carrying out the specified work, matching specification of the surrounding. The repainting shall be carried out in suitable sizes in panels so as to avoid any miss matching repainting of the area.
8. Charges/ cost to be incurred for inspection the site and get acquainted with pertaining works just idea for works to be carried out before quoting the rates.
9. Necessary charges towards providing service of a qualified supervisor on the work site during entire working hours and shall be who shall be available at work site to receive instruction from the Bank and act accordingly.
10. Contractors will have to submit a time bound programme just after the award of work and get it approved from the Bank before commencement of work.
11. Contractors to provide the original invoices for every supply of materials for Bank's verification. If it is not provided and the materials do not found as per

specifications/approved make such material shall stand rejected and shall not be measured for the payment.

12. Quoted rates for all items are inclusive of GST and levies levied by the State and Central Government including any other tax as applicable.
13. The rate quoted shall include cost of transportation to the site, storing, handling, wastage etc. and nothing extra on these accounts will be considered

**Signature with seal of the contractor**

## Unpriced Bill of Quantities

### Renovation work in OLDR at Main office Building, RBI Jaipur

Item No.	Description	Unit	Qty.
1.	<b>DISMANTLING WORKS</b>		
	<p><b>Dismantling of Wooden Door Shutter including frame:</b> Carefully dismantling of wooden door shutters including frame, etc. stacking the salvage items at place directed and disposing off the debris out of the Bank's premises, making good the damages to the walls, floors, etc., with cement mortar 1:4 (1 cement :4 sand) or plain cement concrete 1:2:4 (1 cement : 2 sand : 4 stone chips 20 mm. nominal size) complete as directed by the Engineer-in-charge. etc. Approx. size of the door shutter including frame = 1.16 x 2.04 Mt. - 06 No.</p>	Job	1
	<p><b>Dismantling of False ceiling:</b> Carefully dismantling of existing false ceiling made of any materials including all wooden /mild steel hangers, members etc. of structure fixed over the original ceiling including removal of all disposable materials and old wooden/steel members, stacking of materials at site having scrap values and disposing of all other debris outside the Bank premises including all lead and lift as per Municipal provisions, complete as directed by the Engineer-in-charge. Approx. area of the false ceiling = 240.00 Sqm.</p>		
	<p><b>Dismantling of existing vitrified tile flooring &amp; Skirting:</b> Carefully dismantling the existing vitrified tile flooring &amp; skirting with backing mortar/adhesive and disposing of the debris out of the Bank's premises, making good the damages to the walls, floors, etc. as directed by the Engineer-in-Charge. Approx. area of the flooring &amp; skirting = 250.00 Sqm.</p>		
	<p><b>Dismantling work in Kitchen area:</b> Carefully dismantling of existing kota stone floor of cooking platform so as to expose RCC / masonry surface of platform, also carefully dismantling &amp; removing the existing dado / plaster, inclusive of racking out joints in brick/stone masonry works including disconnecting and removing existing G.I., C.I., P.V.C. pipes (both exposed and concealed) etc. up to vertical stack along with G.I., C.I. and P.V.C. fittings and fixtures such as bib cocks, stop cocks, sinks with all fittings including brackets, P or S traps, nahani traps, etc., all complete as directed by the Engineer-in-charge. Approximate Kota stone platform area: - 35.00 Sqm. Approximate Existing dado and plaster- 125.00 Sqm., Disconnection of LPG pipeline and refixing the LPG pipeline after completion of complete work done.</p>		

	<p><b>Dismantling of Aluminium Partition:</b> Carefully dismantling of existing aluminium partition including all members, glass panes, ply/board, etc. fixed over the floor/walls including removal of all disposable materials and old members, stacking of materials at site having scrap values and disposing of all other debris outside the Bank premises including all lead and lift as per Municipal provisions, all complete as directed by the Engineer-in-charge. Approx. area of the aluminium partition = 12.00 Sqm.</p>		
	<p><b>Dismantling of Wooden Partition with door shutter including brick wall:</b> Carefully dismantling of existing wooden partition with door shutter &amp; brick wall including all members, glass panes, ply/board, bricks, cement mortar, etc. fixed over the floor/walls including removal of all disposable materials and old members, stacking of materials at site having scrap values and disposing of all other debris outside the Bank premises including all lead and lift as per Municipal provisions, all complete as directed by the Engineer-in-charge. Approx. area of the Wooden Partition with door shutter including brick wall = 18.00 Sqm.</p>		
	<p><b>Dismantling of serving platform:</b> Carefully dismantling the serving platform (including supporting walls, slab &amp; granite stone of platform) made by brickwork, RCC &amp; cement mortar including cement plaster with backing mortar, stacking the salvage items at place directed and disposing off the debris out of the Bank's premises, making good the damages to the walls, floors, etc., with cement mortar 1:4 (1 cement :4 sand) or plain cement concrete 1:2:4 (1 cement : 2 sand : 4 stone chips 20 mm. nominal size) complete as directed by the Engineer-in-charge. Approx. Size of Serving platform = 5.00 (L) x 0.78 (W) x 0.75 (H) Mt. - 01 No. and 3.02 (L) x 0.72 (W) x 0.75 (H) Mt. - 01 No.</p>		
	<p>Rates are considering of suitable salvage value of all old materials taking away from mentioned in above all items.</p>		
	<p>The rate shall be inclusive of GST, required all material, labour, transportation, loading-unloading, scaffolding, tools &amp; plants, wastage if any, making good damages to match with surroundings surface, carrying out work in workman like manner at all lead and lift, curing wherever required, carting away debris out of premises for taking away all removed items as included / mentioned above.</p>		
<b>2.</b>	<b>GYPBOARD CEILING:</b>		
	<p>A gypsum board false ceiling shall be constructed using 12.5 mm. thick tapered-edge gypsum boards (fire-rated or moisture-resistant where required) at the required height from finished floor level in layers system fixed to a galvanized iron (GI) suspension system comprising perimeter channels (0.5 mm. thick), intermediate channels (0.9 mm. thick at 1200 mm. c/c) and ceiling sections/furring channels (0.5 mm. thick at 450 mm. c/c). The framework shall be suspended from the soffit using G.I. rods/wires and cleats at maximum 1200 mm. spacing, with all G.I. members zinc-coated (minimum 120 gsm). Gypsum boards shall be fastened with 25 mm. self-drilling drywall screws at 230 mm. c/c on edges and 300 mm. c/c on intermediate channels, ensuring staggered joints. All joints shall be finished with jointing compound and paper/fiber tape in three coats followed by sanding to achieve a smooth surface ready for</p>	Sqm.	210.00

	primer and 100% acrylic paint. Cut-outs for lights, AC diffusers and services must be reinforced with additional framing and access panels should be provided where required. The completed ceiling shall be true to level within $\pm 3$ mm. per 3 m. and comply with relevant standards/bank guidance.		
	<p><b>FALSE CEILING VERTICAL STEPS ALONG WITH COVE:</b> The vertical patta in the gypsum false ceiling, including cove features, shall be made of galvanized steel or Aluminium strips of 0.5–0.8 mm. thickness, securely fixed to the main ceiling or wall at uniform spacing of 600 mm., providing support for gypsum boards and forming a smooth curved cove profile as per design; the patta shall be straight, corrosion-resistant and capable of carrying the weight of the gypsum panels, with edges and curves finished to ensure a seamless joint and installed with screws, fasteners, joint compound, 100% acrylic paint finished and necessary reinforcements to achieve a durable, aesthetically pleasing false ceiling with integrated cove lighting or design elements as per manufacturer specifications.</p> <p><b>Note:</b> The measurement will be done based on the plan area only.</p>		
<b>3.</b>	<b>PARAMETRIC FALSE CEILING:</b>		
	<p>Providing, fabricating and fixing parametric suspended ceiling made out of 18 mm. thick MDF board in approved profile and pattern, suspended from the structural ceiling with suitable aluminium supporting framework of Aluminium hollow RHS: 50 mm. x 50 mm. x 3 mm. wall thickness with threaded rods, anchor fasteners, cleats, connectors, secondary runners, braces, templates, screws, adhesives and all necessary fixing arrangements, complete as required.</p> <p>The work shall include:</p> <p>preparation of shop / execution drawings based on approved design intent</p> <p>marking, template making, manual profiling, cutting, routing, edge preparation, numbering and assembling of MDF members</p> <p>formation of parametric ribs / fins at varying depths from 75 mm. to 300 mm. approximately</p> <p>maintaining spacing of members at 50 mm. to 75 mm. center-to-center approximately, or as per approved design</p> <p>providing hidden structural reinforcement, intermediate supports, locking members and bracing required for rigidity, shape retention and safe suspension</p> <p>proper suspension from RCC slab / structural ceiling using approved anchors and threaded rods</p> <p>sealing of MDF surfaces and edges with approved sealer</p> <p>preparation for finish including primer, stopper / putty, sanding and surface correction</p> <p>providing and applying Duco finish in approved shade, complete with primer, surfacer, spray coats, fine sanding between coats, finishing and touch-up</p>	Sqm.	35.00

	all scaffolding, staging, tools and tackles, lifting, alignment, levelling , protection and cleaning		
	complete in all respects as per design, approved sample and direction of Engineer-in-Charge.		
	Rate to include:		
	All materials, labour, consumables, wastage, handling, suspension system, support framework and finishing.		
	<b>Note:</b> The measurement will be done based on the plan area only.		
<b>4.</b>	<b>DESIGNER WOODEN SUSPENDED CEILING:</b>		
	Supply and installation of a custom suspended ceiling system. The ceiling shall be hung using threaded rods. A grid framework shall be constructed using aluminum hollow section RHS (Rectangular Hollow Section) with a thickness of 3mm., measuring 50 mm. x 75 mm. The framework will be covered on three sides (excluding the top side) with 12 mm. plywood. The final finish will be a 3 mm. thick teak veneer, completed with a melamine polish. The section design will be 600 mm. X 600 mm. as per 3d design.	Sqm.	45.00
	Suspended ceiling to be true and level within $\pm 3$ mm. over any 3 mt. span. Plywood to be fixed securely to aluminium frame. Adhesive plus countersunk S.S. or zinc-plated screws with caps; screws to be concealed. Veneer application to be free of bubbles, gaps or visible defects; joints to be matched and filled. All materials to be new, of approved manufacturer and the Bank's Engineer.		
	<b>Suspension:</b>		
	Threaded rods: Galvanized steel, M8/M10 (confirm size), spaced per structural and load requirements; provide nuts, washers and isolators as required.		
	Fixings to structure: Expansion anchors or chemical anchors suitable to substrate (concrete/steel), sized per load calculations.		
	Levelling nuts/washers for accurate height adjustment.		
	<b>Grid frame:</b>		
	Aluminium hollow RHS: 50 mm. x 75 mm. x 3 mm. wall thickness, extruded or welded sections as required. Mill finish or pre-finished as specified.		
	Welding/fabrication to produce a rigid grid; joints properly prepared and sealed.		
	<b>Ply cladding:</b>		
	Exterior grade/BB ply or MR grade plywood, 12 mm. thickness, defect-free, properly conditioned, glued and mechanically fixed to aluminium frame (use suitable adhesive and non-corrosive screws).		
	Top side intentionally left uncovered (open to soffit) as specified.		
	<b>Veneer &amp; finish:</b>		
	Teak veneer: 3.5 mm. thick, continuous where possible, neatly veneered to plywood surfaces with no visible joints at panel edges where practicable.		

	Edge treatment: match veneer or hardwood trim at exposed edges.		
	Surface finish: Melamine polish (specify sheen: matte/semi-gloss/gloss). Apply primer/sealer and minimum two coats of melamine finish to achieve uniform, durable finish.		
	<b>Note:</b> The measurement will be done based on the plan area only.		
<b>5.</b>	<b>VITRIFIED TILE FLOORING AND SKIRTING IN HALLS:</b>		
	Vitrified flooring & skirting shall be executed using first-quality double-charged vitrified tiles of approved make of specified size 800 X 800 mm. and 8–12 mm. thickness, uniform shade, laid with using polymer-modified tile adhesive, with back-buttering for tiles to ensure 90–100% bedding for flooring and backing cement mortar for fixing of skirting properly levelled. Tiles shall be fixed true to line, level and alignment; cut tiles shall have smooth edges. After 24–48 hours, joints shall be filled with approved epoxy/polymer grout matching the tile shade and cleaned thoroughly. Finished flooring shall be free from cracks, hollow sounds, lippage, or shade variation. The surface shall be protected using sheets/cardboard until completion and no heavy loading permitted for minimum seven days.	Sqm.	250.00
	Approved brands include Kajaria, Somany, Johnson, Nitco, RAK, Sempolo, or equivalent. All complete as directed by the Engineer-in-charge. <b>Note:</b> The basic rate of tiles shall be Rs. 600/- per Sqm. inclusive of all taxes, GST at site.		
<b>6.</b>	<b>VITRIFIED TILE FLOORING AND SKIRTING IN KITCHEN &amp; STORE:</b>		
	Vitrified flooring & skirting shall be executed using first-quality full charged heavy duty vitrified tiles of approved make of specified size and 15 mm. thickness, uniform shade, laid with using polymer-modified tile adhesive, with back-buttering for tiles to ensure 90–100% bedding with spacers in joints for flooring and backing cement mortar for fixing of skirting properly levelled. Tiles shall be fixed true to line, level and alignment; cut tiles shall have smooth edges. After 24–48 hours, joints shall be filled with approved epoxy/polymer grout matching the tile shade and cleaned thoroughly. Finished flooring shall be free from cracks, hollow sounds, lippage, or shade variation. The surface shall be protected using sheets/cardboard until completion and no heavy loading permitted for minimum seven days.	Sqm.	80.00
	Approved brands include Kajaria, Somany, Johnson, Nitco, RAK, Sempolo, or equivalent. All complete as directed by the Engineer-in-charge. <b>Note:</b> The basic rate of tiles shall be Rs. 1,300/- per Sqm. inclusive of all taxes, GST at site.		
<b>7.</b>	<b>WALL DADO IN KITCHEN AREA:</b>		

	<p>Providing and fixing glazed vitrified tiles 600 x 600 mm. Italian finish (Full Body – GVT - Glossy) (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, size 600 x 600 mm., in skirting, risers of steps and dados, laid with laticrete adhesive provided in proper line, level, plumb, including required cuttings, wastage, curing over a backing coat as per manufacturer's specification, filling tile joints with white cement / matching colour pigment wherever necessary, cleaning the surface after completion of the work, curing etc. complete all as directed.</p> <p>The rate shall be inclusive of GST, required all material, labour, transportation, loading-unloading, scaffolding, tools &amp; plants, wastage if any, making good damages to match with surroundings surface, carrying out work in workman like manner at all lead and lift, curing wherever required, carting away debris out of premises without any cost to the Bank etc. complete as directed.</p> <p>Approved brands include Kajaria, Somany, Johnson, Nitco, RAK, Simpolo, or equivalent. All complete as directed by the Engineer-in-charge.</p> <p><b>Note:</b> The basic rate of tiles shall be Rs. 600/- per Sqm. inclusive of all taxes, GST at site.</p>	Sqm.	125.00
<b>8.</b>	<b>GRANITE STONE IN PLATFORMS:</b>		
	<p>Providing and fixing 15-16 mm. thick premium quality Zed Black in single piece for straight length (maximum up to 3.00 mt.), gang saw cut, mirror polished, pre-moulded and pre-polished, machine cut for <b>kitchen platforms</b> and similar locations of required size, approved shade, colour and texture laid over 20 mm. thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish, making necessary holes for LPG hose etc. complete at all levels.</p> <p>The rate should be inclusive of providing opening and fixing granite stone, over and above corresponding basic item, in facia and drops of width up to 150 mm. with epoxy resin-based adhesive, including cleaning etc.</p> <p><b>Note:</b> Only plan area will be measured for payment and no extra payment will be made for facia and making opening. Basic rate of granite Rs. 3500/sqm. inclusive of GST.</p>	Sqm.	60.00
<b>9.</b>	<b>DESIGNER WALL PANELLING OF WALLS IN SR. OFFICERS AREA "A":</b>		
	<p>Providing fabricating &amp; fixing of designer wall panel made out with 12 mm. thick waterproof ply on front and every side of the framework as per 3D &amp; backed with 6 mm. thick plywood over necessary framework of 12 mm. thick waterproof ply size as per site requirement grid and fixed with floor and ceiling with suitable fastener for supports to wall panelling withhold fasteners, Framework with their sides will finish with natural veneer of 3.5 mm. thick required shade and pattern, finished with melamine polish complete, including all materials, labour, tools &amp; tackles, consumables and finishing, as per design and direction of Engineer-in-Charge. The framework includes provisioning of aluminium profile channel for LED strip lighting of thickness (6 mm. X 15 mm.) borderless (excluding LED strip, driver &amp; wiring). The item includes all necessary adhesives, screws, nails, hardware and consumables</p>	Sqm.	15.00

	with complete carpentry, cutting, alignment, finishing, etc. all complete as directed by the Engineer-in-charge. <b>Note:</b> The measurement will be done based on the front elevation area only.		
	Providing fabricating & fixing of designer wall panel made out with 12 mm. thick waterproof ply on front and every side of the framework as per 3D & backed with 6 mm. thick plywood over necessary framework of 12 mm. thick waterproof ply size as per site requirement grid and fixed with floor and ceiling with suitable fastener for supports to wall panelling withhold fasteners, Framework with their sides will finish with natural veneer of 3.5 mm. thick required shade and pattern, finished with melamine polish complete, including all materials, labour, tools & tackles, consumables and finishing, as per design and direction of Engineer-in-Charge. The framework includes provisioning of aluminium profile channel for LED strip lighting of thickness (6 mm. X 15 mm.) borderless (excluding LED strip, driver & wiring). The item includes all necessary adhesives, screws, nails, hardware and consumables with complete carpentry, cutting, alignment, finishing, etc. all complete as directed by the Engineer-in-charge. <b>Note:</b> The measurement will be done based on the front elevation area only.	Sqm.	15.00
<b>10.</b>	<b>WALL PANELLING WITH FLOWER PLANTER TO WALLS IN SR. OFFICERS AREA "B":</b>		
	Providing and fixing wall panelling using 12 mm. thick waterproof ply fixed on wall with required framework of 12 mm. thick waterproof ply and necessary adhesive and screws, including providing and fixing approved quality natural veneer of 3.5 mm. thick of required shade and pattern, finished with melamine polish complete, including all materials, labour, tools & tackles, consumables, and finishing, as per design and direction of Engineer-in-Charge. The work shall also include: Providing and forming integrated planter box of approx. size 1'-0" height and 8" depth, made out of 12 mm. waterproof plywood and proper edge finishing and fixed with floor and ceiling with suitable fastener for supports to wall panelling withhold fasteners, etc. all complete as directed by the Engineer-in-charge. <b>Note:</b> The measurement will be done based on the front elevation area only.	Sqm.	10.00
<b>11.</b>	<b>PANELLING OF WALLS IN OFFICERS AREA "D":</b>		
	Providing and fixing wall panelling using 12 mm. thick waterproof ply fixed on wall with required frame work of 12 mm. thick waterproof ply and necessary adhesive and screws, including providing and fixing approved quality natural veneer of 3.5 mm. thick required shade and pattern, finished with melamine polish complete, including all materials, labour, tools & tackles, consumables, and finishing, as per design and fixed with floor and ceiling with suitable fastener for supports to wall panelling withhold fasteners, etc. all complete as directed by the Engineer-in-charge. <b>Note:</b> The measurement will be done based on the front elevation area only.	Sqm.	22.00

12.	<b>PANELLING INCLUDING PLANTER OF WALLS IN OFFICERS AREA "C":</b>		
	<p>Providing and fixing TV display wall panelling using 12 mm. thick waterproof ply fixed securely to wall with required frame work of 12 mm. thick waterproof ply and necessary adhesives, screws, and hardware, including providing and fixing approved quality finish (laminate/veneer as per design), complete in all respects. The work shall also include:</p> <p>a. Providing and forming integrated planter box of approx. size 1'-0" height and 8" depth, made out of 18 mm. waterproof plywood and proper edge finishing</p> <p>b. Providing and fixing decorative WPC louvers panel of approved make, size and spacing, fixed over framework.</p> <p>c. Provision for LED strip lighting including aluminium profile channel with diffuser (excluding LED strip, driver, and wiring)</p> <p>d. Providing and fixing 4" (100 mm.) deep cove/border all around outer periphery, made in 12 mm. plywood and finished with approved quality laminate, including edge banding and proper finishing. Necessary cut-outs, grooves, edge finishing, alignment, and complete carpentry work. All adhesives, screws, nails, hardware, scaffolding, tools &amp; tackles and labour complete. The basic rate of WPC panel is 800/- per pcs including all taxes. required size as per site requirement grid and fixed with floor and ceiling with suitable fastener for supports to wall panelling withhold fasteners, etc. all complete as directed by the Engineer-in-charge.</p> <p><b>Note:</b> The measurement will be done based on the front elevation area only.</p>	Sqm.	10.00
13.	<b>WOODEN PARTITION IN SR. OFFICERS AREA "F":</b>		
	<p>Providing &amp; fixing custom decorative vertical partition of 38 mm. thick builtup plywood members made from 2 layers of 19 mm. thick plywood, members up to 8/9 feet high and arranged vertically in close modular spacing of (2.5" - 3" c/c) as per approved design, including all template cutting, routing, fabrication, concealed support system, cleats, blocking, screws, fasteners, adhesives, erection, alignment and fixing complete. The item will finish with Teak veneer: 3.5 mm. thick, continuous where possible, neatly veneered to plywood surfaces with no visible joints at panel edges where practicable and melamine polish on top surfaces of approved shade and finish, complete in all respects.</p> <p><b>Note:</b> The measurement will be done based on the front elevation area only.</p>	Sqm.	5.00
14.	<b>FRAMELESS GLASS DOOR SHUTTER:</b>		
	<p>Providing and fixing 12 mm. thick clear toughened glass door shutter of approved make with making holes / cut-outs as required, making edges clear smooth polished, with necessary door assembly (pre-installed hardware, removable clip on covers, end cap and rubber gasket or proper grip) and fixed on Double action floor spring with closing force EN3, having high grade cast iron mechanism body, housed within a corrosion resistant zinc paint protected galvanised steel loose box, internal mechanism components utilizing heat treated high alloy steel &amp; ball bearing for optimum efficiency, closer mechanism totally immersed in hydraulic fluid, "hold open" models, having the possibility of the shutter being held open at 90 degrees angle, adjustable closing speed valve, with pivot to suit patch fittings</p>	Each	2

	<p>and door shutter and Door handle: 475 mm. long X 32 mm. diameter. "S" type, back-to-back installation, glass damage preventing gasket, grub screws finish, complete in all respect. The rate of item shall be inclusive of cost of all fittings and fixtures.</p> <p>Toughened Glass Shutter with approximate size: 850 mm. X 1950 mm. (plus or minus 5 mm.)</p>		
<b>15.</b>	<b>WOODEN DOOR SHUTTER:</b>		
	<p>Providing and fixing ISI marked 35 mm. thick flush door shutters conforming to IS :2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and face with approved lamination of mica on both faces of shutters and all faces of doorframe. The work includes providing lipping &amp; Cost including of second-class teak wood wooden frame size of 100 mm. X 70 mm. for fixing of flush door with three number hinges &amp; its brass hardware fittings aldop, tower bolt, latch/ lock etc. all complete as directed by Bank's Engineer.</p>	Sqm.	10.00
<b>16.</b>	<b>SERVING COUNTER APPROX. SIZE: 7.00 (L) X 0.61 (W) X 0.77 (H) MT.</b>		
	<p>Providing and fixing a serving counter unit of size approx. size: 7.00 (L) x 0.61 (W) x 0.77 (H) Mt. made of 19 mm. thick commercial plywood of approved make, including all necessary framework, supports, cleats, internal partitions, skirting and joinery work complete. The internal carcass to include vertical partition at suitable intervals within approx. 0.61 mt. width and one intermediate shelf of 300 mm. depth along with the full length, complete as per design and direction of the Bank's Engineer. External surfaces to be finished with 3.5 mm. thick approved quality veneer, including melamine polish (minimum three coats) over proper surface preparation, rubbing and finishing complete. Internal surfaces to be finished with 1 mm. thick laminate (mica) of approved make and shade, including adhesive, pressing and edge finishing complete in all respects.</p> <p>Providing and fixing approved quality Onyx marble slab on countertop of required thickness, including cutting, edge moulding up to 50 mm. depth, double sandwiching on all exposed edges, polishing and proper bedding complete.</p> <p>Further, providing and fixing decorative panel on front elevation using designer toughened glass 12 mm. thick of approved pattern, shade and thickness, fixed over plywood backing with necessary framework, spacers, adhesive and edge supports complete to achieve the desired aesthetic appearance as per approved design and direction of the Bank's Engineer.</p> <p>The rate includes cost of all materials, labour, tools &amp; tackles, carriage, loading/unloading, wastage, necessary hardware, adhesive, polishing, scaffolding if required and all incidental charges to complete in all respects as per specifications and directions of the Bank's Engineer.</p>	Each	1

	<b>Note:</b> The basic rate of Onyx marble/tile shall be Rs. 15,000/- per Sqm. inclusive of all taxes, GST at site.		
<b>17.</b>	<b>RCC KITCHEN PLATFORM:</b>		
	Providing and laying R.C.C. 1:1 ½ :3 (1 cement : 1½ coarse sand : 3 aggregate) for lintel, shelves, platform, slab etc. excluding reinforcements but including compaction, centring, shuttering, curing, finishing, cutting pockets in walls/slab to provide necessary bearing at all height and level, etc. complete all as directed by the Bank's Engineer.	Cum.	0.50
<b>18.</b>	<b>STEEL REINFORCEMENT:</b>		
	Supplying, straightening, cutting, bending, placing in position and binding & tying with binding wire TMT steel bar grade Fe415 of approved manufacturer in required diameter including cost of 16 SWG binding wire etc. complete all as directed by the Bank's Engineer.	Kg.	60.00
<b>19.</b>	<b>BRICK WORK:</b>		
	Brick work for kitchen cupboard, platform support etc. Providing and constructing half brick wall in cement mortar 1:4 (1 Cement : 4 coarse sand) at all levels, using best quality locally available bricks including providing key with adjoining stone/brick masonry wall, as per site requirement including racking out joints, curing etc., all complete as directed by the Bank's Engineer.	Sqm.	6.00
<b>20.</b>	<b>CEMENT PLASTER:</b>		
	Providing and applying average 12 mm. thick (or match the adjacent plaster) cement plaster in cement mortar 1:4 (1 cement : 4 fine sand) to walls, columns, ceiling, beams, etc. in line and level, curing of new plaster etc., complete as directed by the Bank's Engineer.	Sqm.	10.00
<b>21.</b>	<b>CONCEALED CPVC PIPES:</b>		
	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC-SDR11 Grade) pipes conforming IS 15778, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at min 600mm spacing for proper fixity. This includes jointing of pipes & fittings, with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints, including cutting of pipes, wastage, working at all levels etc. complete as directed by the Bank's Engineer.		
	The rate quoted shall be inclusive of GST to be borne by the registered vendor, all necessary tools, labour as applicable, making the opening in the existing brick / RCC work, making good the damages, testing, transportation, all taxes/GST & levies etc. complete as per the direction of Engineer-in-charge.		
	<b>20 mm. dia. pipe with necessary fittings</b>	Rmt.	25.00
<b>22.</b>	<b>PVC DRAIN PIPE LINE:</b>		

	Providing and fixing following dia. PVC Drain pipe of approved make conforming to IS 13592 / 14735 in sunken area having minimum thickness 3.2 mm. including requisite cutting of pipes and providing fittings and fixtures like socket, elbow, F-Tee, bend, wastage, scaffolding if required, working at all heights including making necessary connection for inlet and outlet pipes / chambers etc. complete.		
	The rate quoted shall be inclusive of water proofing treatment and brick bat coba of drainage/sunken area, GST to be borne by the registered vendor, all necessary tools, labour as applicable, making the opening in the existing brick / RCC work, making good the damages, testing, transportation, all taxes/GST & levies etc. complete as per the direction of Engineer-in-charge.		
	<b>75 mm. dia. pipe</b>	Rmt.	15.00
<b>23.</b>	<b>PVC 100 MM. DIA. NAHNI TRAP:</b>		
	Providing and fixing PVC 100 mm. dia. Nahni trap conforming to IS 14735 including SS anti cockroach jail of self-cleaning design of approved make over suitable cement concrete 1:3:6 bed and making hole in wall, making good all damages to match with the adjoin areas, taking away debris out of Bank's premises etc. completed as directed by Engineer-in-charge.	Each	4
<b>24.</b>	<b>KITCHEN SINK WITH DRAIN BOARD AND WITHOUT DRAIN BOARD:</b>		
	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink with drain board and without drain board as per IS:13983 with C.I. brackets/other supports and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required of following sizes:-		
24.1	Kitchen sink with drain board: Approx. size - 510 x 1040 mm. bowl depth 260 mm. <b>Note:</b> Basic rate for a complete set of sink with grating and coupling is Rs. 14,000/- per unit including GST.	Nos.	2
24.2	Kitchen sink without drain board: Approx. size - 400 x 400 mm. bowl depth 200 mm. <b>Note:</b> Basic rate for a complete set of sink with grating and coupling is Rs. 5,000/- per unit including GST.	Nos.	3
<b>25.</b>	<b>PROVIDING AND FIXING IN POSITION FOLLOWING C. P. BRASS PLUMBING FITTINGS/FIXTURES:</b>		
	Providing and fixing in position following C. P. Brass plumbing fittings/fixtures of approved make including C. P. brass extension piece, wall flange wherever necessary, white lead putty / Teflon tape etc., all tools & labour, testing etc., complete all as directed by the Bank's Engineer. The rate shall be inclusive of GST, required all material, labour, transportation, loading-unloading, scaffolding, tools & plants, wastage if any, making good damages to match with surroundings surface, carrying out work in workman like manner at all lead and lift, curing wherever required, carting away debris out of premises without any cost to the Bank etc. complete as directed.		

25.1	<b>CP Long body Bib Cock</b>	Nos.	2
	The Basic Price shall be Rs. 1428/- each inclusive of all taxes in at site.		
25.2	<b>CP Swan neck sink cock</b>	Nos.	2
	The Basic Price shall be Rs. 2855/- each inclusive of all taxes at site.		
25.3	<b>CP Sink Mixer</b>	Nos.	3
	The Basic Price shall be Rs. 4283/- each inclusive of all taxes at site.		
25.4	<b>CP Angle valve</b>	Nos.	5
	The Basic Price shall be Rs. 1000 /- each inclusive of all taxes at site.		
25.5	<b>Regular body of Concealed stop cock and Exposed part kit of concealed stop cock with fitting sleeve operating lever &amp; adjustable wall flange.</b>	Nos.	1
	The Basic Price shall be Rs. 1550/- each inclusive of all taxes at site.		
<b>26.</b>	<b>DESIGNER TEXTURE PAINT:</b>		
	Prepare substrate and apply Designer texture paint wall decorative finish of approved design and colour to walls/columns/feature surfaces as indicated. Work to include surface preparation, priming, application of texture paint as directed by manufacturer and other layers of approved paint as per manufacturer's system, sealing and protective top coat , finishing, protection and final cleaning. Provide samples for approval.	Sqm.	50.00
	Wall Preparation:		
	Cleaning: Thorough cleaning of existing surfaces to remove dust, dirt, grease, and any loose material.		
	Sanding: Mechanical sanding of the entire application area to create a smooth, uniform surface and ensure proper adhesion of subsequent layers.		
	Putty Application: Application of a high quality wall putty to fill any minor imperfections, cracks, or undulations, creating a perfectly level surface.		
	Sanding (Post-Putty): Fine sanding after putty application to achieve a smooth, seamless finish.		
	Primer 1 (Base Primer): Application of a suitable base primer to seal the surface and promote adhesion of the putty and subsequent layers.		
	Paint (Finishing Paint): Application of a specialized finishing approved paint designed to enhance the unique reflective and textural properties.		
<b>27.</b>	<b>PREMIUM QUALITY 100 % ACRYLIC EMULSION PAINT:</b>		

	<p>Providing and applying one coat of wall primer and two or more coats of <b>Premium quality 100 % Acrylic Emulsion Paint</b> of approved make &amp; shade as per the manufacturer's specification to the interior surfaces of walls, beams, columns, canopies, staircase, lobbies, etc to get desire shade and finish at all heights with roller finished, cleaning/removing paint stains, etc. all complete as directed by the Bank's Engineer.</p> <p>Rates shall inclusive of removing of existing white or colour wash, dry or oil bound distemper, acrylic paint etc. by scrapping (both as dry and wet surface), cleaning &amp; sand papering and preparing the surface by providing and applying interior wall care putty/P.O.P to get smooth surface before receiving acrylic emulsion paint.</p>	Sqm.	350.00
	<p><b>Note:</b> The rate shall include extra thickness of putty and POP as required at site for preparation of smooth surface in level, etc. complete all as directed by the Bank's Engineer.</p>		

Signature of the firm

(By a person holding the Authority/Power of Attorney)